Surname			
Other Nan	nes		
Centre Nu	mber		
Candidate	Number _		
Candidate	Signature		

GCSE BIOLOGY

Foundation Tier Paper 2F

8461/2F

Monday 11 June 2018 Morning

Time allowed: 1 hour 45 minutes

For this paper you must have:

- a ruler
- a scientific calculator.

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.





INSTRUCTIONS

- Use black ink or black ball-point pen.
- Answer ALL questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

INFORMATION


- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

DO NOT TURN OVER UNTIL TOLD TO DO SO



0 1 FIGURE 1 shows a food chain in a river.

FIGURE 1



0 1.1 Draw ONE line from each scientific term to the correct organism in the food chain. [3 marks]

Scientific term

Organism in the food chain

Apex predator

Algae

Primary consumer

Invertebrate animals

Producer

Large fish

Small fish





0 1.2 TABLE 1 shows the biomass of the organisms at each stage in the food chain.

TABLE 1

Organism	Biomass in arbitrary units
Algae	840
Invertebrate animals	200
Small fish	40
Large fish	10



Calculate the percentage of the biomass of the invertebrate animals that is transferred to the large fish. [2 marks]

Use the equation:

percentag	$ge = \frac{\text{biomass of large fish}}{\text{biomass of invertebrate animals}}$	×100
-		
_		
_		
-		
-		
-		
	Percentage =	



0 1 . 3	A large amount of biomass is lost from the food chain.
	Complete the sentences.
	Choose answers from the list. [3 marks]
	coordination
	digestion
	excretion
	filtration
	ingestion
	respiration
	When the small fish eat the invertebrate
	animals, not all of this material is broken
	down during
	Materials absorbed from the gut may enter the
	body cells of the small fish. These materials
	are broken down into carbon dioxide and water by




	The carbon dioxide and other waste materials	>
	from the body cells are removed from the sm	all
	fish by	
01.4	A disease kills many of the small fish.	
	Why does the number of invertebrate animals increase? [1 mark]	\$
	Γ	
[Turn ove	er]	9



0 2

FIGURE 2 shows some changes that occur during the menstrual cycle.

FIGURE 2



0 2.1 FIGURE 2 shows that the lining of the uterus thickens between days 7 and 27.

What is the purpose of thickening the lining of the uterus? [1 mark]

Tick ONE box.

To allow implantation of the embryo

To break down waste

To prevent sperm reaching the egg



Which hormone causes thickening of the lining of the uterus? [1 mark]
Tick ONE box.
Auxin
Oestrogen
Testosterone
On which day is fertilisation most likely to occur?
Use information from FIGURE 2. [1 mark]



Contraception can be used to lower the chance of pregnancy.

0 2 . 4 Draw ONE line from each method of contraception to how the method works. [3 marks]

METHOD OF CONTRACEPTION

HOW THE METHOD WORKS

Barrier to prevent sperm reaching the egg

Contraceptive pill

Contains hormones to stop eggs maturing

Diaphragm

Kills sperm

Spermicidal cream

Slows down sperm production





02.5 TABLE 2 gives information about some different methods of contraception.

TABLE 2

METHOD	NUMBER OF PREGNANCIES PER 100 WOMEN IN ONE YEAR	POSSIBLE SIDE EFFECTS
Diaphragm and spermicidal cream	8	Usually none, but can cause bladder infection in some women
Condom	2	None
Contraceptive pill	1	Mood swings, headaches, high blood pressure, blood clots, breast cancer



A man	and a	woman	decide	to use	the co	ondom	as
their m	nethod	of conti	raceptic	n.			

Suggest THREE reasons for this decision.

Use information from TABLE 2 and your own knowledge. [3 marks]

1 _			
2 _			
3 _			

[Turn over]

9




Fossils give evidence about organisms that lived a long time ago.

Scientists have found very few fossils of the earliest life forms.

Give ONE reason why. [1 mark]

FIGURE 3 is a photograph of a fossilised fish.

FIGURE 3





03.2	Suggest how the fossil in FIGURE 3 was formed. [2 marks]
03.3	The species of fish shown in FIGURE 3 is now extinct.
	Give TWO possible causes of extinction. [2 marks]
	1
	2



		ed a long time ago.
	Evolution selection	on is caused by mutation and natural on.
03.4	What is	a mutation? [1 mark]
	Tick ON	E box.
		A change in a gene
		Accidental damage to an organism
		An organism with a new characteristic
		The loss of a species



0 3 . 5	Describe the process of natural selection. [3 marks]	
		9
Turn over	<u>*</u>]	



In the mid-19th century, a scientist studied inheritance in pea plants.

The scientist's work was the beginning of our modern understanding of genetics.

04.1	What is	the name of this scientist?	[1 mark]
	Tick ON	E box.	
		Alfred Russel Wallace	
		Charles Darwin	
		Gregor Mendel	
		Jean-Baptiste Lamarck	



0 4 . 2	In the mid-20th century, other scientists identified the chemical substance that makes up genetic material.		
	What is the name of the chemical substance that makes up genetic material? [1 mark]		
	Tick ONE box.		
	Carbohydrate		
	DNA		
	Lipid		
	Protein		



0 4 . 3	A gene often has two alleles.			
	One allele is dominant and the other allele is recessive.			
	When is a recessive allele expressed as a characteristic? [1 mark]			
	Tick ONE	E box.		
		When the dominant allele is not present		
		When the recessive allele is inherited from the female parent		
		When the recessive allele is inherited from the male parent		
		When the recessive allele is present on only one of the chromosomes		






A scientist investigated the inheritance of height in pea plants.

The scientist crossed tall pea plants with short pea plants.

FIGURE 4 shows the scientist's results.

FIGURE 4



In Questions 04.4 and 04.5, use the following symbols to represent alleles:

T = the dominant allele for tall.

t = the recessive allele for short.



04.4	In FIGURE 4, the genotype of plant 1 is TT.
	Give the genotype of plant 2. [1 mark]

0 4.5 The scientist crossed plant 3 with plant 4.

Complete FIGURE 5 to show the offspring produced from this cross. [2 marks]

FIGURE 5

	Male gametes		
		Т	t
Female gametes	Т	TT	
	t		

0 4 . 6	Draw a circle around ONE of the homozygous
	offspring in FIGURE 5. [1 mark]

04.7	What is the ratio of tall plants : short plants in
	the offspring in FIGURE 5? [1 mark]

Ratio	of	tall	plants	:	short	plants	=
-------	----	------	--------	---	-------	--------	---

-	



0 5	A person with Type 1 diabetes cannot make enough insulin.		
0 5 . 1	Which organ makes insulin? [1 mark]		
	Tick ONE box.		
	Adrenal gland		
	Pancreas		
	Pituitary gland		
	Thyroid		



05.2	A person with Type 1 diabetes can control the concentration of glucose in the blood by injecting insulin.					
	Complete the sentences.					
	Choose answers from the list. [2 marks] DNA					
	glycogen					
	kidney					
	liver					
	protein					
	skin					
	Insulin acts on an organ called the					
	This organ then takes in excess glucose from the blood and changes the glucose into					



0 5 . 3	Insulin cannot be taken as a tablet. This is because insulin is a type of protein.
	What would happen to the insulin in the tablet if it reached the stomach? [1 mark]

Two people each drank the same volume of a glucose drink.

Person A has Type 1 diabetes.


Person B does NOT have diabetes.

FIGURE 6, on page 29, shows how the concentration of glucose in their blood changed.



FIGURE 6

Blood glucose concentration in mmol/dm³







05.4	How much higher was the HIGHEST concentration of glucose in the blood of pethan the HIGHEST concentration in person	
	Use information from FIGURE 6 on page 29 [2 marks]	9.
	Answer = mn	nol/dm ³
05.5	Describe ONE other way that the results for person A were different from the results for person B.	
	Use information from FIGURE 6 on page 29 [1 mark]	9.




Type 2 diabetes is another form of diabetes. Type 2 diabetes is common in obese people.

People with Type 2 diabetes make enough insulin, but still cannot control their blood glucose concentration. This is because the body cells are not sensitive to the insulin.

FIGURE 7 shows information about abdominal fat and insulin sensitivity in body cells.

FIGURE 7





05.6	What type of relationship is shown in FIGURE 7? [1 mark]
	Tick ONE box.
	A negative correlation
	No correlation
	A positive correlation
05.7	A person is at risk of developing Type 2 diabetes
	Suggest TWO ways the person could lower the chance of developing Type 2 diabetes. [2 marks]
	1
	2
[Turn ove	r]
	10




0 6 Some weed killers are selective.

Selective weed killers kill broad-leaved weed plants, but do NOT kill narrow-leaved grass plants.

FIGURE 8 shows some weeds growing on a grassy lawn.

FIGURE 8



Some students investigated the effect of a selective weed killer on the weeds growing in a lawn. They used 0.5 m \times 0.5 m quadrats.

The lawn was 20 metres long and 10 metres wide.

The method used is on page 35.



- 1. Divide the lawn into two halves, side A and side B.
- 2. Place 5 quadrats in different positions on side A.
- 3. Place 5 more quadrats in different positions on side B.
- 4. Count the number of weed plants in each quadrat.
- 5. Spray side A with weed killer solution.
- 6. Spray side B with the same volume of water.
- 7. Repeat steps 2-4 after 2 weeks.

06.1	Suggest a method the students should have used to place each quadrat. [1 mark]





06.2	Give the reason for the method you suggested in Question 06.1. [1 mark]
06.3	Explain why the students used water on one side of the lawn instead of weed killer. [2 marks]



TABLE 3 shows the students' results.

TABLE 3

	Number of weeds per quadrat			
	At start		After 2 weeks	
	Side A (Weed killer)	Side B (Water)	Side A (Weed killer)	Side B (Water)
	8	14	3	8
	2	9	4	15
	12	3	0	7
	15	16	2	12
	13	3	1	13
Mean	10	9	2	Х

06.4	Calculate the mean value, X, in TABLE 3. [1 mark]
	Mean value, X =



06.5	Calculate the percentage decrease in the number of weeds on side A after 2 weeks. [2 marks]
	Use the following equation:
	percentage decrease =
	(mean at start – mean after 2 weeks) ×100
	mean at start
	Percentage decrease =



BLANK PAGE



06.6	One student thought the results were NOT valid.
	Suggest ONE improvement the students could have made to the method to make the results more valid.
	Give the reason for your answer. [2 marks]
	Improvement
	Reason
[Turn ov	/er]


4 1

0 7 Mycoprotein is a protein-rich food.

Mycoprotein is made from the fungus Fusarium.

FIGURE 9 shows a fermenter used for growing Fusarium.

FIGURE 9





Explain why the fermenter is sterilised before use. [2 marks]



07.2	Cold water is pumped through the cooling coil at point X.
	This maintains a constant temperature inside the fermenter.
	Suggest the temperature at which Fusarium grows fastest. [1 mark]
	Tick ONE box.
	5 °C
	20 °C
	30 °C
	85 °C



07.3	Glucose and bubbles of air enter the fermenter.
	The bubbles of air supply oxygen.
	Explain why Fusarium needs glucose and oxygen. [2 marks]



07.4	The bubbles of air also move materials around the fermenter.
	Suggest why it is useful for bubbles of air and materials to move around inside the fermenter. [2 marks]



07.5	100 grams of chicken meat contains 22 grams of protein.
	100 grams of mycoprotein contains 11 grams of protein.
	A man ate 100 grams of chicken in one meal.
	How many grams of mycoprotein would the man need to eat to get the same mass of protein as in 100 grams of chicken? [1 mark]
	Tick ONE box.
	100 grams
	110 grams
	200 grams
	220 grams
[Turn over	<u> </u>]

4 7

0 8 Some students investigated phototropism in plant seedlings.


This is the method used.

- 1. Measure the lengths of the shoots of 20 seedlings.
- 2. Set up four groups of seedlings as follows:
 - A bottom of shoot covered in aluminium foil
 - B tip covered in aluminium foil
 - C tip removed
 - D no changes.
- 3. Put the seedlings in a cardboard box.
- 4. Use a lamp to shine a light into the box through a hole in one side.
- 5. After one day, re-measure the lengths of the shoots.
- 6. Make a drawing of the appearance of one seedling from each group.

FIGURE 10, on page 49, shows the appearance of one seedling in each group at the start of the investigation.



FIGURE 10



08.1 Which TWO conditions should the students have kept constant for each group of seedlings? [2 marks]

Tick TWO boxes.


The length of the roots
The number of seedlings in each group
The temperature
The thickness of the aluminium foil
The volume of water added to the soil



08.2	What is the purpose of the aluminium foil? [1 mark]
	Tick ONE box.
	To hold the shoot straight
	To keep the shoot warm
	To remove the effect of gravity
	To stop light reaching the shoot

FIGURE 11, below and on page 51, shows the students' results.

FIGURE 11





	A	В	С	D
Mean length of shoot at start in mm	23	24	21	25
Mean length of shoot after 1 day in mm	28	30	23	30
Mean change in length of shoot in mm	5	6	2	5

08.3	Suggest how the students measured the lengths of the curved shoots of seedlings A and D at the end of the investigation. [2 marks]				




08.4	The students concluded that the TIP of the shoot is needed for the plant to respond to light.				
	Give evidence for this conclusion from FIGURE 11 on pages 50 and 51. [2 marks]				



08.5 A hormone stimulates growth in shoots.

Which distribution of the hormone would cause the results seen in shoot D? [1 mark]

Tick ONE box.






0 9	Many h	uman actions are reflexes.	
0 9 . 1	Which TWO of the following are examples of reflex actions? [2 marks]		
	Tick TV	VO boxes.	
		Jumping in the air to catch a ball	
		Raising a hand to protect the eyes in bright light	
		Releasing saliva when food enters the mouth	
		Running away from danger	
		Withdrawing the hand from a sharp object	

FIGURE 12, on page 55, shows how the size of the pupil of the human eye can change by reflex action.



FIGURE 12



- 0 9.2 Name ONE stimulus that would cause the pupil to change in size from A to B, as shown in FIGURE 12. [1 mark]
- 09.3 Structure Q causes the change in size of the pupil.


Name structure Q. [1 mark]

0 9 . 4 Describe how structure Q causes the change in the size of the pupil from A to B. [1 mark]



0 9.5 FIGURE 13 shows some structures involved in the coordination of a reflex action.

FIGURE 13



Describe how the structures shown in FIGURE 13 help to coordinate a reflex action. [6 marks]



_				
-				
-				
-				
-				
-				
-				
-				
-				
-				
-				
-				
-				
[Turn over	1			
L	J			11




1 0

Many scientists think that global air temperature is related to the concentration of carbon dioxide in the atmosphere.

FIGURE 14 shows changes in global air temperature and changes in the concentration of carbon dioxide in the atmosphere.

FIGURE 14





10.1 Complete TABLE 4.

Use information from FIGURE 14. [2 marks]

Choose answers from the list.

You may use each answer once, more than once or not at all.

constant

decreasing

increasing

TABLE 4

	1960 – 1977	1977 – 2003	2003 – 2015
Trend in carbon dioxide concentration	Increasing		
Trend in air temperature			



Many scientists think that an increase in carbon dioxide concentration in the atmosphere causes an increase in air temperature.

10.2	How would an increase in the concentration of carbon dioxide in the atmosphere cause an increase in air temperature? [1 mark]
10.3	Evaluate evidence for and against the theory that an increase in the concentration of carbon dioxide in the atmosphere causes an increase in air temperature.
	Use data from FIGURE 14 on page 58 and your own knowledge. [4 marks]



•	
•	
-	



	-
	In each wear the concentration of carbon
	In each year, the concentration of carbon
	dioxide in the atmosphere is higher in the
	winter than in the summer.
	willer than in the Summer.
10.4	Give ONE human activity that could cause the
	higher concentration of carbon dioxide in the
	•
	winter. [1 mark]



10.5	Give ONE biological process that could cause the lower concentration of carbon dioxide in the summer. [1 mark]
10.6	Give TWO possible effects of an increase in global air temperature on living organisms. [2 marks]
	1
	2
[Turn ove	r]
	11




1 1 It is important to maintain water balance in the body.

FIGURE 15, below and on page 65, shows how much water a person gained and lost by different methods in one day.


FIGURE 15

Water gained by the body





Water lost from the body





BLANK PAGE



When water is balanced, the volume of water

taken in by the body is equal to the volume of

	water lost from the body.
11.1	Calculate the volume of water the person lost in one day in faeces.
	Use information from FIGURE 15 on pages 64 and 65. [2 marks]
	Volume lost in faeces = cm ³



11.2	FIGURE 15, on pages 64 and 65, shows that one method of gaining water is by metabolism		
	Which metabolic process produces water? [1 mark]		
	Tick ONE box.		
	Breakdown of protein to amino acids		
	Changing glycogen into glucose		
	Digestion of fat		
	Respiration of glucose		



	The next day, the person ran a 10-kilometre race.
	The volume of water lost from the body through the skin and by breathing increased.
11.3	Explain why more water was lost through the skin during the race. [2 marks]



11.4	Explain why more water was lost by breathing during the race. [3 marks]		
		_	
		_	
		_	
		_	
		_	
END OF	QUESTIONS 8	_	
	0	\Box	



There are no questions printed on this page



There are no questions printed on this page

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
TOTAL		

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

IB/M/Jun18/NC/8461/2F/E5

