



Surname _____

Other Names _____

Centre Number _____

Candidate Number _____

Candidate Signature _____

**GCSE
BIOLOGY**

F

Foundation Tier Paper 2F

8461/2F

Friday 7 June 2019

Afternoon

Time allowed: 1 hour 45 minutes

For this paper you must have:

- a ruler
- a scientific calculator.

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.

[Turn over]



J U N 1 9 8 4 6 1 2 F 0 1

BLANK PAGE



INSTRUCTIONS

- **Use black ink or black ball-point pen.**
- **Answer ALL questions in the spaces provided.**
- **Do all rough work in this book. Cross through any work you do not want to be marked.**
- **In all calculations, show clearly how you work out your answer.**

INFORMATION

- **The maximum mark for this paper is 100.**
- **The marks for questions are shown in brackets.**
- **You are expected to use a calculator where appropriate.**
- **You are reminded of the need for good English and clear presentation in your answers.**

DO NOT TURN OVER UNTIL TOLD TO DO SO



Answer ALL questions in the spaces provided.

0 1

The nervous system allows a person to detect stimuli.

0 1 . 1

Draw ONE line from each stimulus to the sense organ that detects the stimulus.
[2 marks]

STIMULUS

SENSE ORGAN

Chemicals

Light

Ear

Eye

Tongue

Moving a hand away from a hot object is an example of a reflex action.

0 1 . 2

What is a reflex action? [2 marks]



0 1 . 3 A muscle in the arm moves the hand away from the hot object.

How does the arm muscle do this? [1 mark]

Tick (✓) ONE box.

The muscle contracts.

The muscle expands.

The muscle relaxes.

The muscle shrinks.

[Turn over]




Two students investigated the effect of drinking coffee on reaction time.

This is the method used.

- 1. Student A holds a metre rule just above student B's hand, as shown in FIGURE 1.**
- 2. Student A lets go of the metre rule.**
- 3. Student B catches the metre rule as quickly as possible.**
- 4. Student A writes down the reading from the scale on the metre rule.**
- 5. Students A and B repeat steps 1–4 another four times.**
- 6. Student B then drinks a cup of coffee.**
- 7. After 15 minutes, students A and B repeat steps 1–5.**



FIGURE 1



[Turn over]




TABLE 1 shows some of the results.

TABLE 1

Test	Reading from scale on metre rule in cm	
	Before drinking coffee	After drinking coffee
1	18	10
2	21	14
3	15	
4	12	
5	19	

FIGURE 2, below and on the opposite page, shows the results AFTER drinking the coffee for tests 3, 4 and 5.


FIGURE 2




Test 3



FIGURE 2 CONTINUED



Test 4



Test 5

0 1 . 4 Complete TABLE 1, on the opposite page.

Use results from FIGURE 2. [2 marks]

[Turn over]



BLANK PAGE



The students made the following conclusion:

‘Drinking coffee speeds up reactions.’

0 1 . 5 Give evidence from TABLE 1, on page 8, to support the students’ conclusion. [1 mark]

0 1 . 6 The students’ conclusion may NOT be valid.

Suggest TWO improvements the students could make to their method. [2 marks]

1 _____

2 _____

[Turn over]

10



0 2

The shape of a person's earlobes is controlled by a gene.

FIGURE 3 shows two types of earlobe.

FIGURE 3



Free earlobe



Attached earlobe

A dominant allele codes for free earlobes.



02.1 What is a dominant allele? [1 mark]

Tick (✓) **ONE** box.

An allele expressed even if a person only has one copy of the allele

An allele expressed only if a person has two copies of the allele

An allele expressed only if a person has no recessive allele

An allele expressed only if it is inherited from the male parent

[Turn over]



- 02.2** A man with free earlobes and a woman with attached earlobes have children together.

Complete FIGURE 4 to show the possible genotypes of the children.

Use the symbols:

E = allele for free earlobes

e = allele for attached earlobes

[2 marks]

FIGURE 4

		Woman	
		e	e
Man	E	Ee	
	e		



02.3 What is the probability that one of the children would have attached earlobes?

Use FIGURE 4. [1 mark]

Tick (✓) ONE box.

0.125

0.25

0.5

0.75

[Turn over]



02.4 FIGURE 5 shows the inheritance of the sex chromosomes, X and Y.

Complete FIGURE 5 to show the sex chromosomes in the gametes of the man and the woman. [2 marks]

FIGURE 5

	Woman	
	XX	XX
Man	XY	XY



02.5 Calculate the probability that the man and the woman's next child will be a girl with attached earlobes. [2 marks]

Use the equation:

probability of a girl with attached earlobes

= probability of attached earlobes × probability of being a girl

Probability of a girl with attached earlobes =

[Turn over]




8

03

FIGURE 6 shows the production of sperm cells in humans.

FIGURE 6



03.1 Cell A is a normal body cell.

**How many chromosomes are there in cell A?
[1 mark]**

Tick (✓) ONE box.

23

46


48

92

[Turn over]



Repeat of FIGURE 6



03.2 What is the mass of DNA in cell E? [1 mark]

Tick (✓) ONE box.

A quarter of the mass of the DNA in cell A

Half the mass of the DNA in cell A

The same mass as the DNA in cell A

Twice the mass of the DNA in cell A

[Turn over]



03.3 What type of cell division produces sperm cells? [1 mark]

Tick (✓) **ONE** box.

Binary fission

Differentiation

Meiosis



03.4 Sometimes there are errors in copying the genetic material.

What term describes an error in the genetic material? [1 mark]

Tick (✓) ONE box.

Absorption

Fertilisation

Mitosis

Mutation

[Turn over]



03.5 A woman has three children, aged 4, 6 and 9 years.

Why are the children NOT genetically identical? [2 marks]

In sexual reproduction, a sperm cell fuses with an egg cell to form a new single cell.

An embryo develops from the single cell.

The cell divides three times to produce the embryo.

03.6 How many cells are there in the embryo after three cell divisions? [1 mark]

Tick (✓) ONE box.

3

6

8


9

[Turn over]



FIGURE 7 shows a different human embryo.

FIGURE 7



03.7 Measure image length X on FIGURE 7.
[1 mark]

Give your answer in millimetres (mm).

X = _____ mm



03.8 The image in FIGURE 7 has been magnified $\times 500$

Calculate the real length of the embryo.

Use the equation:

$$\text{real length of the embryo} = \frac{\text{image length}}{\text{magnification}}$$

Give your answer in micrometres (μm).

1 mm = 1000 μm [3 marks]

Real length of the embryo =

_____ μm

[Turn over]



03.9 The embryo may NOT implant in the lining of the uterus.

The embryo will then be lost from the woman's body several days later.

Explain why the woman may NOT notice this has happened. [2 marks]

13

BLANK PAGE

[Turn over]




0 4

Gardeners sometimes make compost heaps from dead plant material.

The dead plants decay in the compost heap.

FIGURE 8 shows a compost heap.

FIGURE 8



0 4 . 1 The thin layers of soil contain organisms that cause decay.

Which **TWO** types of organism cause decay? [2 marks]

Tick (✓) **TWO** boxes.

Bacteria

Fungi

Grass

Insects

Worms

[Turn over]



The rate of decay in the compost heap depends on several environmental factors.

04.2

Explain how the rate of decay would be affected by:

- an increase in oxygen concentration
- a temperature increase from 5 °C to 25 °C

[3 marks]

04.3 Give ONE environmental factor needed for decay.

Do NOT refer to oxygen or temperature in your answer. [1 mark]


[Turn over]



Dead plant material can also be decayed in a biogas generator.

FIGURE 9 shows the percentages of the gases found in a sample of biogas.

FIGURE 9



0 4 . 4 Gas X is the main fuel gas found in the biogas.

What is gas X? [1 mark]

Tick (✓) ONE box.

Carbon monoxide

Hydrogen

Methane

Nitrogen

0 4 . 5 What is the percentage of gas X in the biogas?
[1 mark]

Percentage = _____ %

[Turn over]



0 4 . 6 The dead plant material in the compost heap and biogas generator does NOT decay completely.

**Explain why a farmer might spread the remaining dead plant material onto his fields.
[2 marks]**

10

BLANK PAGE

[Turn over]



05

FIGURE 10 shows a flightless bird called the dodo ('Raphus cucullatus').

FIGURE 10



The dodo:

- was 1 m tall
- had a mass of 20 kg
- lived in rainforests on a tropical island
- ate fruits
- made its nest on the ground.

A female dodo laid only one egg each year.

**Humans arrived on the island in the year 1507.
By 1681 the dodo was extinct.**



05.1 What is the genus of the dodo? [1 mark]

Tick (✓) ONE box.

Animal

Bird

Raphus

05.2 Before the arrival of humans, there were no other large animals living on the island.

Suggest TWO reasons why the dodo became extinct soon after the arrival of humans.
[2 marks]

1 _____

2 _____

[Turn over]



Today, humans are cutting down large areas of tropical rainforests.

- 0 5 . 3** Suggest ONE use of the land after the trees have been removed. [1 mark]

- 0 5 . 4** Why does the removal of trees cause an increase in carbon dioxide in the atmosphere? [2 marks]

Tick (✓) TWO boxes.

There are fewer animals.

There is less photosynthesis.

There is less respiration.

The soil dries out.

The trees are burned.



05.5 What effect would an increase in carbon dioxide in the atmosphere have on global air temperature? [1 mark]

Tick (✓) ONE box.

Decrease

Increase

Stay the same

[Turn over]




‘Sustainable forestry’ reduces the harmful effects of cutting down trees on the environment.

FIGURE 11 shows a method of ‘sustainable forestry’.

Numbers 1–9 show different parts of a rainforest.

FIGURE 11



The trees are cut down in the sequence
1 – 2 – 3 – 4 – 5 – 6 – 7 – 8 – 9

- The trees are cut down in only one area at any one time.
- It takes 30 years to cut down the trees in each area.
- The trees in the ‘Old growth’ area are never cut down.

05.6 How many years would it take to cut down the trees in all of the numbered areas in FIGURE 11? [2 marks]


Number of years = _____

[Turn over]



Repeat of FIGURE 11

Map of the rainforest



0 100 km

05.7 The rainforest contains:

- 750 species of trees
- 400 species of birds
- 150 species of butterflies
- many other species of plants and animals.

Explain how the pattern of cutting down trees shown in FIGURE 11 stops the biodiversity of the rainforest being reduced. [4 marks]



[Turn over]



0 6

Two of the substances the body excretes are urea and carbon dioxide.

0 6**1**

Complete the sentence. [1 mark]

Choose the answer from the list below.

- carbohydrate
- lipid
- protein
- salt

A person makes a lot of urea if the person's diet contains a lot of _____.

0 6**2**

Why must urea be excreted from the body?
[1 mark]



- 06.3** A person produces more carbon dioxide during exercise than when resting.

Complete the sentences. [2 marks]

Choose answers from the list below.

- breathing
- digestion
- egestion
- osmosis
- respiration

The process that makes carbon dioxide is

_____.

During exercise, extra carbon dioxide can be removed from the body by increasing the

rate of _____.

[Turn over]



06.4 Excess water must also be removed from the body.

If a person sweats a lot, less water will be excreted in the urine.

A healthy person did the same amount of exercise on each of 3 days.

TABLE 2 shows information for the 3 days.

TABLE 2

Day	Air temperature in °C	Volume of water consumed in cm³	Relative amount of urine produced by the kidneys
1	30	1500	
2	20	1500	
3	15	2000	

Complete TABLE 2. [2 marks]

Choose answers from the list below.

- least
- medium
- most




BLANK PAGE

[Turn over]



FIGURE 12

**KEY**

- **Water molecule**
- **Sodium ion**
- **Urea molecule**
- **Glucose molecule**
- **Protein molecule**



Some people have kidney disease.

Kidney disease may be treated by dialysis or by having a kidney transplant operation.

- **During dialysis, a person is connected to a machine that filters the blood.**
- **Each dialysis session lasts about 6 hours.**
- **The person has several dialysis sessions each week.**

FIGURE 12, on the opposite page, show how dialysis works.

0 6 . 5 How does urea move out of the blood during dialysis? [1 mark]

Tick (✓) ONE box.

Diffusion

Digestion


Osmosis

Respiration

[Turn over]



Repeat of FIGURE 12

**KEY**

- **Water molecule**
- **Sodium ion**
- **Urea molecule**
- **Glucose molecule**
- **Protein molecule**



06.6 Which substance in **FIGURE 12** does **NOT** pass from the blood into the dialysis fluid?

Give the reason for your answer. [2 marks]

Substance _____

Reason _____

[Turn over]



Two people have kidney disease.

- Person A is treated by dialysis.
- Person B has had a kidney transplant.

FIGURE 13, on the opposite page, shows changes in the urea concentration in the blood of each person over 2 weeks.


06.7 How many dialysis sessions did person A have EACH WEEK?
[1 mark]

06.8 What happens to the concentration of urea in the blood between dialysis sessions? [1 mark]



FIGURE 13

**Concentration
of urea in the
blood in
mmol/dm³**



[Turn over]



BLANK PAGE



06.9 Give TWO reasons why a kidney transplant is a better method for treating kidney disease than dialysis. [2 marks]

1. _____

2. _____

13


[Turn over]



07

FIGURE 14 shows a food chain in a pond.

FIGURE 14



07.1 Which term describes the Daphnia in this food chain? [1 mark]

Tick (✓) ONE box.

Apex predator

Primary consumer


Producer

Secondary consumer

[Turn over]



Repeat of FIGURE 14



07.2 Draw a pyramid of biomass for the food chain.

Label each trophic level. [2 marks]

[Turn over]



BLANK PAGE



07.3 Give ONE reason why the total biomass of the Daphnia in the pond is different from the total biomass of the algae. [1 mark]

[Turn over]



Students investigated the size of the population of *Daphnia* in the pond.

This is the method used.

1. Collect 1 dm³ of pond water from near the edge of the pond.
2. Pour the water through a fine net.
3. Count the number of *Daphnia* caught in the net.
4. Repeat steps 1–3 four more times.

TABLE 3 shows the results.

TABLE 3

Sample number	Number of <i>Daphnia</i> in 1 dm ³ water
1	5
2	21
3	0
4	16
5	28

07.4 Calculate the mean number of Daphnia in 1 m³ of pond water.

$$1 \text{ m}^3 = 1000 \text{ dm}^3$$

[2 marks]

Mean number of Daphnia in 1 m³ of pond

water = _____

[Turn over]



07.5 The pond was a rectangular shape, measuring:

- length = 2.5 metres
- width = 1.5 metres
- depth = 0.5 metres.

Calculate the estimated number of *Daphnia* in the pond.

Use your answer from Question 07.4.

Give your answer in standard form. [4 marks]



Number of Daphnia in the pond =

[Turn over]



Rainfall can cause fertiliser to be washed from farmland into a pond.


The students investigated the effect of fertiliser on the population of Daphnia in water from the pond.

- The students put 20 Daphnia in each of five different concentrations of fertiliser.
- The students counted the total number of Daphnia in each concentration of fertiliser after 2 weeks.

FIGURE 15 shows the results.

FIGURE 15

Total number
of Daphnia
after 2 weeks



07.6 A concentration of 5.0 mg/dm^3 of fertiliser caused a large increase in the population of Daphnia.


Explain why. [2 marks]

[Turn over]



07.7 FIGURE 14 is repeated below.

FIGURE 14



The population of HYDRA will decrease when 20 mg/dm³ of fertiliser is added to the pond.

Explain why. [2 marks]

14

[Turn over]



0 8 Genetic material is made of DNA.

0 8 . 1 Which structures in the nucleus of a human cell contain DNA? [1 mark]

FIGURE 16, on the opposite page, shows part of one strand of a DNA molecule.


0 8 . 2 Label parts X, Y and Z on **FIGURE 16**.
[3 marks]

Choose answers from the list below.

- Base
- Fatty acid
- Nucleotide
- Sugar
- Glycerol



FIGURE 16



[Turn over]



BLANK PAGE



- 08.3** A complete DNA molecule is made of two strands twisted around each other.

What scientific term describes this structure?
[1 mark]

- 08.4** DNA codes for the production of proteins.

A protein molecule is a long chain of amino acids.

How many amino acids could be coded for by the piece of DNA shown in FIGURE 16 (on page 73)? [1 mark]

Tick (✓) ONE box.

2

3

9

18

[Turn over]



08.5 Scientists have now studied the whole human genome.

Give TWO benefits of understanding the human genome. [2 marks]

1

2

8



09

Phototropism is a growth response by part of a plant to light.

09**.1**

Name ONE other tropism.

Give the stimulus the plant responds to in the tropism you have named. [2 marks]

Tropism _____

Stimulus _____

[Turn over]




- 09.2** Plan an investigation to show the effect of light from one direction on the growth of plant seedlings.


Include details of any controls needed.

You may use some of the equipment shown in **FIGURE 17** and any other laboratory apparatus. [6 marks]

FIGURE 17




Lamp




**Several pots
of seedlings**



Scissors



Ruler



**Cardboard boxes
with lids**



[Turn over]



09.3 Explain how phototropism in a plant shoot helps the plant to survive. [3 marks]

END OF QUESTIONS

11



BLANK PAGE

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
TOTAL	

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third-party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2019 AQA and its licensors. All rights reserved.

IB/M/CD/Jun19/8461/2F/E3