

Surname	
Other Names	
Centre Number	
Candidate Number	
Candidate Signature	
GCSE	
BIOLOGY	
Higher Tier Paper 2H	
8461/2H	
Monday 11 June 2018	Morning
Time allowed: 1 hour 45 m	ninutes
At the top of the page wri	to vour surnam

At the top of the page, write your surname and other names, your centre number,

your candidate number and add your signature.



For this paper you must have:

- a ruler
- a scientific calculator.

INSTRUCTIONS

- Use black ink or black ball-point pen.
- Answer ALL questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.



INFORMATION

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

DO NOT TURN OVER UNTIL TOLD TO DO SO



|--|

Many human actions are reflexes.


01.1

Which TWO of the following are examples of reflex actions? [2 marks]

Tick TWO boxes.



Jumping in the air to catch a ball




Raising a hand to protect the eyes in bright light



Releasing saliva when food enters the mouth



Running away from danger




Withdrawing the hand from a sharp object



FIGURE 1 shows how the size of the pupil of the human eye can change by reflex action.

FIGURE 1



01.2 Name ONE stimulus that would cause the pupil to change in size from A to B, as shown in FIGURE 1. [1 mark]

01.3 Structure Q causes the change in size of the pupil.

Name structure Q. [1 mark]







7




Describe how structure Q causes the change in the size of the pupil from A to B. [1 mark]




01.5 FIGURE 2 shows some structures involved in the coordination of a reflex action.

FIGURE 2



Describe how the structures shown in FIGURE 2 help to coordinate a reflex action. [6 marks]









Many scientists think that growal all temperatures the related to the concentration of carbon dioxide in the atmosphere.

FIGURE 3 shows changes in global air temperature and changes in the concentration of carbon dioxide in the atmosphere. atmosphere.










FIGURE 3 Change in Change





Complete TABLE 1, on page 13.

Use information from FIGURE 3, on page 11. [2 marks] Choose answers from the list below. You may use each answer once, more than once or not at all.

decreasing increasing constant





	1960 – 1977	1977 – 2003	2003 – 2015
	Increasing		
uo			
Ð			



[Turn over]

Trend in carbon dioxide concentratic Trend in air temperature

TABLE 1

Many scientists think that an increase in carbon dioxide concentration in the atmosphere causes an increase in air temperature.



How would an increase in the concentration of carbon dioxide in the atmosphere cause an increase in air temperature? [1 mark]



15


02	. 3
----	-----

Evaluate evidence for and against the theory that an increase in the concentration of carbon dioxide in the atmosphere causes an increase in air temperature.

Use data from FIGURE 3, on page 11, and your own knowledge. [4 marks]









In each year, the concentration of carbon dioxide in the atmosphere is higher in the winter than in the summer.



Give ONE human activity that could cause the higher concentration of carbon dioxide in the winter. [1 mark]



Give ONE biological process that could cause the lower concentration of carbon dioxide in the summer. [1 mark]



19



Give TWO possible effects of an increase in global air temperature on living organisms. [2 marks]



1

11




It is important to maintain water balance in the body.

FIGURE 4, on pages 20 and 21, shows how much water a person gained and lost by different methods in one day.





FIGURE 4



F D M Method KEY F = Food D = Drink M = Metabolism



Water lost from the body Volume in cm³

U F S B Method KEY U = Urine F = Faeces S = Skin B = Breathing



BLANK PAGE



When water is balanced, the volume of water taken in by the body is equal to the volume of water lost from the body.



Calculate the volume of water the person lost in one day in faeces.

Use information from FIGURE 4 on pages 20 and 21. [2 marks]

Volume lost in faeces =







03.2 FIGURE 4, on pages 20 and 21, shows that one method of gaining water is by metabolism.

Which metabolic process produces water? [1 mark]


Tick ONE box.




Breakdown of protein to amino acids



Changing glycogen into glucose



Digestion of fat



Respiration of glucose




The next day, the person ran a 10-kilometre race.

The volume of water lost from the body through the skin and by breathing increased.

03.3 Explain why more water was lost through the skin during the race. [2 marks]





03.4 Explain why more water was lost by breathing during the race. [3 marks]





BLANK PAGE






Some students investigated the size of a population of dandelion plants in a field.

FIGURE 5 shows the field.

FIGURE 5



The students:

placed a 1 m x 1 m square quadrat at 10 random positions in the field

counted the number of dandelion plants in each quadrat.



TABLE 2 shows the students' results.

TABLE 2

Quadrat number	Number of dandelion plants
1	6
2	9
3	5
4	8
5	0
6	10
7	2
8	1
9	8
10	11



04.1 Why did the students place the quadrats at random positions? [1 mark]





Estimate the total number of dandelion plants in the field.

Calculate your answer using information from FIGURE 5 and TABLE 2.

Give your answer in standard form. [5 marks]

Total number of dandelion plants =



Quadrats 5, 7 and 8 were each placed less than 10 metres from the woodland.

These quadrats contained low numbers of dandelion plants.


The students made the hypothesis:

'Light intensity affects the number of dandelion plants that grow in an area.'



0 4 . 3 Plan an investigation to test this hypothesis. [6 marks]







BLANK PAGE





Light is an environmental factor that affects the growth of dandelion plants.

Give TWO other environmental factors that affect the growth of dandelion plants. [2 marks]

2


1



I division is needed for growth and for roduction. 0 5 . 1 TABLE 3 contains three statements about cell division.

Complete TABLE 3. [2 marks]

Tick ONE box for each statement.





	Statement is true for	is true for	
	Mitosis	Meiosis	Both mitosis
	only	only	and meiosis
paunced			
ally			
at the			
ch cell			
nes			
٩V			



[Turn over]




TABLE 3

Bluebell plants grow in woodlands in the UK.

- Bluebells can reproduce sexually by producing seeds.
- Bluebells can also reproduce asexually by making new bulbs.

05.2 One advantage of asexual reproduction for bluebells is that only ONE parent is needed.

Suggest TWO other advantages of asexual reproduction for bluebells. [2 marks]

1

2





0 5 . 3 Explain why sexual reproduction is an advantage for bluebells. [4 marks]




[Turn over]


8



Some students investigated geotropism in the roots of bean seedlings.

FIGURE 6 shows the apparatus used.





Apparatus B

Rotating



41


This is the method used.

- 1. Measure the length of the root of each of 10 bean seedlings.
- 2. Pin 5 seedlings to the cork mat in apparatus A.
- 3. Pin 5 seedlings to the cork mat in apparatus B.
- 4. Leave A and B in a dark cupboard for 2 days.
- 5. After the 2 days:
 - make a drawing to show the appearance of each seedling
 - measure the length of the root of each seedling.



BLANK PAGE







Why did the students surround the seedlings with damp blotting paper? [1 mark]

Tick ONE box.






To prevent photosynthesis taking place in the roots



To prevent the growth of mould on the roots



To prevent water affecting the direction of

root growth



is a control.

rotates slowly.


How does apparatus B act as a control? [1 mark]

Apparatus B Apparatus B 0 6.2 Ho 1



ows the students' results.

		App	Apparatus A	A su			App	Apparatus	us B	
	<	2	S	4	5	ς	2	S	4	S
tart	35	41	32	33	39	30	33	29	28	31
ר ד	49	57	43	45	54	45	45	44	29	44
nge	14	16	11	12	15	15	12	15		13
			14					~		




e student stated:

'The mean length change for the seedlings in apparatus B is NOT valid.'

Suggest the reason for the student's statement. [1 mark]

Che Sug Sug Sug






Suggest ONE improvement the students could make to obtain a more valid mean length change for the seedlings in apparatus B. [1 mark]

0 6 4 S




48




0|6|.|5| FIGURE 7 shows the students' drawings of two seedlings at the end of the 2 days.

FIGURE 7



Seedling from Apparatus A



Seedling from Apparatus B


A plant hormone is made in the root tip.

The hormone diffuses from the tip into the tissues of the root.


Explain how the hormone causes the appearance of the seedlings in FIGURE 7 to be different.



You should refer to BOTH seedlings in your answer. [3 marks]







06.06 In horticulture plant hormones are used for controlling plant growth.

> **Draw ONE line from each plant** hormone to the correct use of that hormone. [3 marks]



51

Plant hormone

Auxin

Ethene

Gibberellin

Use of hormone

To reduce the time taken for tomatoes to ripen

To slow down the growth of plant stems

To promote seed germination

To stimulate root growth in plant cuttings

10





biomass of the organisms at each trophic a food chain for organisms in a river the biomass of the organisms at eaclevel.






FIGURE 8

Biomass in g/m²:









0 7.1 Draw a pyramid of biomass for the food chain in FIGURE 8 on FIGURE 9.

- You should:
- use a suitable scale
 label the x-axis
 label each trophic level.







ver]

FIGURE 9

														-		_		
											-			-		-		
											+			-	-	+		
																+		
						 				 +	+							
-	 					_					+					+		
-	-										+			-	-	+		
						 			-	 +	+					+		
-	 					_				 	-					+		
						 _			-								 	
														_				
_																		



culate the percentage of the biomass lost Calculate the percentage of the biomass los between the algae and the large fish. Give your answer to 2 significant figures. [3 marks]


rcentage loss =







0 7 . 3 Give ONE way that biomass is lost between trophic levels. [1 mark]






07.4 A large amount of untreated sewage entered the river. Many fish died.

Untreated sewage contains organic matter and bacteria.

Explain why many fish died. [5 marks]





5 9


[Turn over]


13

e O	
produce	
that	fat.
	l of
COWS	tion
	ntra
breed	centra
	con
want to	No ₩
-	a lo
entists	ith
j nt	k with


- FIGURE 10 shows information about the milk in one group of cows. The cows were all the same type.
- In FIGURE 10 the mean percentage of fat in the milk is equal to the modal value.
- Give the mean percentage of fat in the milk of these cows. [1 mark]
- Mean percentage =
















	milk is controlled by one recessive allele.'	s would this		46	10, on page 61, fat in the milk is	
A student suggested:	The percentage of fat in milk is dominant allele and one recessiv	How many different phenotypes would this produce? [1 mark]	Tick ONE box.	3	Give the evidence from FIGURE 10, on page 61, which shows the percentage of fat in the milk is	
0 8 . 2 A	ξĝ	θđ	Ë	N	0 9 9 8 0 3 7 2 7	5





08.3 Give whic cont



08.4

One of the genes codes for an enzyme used in fat metabolism.

A mutation in this gene causes a reduction in milk fat.

The mutation changes one amino acid in the enzyme molecule.

Explain how a change in one amino acid in an enzyme molecule could stop the enzyme working. [3 marks]






The scientists found one cow with a mutation.

The cow's milk contained only 2.9% fat.

FIGURE 11 shows the percentage of fat in the milk of cattle related to the cow with the mutation.

The values for male cattle are the mean values of their female offspring.

FIGURE 11



2.64 3.78 4.64 2.69 2.52 4.17 3.95 2.92 4.33 2.96 4.10 9 10 11 12 13 14 15 16 17 18 19



KEY

- Female with low-fat milk
- Male whose female offspring have low-fat milk
- **Female with high-fat milk**
- Male whose female offspring have high-fat milk
- 08.5 Animal 8 is homozygous.

The mutation in animal 7 produced a dominant allele for making low-fat milk.

Give evidence from FIGURE 11 that animal 7 is heterozygous. [1 mark]



BLANK PAGE



08		6
----	--	---

Animals 7 and 8 produced 11 offspring. These offspring were produced by in vitro fertilisation (IVF).

The embryos from IVF were transferred into 11 other cows.

Suggest why IVF and embryo transfer were used rather than allowing animals 7 and 8 to mate naturally. [1 mark]



BLANK PAGE



71



0 8 . 7 Draw a Punnett square diagram to show a cross between animals 7 and 8.

> Identify which offspring produce low-fat milk and which offspring produce high-fat milk. [4 marks]

Use the following symbols:

D = dominant allele for making low-fat milk

d = recessive allele for making high-fat milk





08.8 The scientists want to produce a type of cattle that makes large volumes of low-fat milk.

> The scientists will selectively breed some of the animals shown in FIGURE 11.

Describe how the scientists would do this. [4 marks]



[Turn over]





FIGURE 12 shows a ring-tailed lemur. FIGURE 12



TABLE 5 shows part of the classification of the ring-tailed lemur.

09.1 Complete TABLE 5 to give the names of the missing classification groups. [2 marks]



TABLE 5

CLASSIFICATION GROUP	NAME
Kingdom	Animalia
Phylum	Chordata
	Mammalia
	Primates
	Lemuroidea
Genus	Lemur
	catta

09.2 Give the binomial name of the ring-tailed lemur.

Use information from TABLE 5.

[1 mark]



BLANK PAGE



Lemurs are only found on the island of Madagascar.

Madagascar is off the coast of Africa.

Scientists think that ancestors of modern lemurs evolved in Africa and reached Madagascar about 50-60 million years ago.

Today there are many species of lemur living on Madagascar.


FIGURE 13, on page 78, shows information about water currents.

FIGURE 14, on page 79, shows the distribution of three species of lemur on Madagascar.



78

FIGURE 13




KEY Water currents

50 – 60 million years ago

 \rightarrow Water currents today





5 Suggest now ancestors of modern lemurs reached Madagascar. [1 mark]







Describe how the ancestors of modern lemurs may have evolved into the species shown in FIGURE 14. [5 marks]



END OF QUESTIONS



There are no questions printed on this page

For Exam	niner's Use
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
TOTAL	

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download

from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

IB/M/Jun18/CD/8461/2H/E4

