

Surname	
Other Names	
Centre Number	
Candidate Number _	
Candidate Signature	

# GCSE CHEMISTRY

F

Foundation Tier Paper 1

8462/1F

Thursday 16 May 2019

Morning

Time allowed: 1 hour 45 minutes

For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed).

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.



# **BLANK PAGE**



#### INSTRUCTIONS

- Use black ink or black ball-point pen.
- Answer ALL questions in the spaces provided. Do not write on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

#### **INFORMATION**

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

DO NOT TURN OVER UNTIL TOLD TO DO SO




**Answer ALL questions in the spaces provided.** 

This question is about atomic structure.

FIGURE 1 represents an atom of element Z.

FIGURE 1






01.1	Name the parts of the atom labelled A and B.
	Choose answers from the list below. [2 marks]
	• electron
	• neutron
	• nucleus
	• proton
	A
	В
01.2	Which particle has the lowest mass?
	Choose the answer from the list below. [1 mark]
	• electron
	• neutron
	• nucleus
	• proton



# **REPEAT OF FIGURE 1**





01.3	Which gro element Z	•	periodio	c table cor	ntains
	Use FIGUI	RE 1, on	page 6.	[1 mark]	
	Group				
01.4	Give the a number of Use FIGUI	f element RE 1.	Z.		
	1	5	6	11	16
	Atomic nu				



bronnie has two unierent types of ator	ne has two different types of ato	om
--	-----------------------------------	----

The atoms have a different number of neutrons but the same number of protons.

0 1.5	What is the name for this type of atom? [1 mark]
	Tick (✓) ONE box.
	Compound
	lon
	Isotope
	Molecule



01.6		erent types of bromine atom can be nted as $^{79}_{35}$ Br and $^{81}_{35}$ Br	€
	The rela	itive atomic mass (A <sub>r</sub> ) of bromine is	80
		statement is true about the number oe of atom in bromine? [1 mark]	of
	Tick (✓)	ONE box.	
		There are fewer $^{79}_{35}$ Br atoms than $^{81}_{35}$ Br atoms.	
		There are more $^{79}_{35}$ Br atoms than $^{81}_{35}$ Br atoms.	
		There are the same number of $^{79}_{35}$ E atoms and $^{81}_{35}$ Br atoms.	3r
[Turn ove	r]		8



0 2	This question is about compounds of oxygen and hydrogen.
	FIGURE 2 represents the structure of hydrogen peroxide.
	FIGURE 2
	H-O-O-H
02.1	What is the correct formula of hydrogen peroxide? [1 mark]
	Tick (✓) ONE box.
	H2O2
	HO <sub>2</sub>
	H <sup>2</sup> O <sup>2</sup>
	H <sub>2</sub> O <sub>2</sub>




02.2	Which type of bonding is shown in FIGURE 2 [1 mark]	
	Tick (✓) ONE box.	
	Covalent	
	lonic	
	Metallic	
0 2. 3 Hydrogen peroxide decomposes in the presence of a catalyst.		
	Which elements are often used as catalysts? [1 mark]	
	Tick (✓) ONE box.	
	Alkali metals	
	Halogens	
	Transition metals	
[Turn ove	r]	

FIGURE 3 shows the reaction profile for the decomposition of hydrogen peroxide.

The word equation for this reaction is:

hydrogen peroxide → water + oxygen

### FIGURE 3



Labels A, B, C and D each represent a different part of the reaction profile.

Use FIGURE 3 to answer Questions 02.4 and 02.5



02.4	Which label shows the activation energy? [1 mark]
	Tick (✓) ONE box.
	A
	В
	C
	D
02.5	Which label shows the energy of hydrogen peroxide? [1 mark]
	Tick (✓) ONE box.
	A
	В
	C
	D
	4



02.6	The decomposition of hydrogen peroxide gives out energy to the surroundings.
	What type of reaction is this? [1 mark]
	Tick (✓) ONE box.
	Displacement
	Endothermic
	Exothermic
	Neutralisation



0 2 . 7 Hydrogen and oxygen form water.


A hydrogen atom contains one electron.

An oxygen atom contains six electrons in the outer shell.

Complete FIGURE 4 to show a dot and cross diagram for a water molecule.

Show the outer electrons only. [2 marks]

## FIGURE 4



[Turn over]

8




0 3 This question is about elements, compounds and mixtures.

FIGURE 5 shows five different substances, A, B, C, D and E.

○ and ● represent atoms of different elements.

## FIGURE 5




Use FIGURE 5 to answer Questions 03.1 to 03.3



Which substance is only one compound? [1 mark]
Tick (✓) ONE box.
A
В
C
D
E



# **REPEAT OF FIGURE 5**





03.3	Which substance is a mixture of an element and a compound? [1 mark]
	Tick (✓) ONE box.
	<b>A</b>
	В
	C
	D
	E



Substances are separated from a mixture using different methods.

0 3 . 4 Draw ONE line from each method of separation to the substance and mixture it would separate. [2 marks]

Method of separation

**Substance and mixture** 

blue food colour from a mixture of food colours

chromatography

copper from an alloy of copper and zinc

copper sulfate from copper sulfate solution

crystallisation

ethanol from a mixture of ethanol and water



0 3.5 Sand does not dissolve in water. A student separates a mixture of sand and water by filtration.

Draw a diagram of the apparatus the student could use. You should label:

- where the sand is collected
- where the water is collected.

[3 marks]


**DIAGRAM** 



0 3.6 A student distils a sample of salt solution to produce pure water.

FIGURE 6 shows the apparatus.

## FIGURE 6






What temperature would you expect the thermometer to show? [1 mark]

Tick (✓) ONE box.			
	0 °C		
	10 °C		
	50 °C		
	100 °C		



# **REPEAT OF FIGURE 6**





03.7	Describe how the process of distillation shown in FIGURE 6, on page 24, produces pure water from salt solution. [4 marks]
[Turn ove	r]


2 5

0 4 This question is about chemical cells and batteries.

A student investigated the voltage produced by different chemical cells.

FIGURE 7 shows the apparatus.

## FIGURE 7



This is the method used.

- 1. Use cobalt metal as electrode X.
- 2. Record the cell voltage.
- 3. Repeat steps 1 and 2 using different metals as electrode X.



04.1	Suggest TWO variables the student should keep the same to make the investigation valid. [2 marks]
	1
	2



# **TABLE 1 shows the student's results.**

# **TABLE 1**

Electrode X	Voltage of the cell in volts
cobalt	0.62
magnesium	2.71
zinc	1.10

0 4	-	2	Write the three metals used for electrode X in
			order of reactivity.

Use TABLE 1. [1 mark]

<b>Most reactive</b>		
Least reactive		



04.3	Copper is used as electrode X in FIGURE 7, on page 26.
	Predict the voltage of this cell.
	Give ONE reason for your answer. [2 marks]
	Voltage =volts
	Reason
04.4	Describe how to make a 12 V battery using 1.5 V cells. [2 marks]



0 4 . 5	Which is the most suitable use for non-rechargeable cell? [1 mark]			
	Tick (✓) ONE box.			
	Electric toy			
	Laptop computer			
	Mobile phone			



04.6	Hydrogen fuel cells or rechargeable cells can be used to power electric vehicles.				
	Suggest ONE advantage and ONE disadvantage of using a hydrogen fuel cell compared with a rechargeable cell. [2 marks]				
	Advantage of hydrogen fuel cell				
	Disadvantage of hydrogen fuel cell				
Turn ove	r]				
		10			



0 5 A student investigated the reaction between lumps of calcium carbonate and dilute hydrochloric acid.

This is the method used.

- 1. Pour 100 cm<sup>3</sup> of dilute hydrochloric acid into a conical flask.
- 2. Place the conical flask on a balance.
- 3. Add 2 g of calcium carbonate lumps to the conical flask.
- 4. Wait until the calcium carbonate stops reacting.
- 5. Record the decrease in mass of the conical flask and contents.
- 6. Repeat steps 1 to 5 three more times.

The equation for the reaction is:

$$CaCO_3(X) + 2 HCl(aq) \rightarrow CaCl_2(aq) + CO_2(g) + H_2O(l)$$



05.1	What is the state symbol X in the equation? [1 mark]		
	Tick (✓) ONE box.		
	aq		
	g		
	l I		
	s		



# **TABLE 2 shows the student's results.**

# TABLE 2

	Result 1	Result 2	Result 3	Result 4
Decrease in mass of the conical flask and contents in g	0.84	0.79	0.86	0.47

05.2	Why does the mass of the conical flask contents decrease during the reaction? [1 mark]		
	Tick (✓) ONE box.		
	A gas escapes.		
	A new solution is made.		
	The dilute hydrochloric acid is up.	s used	
	The calcium carbonate lumps decrease in size.		



05.3	What is the range of the four results in TABLE 2? [1 mark]			
	From	g	to	g
05.4	Calculate the mean decrease in mass of the conical flask and contents.			
	Do NOT include the anomalous result.			
	Use TABLE 2. [2 mark	s]		
	Mean decrease in mas	s =		g




A teacher demonstrated the investigation.

The teacher used different masses of calcium carbonate.

FIGURE 8 shows the teacher's results.

## FIGURE 8

Decrease in mass of the conical flask and contents in g





05.5	What type of variable is the mass of calcium carbonate? [1 mark]	
	Tick (✓) ONE box.	
	Control	
	Dependent	
	Independent	
	Use FIGURE 8 to answer Questions 05.6 and 05.7	
05.6	Complete the sentence. [1 mark]	
	As the mass of calcium carbonate used	
	increases, the decrease in mass of the conica	al
	flask and contents	. •
05.7	What is the decrease in mass of the conical flask and contents when a 3 g sample of calcium carbonate is used? [1 mark]	
	Decrease in mass =	_ g
[Turn ove	r]	
3 7		8

- 0 6 This question is about the extraction of metals.
- 0 6 . 1 Tungsten is a metal.

The symbol of tungsten is W

Tungsten is produced from tungsten oxide by reaction with hydrogen.

The equation for the reaction is:

$$WO_3 + 3 H_2 \rightarrow W + 3 H_2O$$

Calculate the percentage atom economy when tungsten is produced in this reaction.

Use the equation:

percentage atom economy =

$$\frac{184}{(M_{\rm r}\ {\rm WO}_3) + (3 \times M_{\rm r}\ {\rm H}_2)} \times 100$$

Relative formula masses

$$(M_r)$$
: WO<sub>3</sub> = 232 H<sub>2</sub> = 2

[2 marks]



Percentage atom economy =	%
·	



Aluminium is extracted from aluminium oxide.

06.2	38% of a rock sample is aluminium oxide.
	Calculate the mass of aluminium oxide in 40 kg of the rock sample. [2 marks]

Mass of aluminium oxide =

kg



06.3	The formula of aluminium oxide is $Al_2O_3$
	Calculate the relative formula mass $(M_r)$ of aluminium oxide.
	Relative atomic masses $(A_r)$ : O = 16 Al = 27 [2 marks]
	Relative formula mass (M <sub>r</sub> ) =



0 6 . 4 60.0 kg of aluminium oxide produces a maximum of 31.8 kg of aluminium.

In an extraction process only 28.4 kg of aluminium is produced from 60.0 kg of aluminium oxide.

Calculate the percentage yield.

Give your answer to 3 significant figures.

Use the equation:

percentage yield =

mass of product actually made maximum theoretical mass of product × 100 [3 marks]



	_
Percentage yield =	%
reiceillage yielu -	



0 6 . 5	Extracting metals by electrolysis is a very expensive process.
	Explain why aluminium is extracted using electrolysis and not by reduction with carbon. [2 marks]
	[11]



0 7	This question is about energy changes in reactions.
07.1	Ammonium nitrate dissolves in water.
	The change is endothermic.
	Which piece of equipment uses this change? [1 mark]
	Tick (✓) ONE box.
	Hand warmer
	Self-heating can
	Sports injury pack



A student investigated the temperature change in the reaction between dilute sulfuric acid and potassium hydroxide solution.

This is the method used.

- 1. Measure 25 cm<sup>3</sup> of potassium hydroxide solution into a glass beaker.
- 2. Add 5 cm<sup>3</sup> of dilute sulfuric acid.
- 3. Stir the solution.
- 4. Measure the temperature of the solution.
- 5. Repeat steps 2 to 4 until a total of 30 cm<sup>3</sup> of dilute sulfuric acid has been added.
- 07.2 FIGURE 9, on the opposite page, shows part of the scales of four thermometers, A, B, C and D.


The student wanted to measure the temperature to a resolution of 0.1 °C

Which thermometer should the student use? [1 mark]

Tick (✓) ONE box on the opposite page.



FIGURE 9



40

**20** 

-21



07.3	Energy is lost to the surroundings during the reaction.
	What type of error does this cause in the results? [1 mark]
	Tick (✓) ONE box.
	Human error
	Random error
	Systematic error
	Zero error



07.4	The student used a glass beaker for the reaction.
	Name a container the student could use instead of the glass beaker to improve the accuracy of the results. [1 mark]



0 7.5 TABLE 3 shows the student's results.

**TABLE 3** 

Volume of dilute sulfuric acid added in cm <sup>3</sup>	Temperature in °C
5	21.2
10	22.0
15	22.8
20	23.6
25	24.4
30	25.2

Plot the data from TABLE 3 on FIGURE 10.


#### You should:

- draw a line of best fit
- extend your line of best fit to the y-axis.

[4 marks]



#### FIGURE 10





#### **BLANK PAGE**



07.6	The intercept on the y-axis of FIGURE 10, on page 51, shows the starting temperature of the potassium hydroxide solution.
	Give the starting temperature of the potassium hydroxide solution. [1 mark]
	Starting temperature = °C
07.7	Another student repeated the investigation and obtained an anomalous result.
	This result was lower than expected.
	What could have caused the anomalous result? [2 marks]
	Tick (✓) TWO boxes.
	The mixture was not stirred.
	The temperature in the room increased.
	The thermometer was not accurate.
	Too little sulfuric acid was added.
	Too much potassium hydroxide solution was used.



Why did Mendeleev reverse the order of these two elements? [1 mark] FIGURE 11, on the opposite page, shows the periodic table Mendeleev His periodic table was more widely accepted than previous versions. 0 8 . 1 The atomic weight of tellurium (Te) is 128 and that of iodine (I) is 127 In the 19th century, some scientists tried to classify the elements by arranging them in order of their atomic weights. This question is about the periodic table. produced in 1869.



## FIGURE 11

	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7
Period 1	Н						
Period 2	Li	Be	В	၁	Z	0	F
Period 3	Na	М	۱۷	Si	Ь	S	ıɔ
Period 4	K Cu	Ca Zn	*	* !L	V As	Cr Se	Mn Br
Period 5	Rb Ag	Sr Cd	ا اu	Zr Sn	qS qN	Mo Te	*





He left these spaces because he thought missing elements belonged there.  Why did Mendeleev's periodic table become more widely accepted than previous versions? [3 marks]
--

08.2 Mendeleev left spaces marked with an asterisk \*



**REPEAT OF FIGURE 11** 

	Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7
Period 1	Н						
Period 2	Li	Be	В	3	Z	0	J
Period 3	Na	Mg	۱۷	Si	Ь	S	10
Period 4	K Cu	Ca Zn	*	* I	V As	Cr Se	Mn Br
Period 5	Rb Ag	Sr Cd	Y In	Zr Sn	Nb Sb	Mo Te	*



8	
	What is the modern name tor atomic weight? [1 mark]
	Tick (✓) ONE box.
	Atomic number
	Mass number
	Relative atomic mass
	Relative formula mass





the modern periodic table, the elements	e arranged in order of	[1 mark]
In t	are	<u>E</u>
	In the modern periodic table, the elements	In the modern periodic table, the elements are arranged in order of



Chlorine, iodine and astatine are in Group 7 of the modern periodic

0 8 . 5 Astatine (At) is below iodine in Group 7.

### **Predict:**

- the formula of an astatine molecule
- the state of astatine at room temperature.

## [2 marks]

Formula of astatine molecule

State at room temperature



						10
	<u>e</u>					
	ŗ					
	PIC					
	S					
	Z <del>.</del>					
ē.	S S					
ab	act					
C	ē					
odi						
eric	ij					
ď	S					
err	en					
po	<b>×</b>					
Ε	0					
the	Š					
of						
_	<b>8</b>					
dno	nc					
5.0	Ķ					
<u></u>	ра					
<u>.s</u>	<b>&gt;</b>					
Ε	ibe rks					
diu	scr na					
Sol	Describe what you would see when sodium reacts with chlorine. [2 marks]					-
08.6 Sodium is in Group 1 of the modern periodic table.	_ <del>_</del>	1	•	•	•	 Turn over]
						6
<b>∞</b>						urn
0						Ē.



#### **BLANK PAGE**




0 9	This question is about acids and alkalis.
09.1	Which ion do all acids produce in aqueous solution? [1 mark]
	Tick (✓) ONE box.
	H <sup>+</sup>
	H <sup>-</sup>
	O <sup>2-</sup>
	OH <sup>-</sup>
09.2	Calcium hydroxide solution reacts with an acid to form calcium chloride.
	Complete the word equation for the reaction. [2 marks]
	calcium hydroxide + acid →
	calcium chloride +



A student investigates the volume of sodium hydroxide solution that reacts with 25.0 cm<sup>3</sup> of dilute sulfuric acid.

FIGURE 12 shows the apparatus the student uses.

#### FIGURE 12





Use FIGURE 12 to answer Questions 09.3 and 09.4

09.3	Name apparatus A. [1 mark]
09.4	What is the reading on apparatus A? [1 mark]
	cm <sup>3</sup>



09.5	The higher the concentration of a sample of dilute sulfuric acid, the greater the volume of sodium hydroxide needed to neutralise the acid.
	The student tested two samples of dilute sulfuric acid, P and Q.
	Describe how the student could use titrations to find which sample, P or Q, is more concentrated. [6 marks]









#### **BLANK PAGE**



- 1 0 This question is about materials and their properties.
- 1 0 . 1 FIGURE 13 shows a carbon nanotube.

#### FIGURE 13



The structure and bonding in a carbon nanotube are similar to graphene.

Carbon nanotubes are used in electronics because they conduct electricity.


Explain why carbon nanotubes conduct electricity. [2 marks]





#### 10.2 FIGURE 14 shows a badminton racket.

#### FIGURE 14



**TABLE 4 shows some properties of materials.** 

The materials could be used to make badminton racket frames.

**TABLE 4** 

Material	Density in g/cm <sup>3</sup>	Relative strength	Relative stiffness
Aluminium	2.7	0.3	69
Carbon nanotube	1.5	60	1000
Wood	0.71	0.1	10



Evaluate the use of the materials to make badminton racket frames.

Use TABLE 4. [4 marks]				



·	
-	



#### **BLANK PAGE**




Zinc oxide can be produced as nanoparticles and as fine particles.

10.3 A nanoparticle of zinc oxide is a cube of side 82 nm

FIGURE 15 represents a nanoparticle of zinc oxide.

#### FIGURE 15



Calculate the surface area of a nanoparticle of zinc oxide.

Give your answer in standard form. [3 marks]



			_
	Surface area =	nm²	
10.4	Some suncreams contain zinc oxide as nanoparticles or as fine particles.		
	Suggest ONE reason why it costs less to nanoparticles rather than fine particles in suncreams. [1 mark]		
			_
END OF	QUESTIONS	10	-



#### **BLANK PAGE**

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
TOTAL		

#### Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third-party copyright material are published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ

Copyright © 2019 AQA and its licensors. All rights reserved.

#### IB/M/NC/Jun19/8462/1F/E3



