

GCSE CHEMISTRY 8462/2H

Paper 2 Higher Tier

Mark scheme

June 2019

Version: 1.0 Final



Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aga.org.uk

Level of response marking instructions

Level of response mark schemes are broken down into levels, each of which has a descriptor. The descriptor for the level shows the average performance for the level. There are marks in each level.

Before you apply the mark scheme to a student's answer read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1 Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer. With practice and familiarity you will find that for better answers you will be able to quickly skip through the lower levels of the mark scheme.

When assigning a level you should look at the overall quality of the answer and not look to pick holes in small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level and then use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 3 with a small amount of level 4 material it would be placed in level 3 but be awarded a mark near the top of the level because of the level 4 content.

Step 2 Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this. The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do not have to cover all of the points mentioned in the Indicative content to reach the highest level of the mark scheme.

An answer which contains nothing of relevance to the guestion must be awarded no marks.

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement
- the Assessment Objectives, level of demand and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening and underlining

- 2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- **2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- **2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a /; eg allow smooth / free movement.
- **2.4** Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system.

[2 marks]

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars,	0
	Moon	

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. Full marks can, however, be given for a correct numerical answer, without any working shown.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation ecf in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do not accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this.

The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do **not** have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	a temperature between 400 (°C) and 500 (°C) inclusive	allow a temperature range entirely within 400 (°C) and 500 (°C) inclusive	1	AO3 4.7.1.2
		ignore quoted values for boiling points		AO2 4.7.1.2
		ignore references to melting points		
		ignore references to intermolecular forces or chain length		
01.2	(diagal ail bag a) lawar bailing	allow temperature of vaporisation / condensation for boiling points throughout	4	
	(diesel oil has a) lower boiling point / range than heavy fuel oil		1	
	(but diesel oil has a) higher boiling point / range than kerosene		1	
		allow the boiling range (of diesel oil) is between those of heavy fuel oil and kerosene for 2 marks.		
		ignore references to cost		AO2 4.7.1.3
	any two from:		2	4.7.1.5
01.3	• (too) viscous	allow references to difficulty of flow		
01.3	not (very) flammable	allow references to difficulty of ignition / burning do not accept bitumen takes more energy to burn		
	boiling point (too) high	allow not (very) volatile		
01.4	C ₆ H ₁₄		1	AO2 4.7.1.1

	high temperature	ignore references to pressure allow a quoted temperature above 320 °C ignore hot / heat	1	AO1 4.7.1.4
01.5	any one from: • steam • catalyst	ignore name of catalyst allow alumina allow aluminium oxide allow porous pot allow zeolite	1	
		allow converse argument for larger molecules		AO1 4.7.1.4
	greater demand (for smaller molecules)		1	
01.6	any one from: (because smaller molecules are) • more useful • better fuels		1	
	used to make alkenesused to make polymers	allow a named polymer		
		ignore plastics		
01.7	C ₃ H ₆		1	AO2 4.1.1.1 4.7.1.4
Total			11	

Question	Answers	Mark	AO/ Spec. Ref
02.1	Level 3 : The design/plan would lead to the production of a valid outcome. All key steps are identified and logically sequenced.	5–6	AO1 4.8.2.3 4.8.3.1 4.8.3.3
	Level 2: The design/plan would not necessarily lead to a valid outcome. Most steps are identified, but the plan is not fully logically sequenced.	3–4	
	Level 1 : The design/plan would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1–2	
	No relevant content	0	
	Indicative content lithium:		
02.2	formulation(s)	1	AO1 4.8.1.2

		an answer of 58.33333333 (%) correctly rounded to at least 2 significant figures scores 3 marks		AO2 4.8.1.2
02.3	1.20 g = 1200 mg or 700 mg = 0.700 g		1	
52.0	$\frac{700}{1200} \times 100 \text{ or } \frac{0.700}{1.20} \times 100$	allow correct use of incorrectly or not converted values from step 1	1	
	= 58.3 (%)	allow 58.3333333 (%) correctly rounded to at least 2 significant figures	1	
Total			10	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	(aq)	allow aqueous / aq	1	AO1 4.2.2.1 4.2.2.2
03.2	(gas) syringe	allow measuring cylinder (and water trough) allow balance	1	AO1 4.6.1.1
	stopclock / stopwatch	allow timer / clock / watch	1	
	all points plotted correctly	allow a tolerance of ± ½ a small square	2	AO2 4.6.1.1
03.3		allow at least 3 points plotted correctly for 1 mark.		
	line of best fit	allow correctly drawn line of best fit for incorrectly plotted points	1	
	(rate) decreases	allow slows down	1	AO3 4.6.1.1
03.4	(rate decreases) more slowly as time increases	allow (rate decreases) at a non- linear rate	1	
	(rate) becomes zero at 60 s	allow the reaction stops at 60 s allow ecf from question 03.3	1	
03.5	more bubbles were produced in the first 10 seconds		1	AO2 4.6.1.2
03.5	the magnesium was used up more quickly		1	
Total			11	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
	Tube 1: (nail) rusts because air / oxygen and water present		1	AO1
	Tube 2: (nail) does not rust because no water	allow Tube 2: (nail) does not rust because only air / oxygen	1	AO1
	Tube 3: (nail) does not rust because no air / oxygen	allow Tube 3: (nail) does not rust because only water	1	AO1
	Tube 4: (nail) does not rust because paint is a barrier (to water / air / oxygen)	allow Tube 4: (nail) does not rust because paint is a protective layer / coating (against water / air / oxygen)	1	AO1
04.1		or		AO2
		allow Tube 4: (nail) does not rust because paint protects it from water / air / oxygen	1	4.10.3.1 4.10.3.2
	Tube 5: (nail) does not rust because stainless steel resistant to corrosion	allow Tube 5: (nail) does not rust because stainless steel does not corrode allow Tube 5: (nail) does not rust because stainless steel contains nickel / chromium		
		If no other mark awarded allow 1 mark for correct rusting pattern in all 5 tubes		

	magnesium is more reactive (than iron)	allow converse allow magnesium is more reactive (than steel)	1	AO2 4.10.3.1
04.2	(so magnesium) provides sacrificial protection	allow (so magnesium) corrodes / reacts instead of iron / steel allow (so magnesium) corrodes / reacts before iron / steel ignore references to protective layers ignore references to magnesium rusting	1	
	(aluminium has a coating of) aluminium oxide		1	AO1 4.10.3.1
04.3	(so the aluminium oxide) protects the metal (from further corrosion)	allow (so aluminium oxide) prevents water / air / oxygen from reaching the metal	1	
Total			9	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
	wood is renewable or (natural) gas is finite		1	AO3 4.9.2.2 4.10.1.1
	(burning) wood produces the same amount of carbon dioxide as the trees absorbed or	allow wood is carbon-neutral allow wood does not add to global warming	1	
05.1	(burning natural) gas increases the amount of carbon dioxide (in the atmosphere)	allow (burning natural) gas adds to global warming allow (burning natural) gas adds greenhouse gases (to the atmosphere)		
		ignore references to energy / cost		
05.2	not enough oxygen	allow not enough air do not accept no oxygen / air	1	AO1 4.9.3.1
	(so) incomplete combustion		1	
05.3	2 CH ₄ (g)+ 3 O ₂ (g) \rightarrow 2 CO(g)+ 4 H ₂ O (g)	allow correct multiples / fractions	1	AO2 4.9.3.1

	ratio of O_2 : $CO_2 = 5:3$ (oxygen needed = $\frac{3.60 \times 5}{3}$) = 6.0 (dm ³) (oxygen unreacted = 7.25 – 6.0) = 1.25 (dm ³)	an answer of 1250 (cm³ oxygen unreacted) scores 4 marks allow correct calculation using an incorrectly determined mole ratio allow correct subtraction of an incorrectly calculated volume of oxygen	1 1	AO2 4.3.5 4.7.1.3
05.4	(oxygen unreacted = 1.25 x 1000) = 1250 (cm ³)	allow correct conversion to cm ³ anywhere in response	1	
		alternative approach for MP1 and MP2		
		moles $CO_2 = 0.15$ and moles $O_2 = 0.25$ (1)		
		(0.25 x 24 =) 6.0 (dm ³ oxygen needed) (1)		
Total			9	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
	C=C bond in correct position		1	AO2 4.7.3.1
	3x C-H and 1x C-C bond in correct positions	do not accept any additional bonds or atoms	1	
		ignore brackets and n before and after displayed structural formula		
06.1		an answer of		
		C ₆ H ₅ H		
		scores 2 marks		
06.2	carboxylic acid (group)	allow carboxyl (group)	1	AO1 4.7.2.4
06.3	water	allow H₂O	1	AO1 4.7.3.2
	(polyester is) thermosoftening	allow (polyester is) thermoplastic	1	AO1
00.4		ignore thermoforming		AO3 4.10.3.3
06.4	(polyester has) no cross-links	allow intermolecular forces are weak do not accept references to breaking covalent bonds or breaking chains	1	

06.5	glass fibres matrix monomer polyester polypeptide reinforcement	allow for 1 mark:	1	AO3 4.10.3.3
06.6	any two from: (to make the board) • harder • stronger • tougher • more rigid • waterproof	must be implied comparative statements	2	AO3 4.10.3.3
Total			10	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
	add sodium hydroxide (solution to water sample)		1	AO1 4.8.3.2
07.1	white precipitate (forms)	dependent on correct test in MP1	1	
	(precipitate which is) soluble in excess (NaOH)		1	
	add barium chloride (solution) and (dilute) hydrochloric acid (to water sample)	allow barium nitrate (solution) allow (dilute) nitric acid	1	AO1 4.8.3.5
07.2	white precipitate (forms)	dependent on addition of barium chloride / nitrate (solution) in MP1	1	
07.3	Level 2: The design/plan would lead to the production of a valid outcome. All key steps are identified and logically sequenced.		3–4	
	Level 1: The design/plan would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.		1–2	
	No relevant content		0	
	Indicative content			
	weigh (evaporating) basin / dishadd measured volume of water			
	 weigh (evaporating) basin / dish and water heat to evaporate water 			AO1
	 reweigh repeat heating until constant mass obtained 			4.10.1.2
	 subtract mass of (evaporating) basin / dish from mass repeat and calculate a mean, discarding anomalous results calculate the mass in 100 cm³ water if necessary 			
Total			9	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
	(Titan has) little / no oxygen	ignore references to respiration	1	AO3 4.9.1.3
08.1	(so) photosynthesis has not occurred (on Titan)	allow (so) no plants / algae to produce oxygen (on Titan)	1	
08.1	(therefore) little / no carbon dioxide present (on Titan) or (therefore) oxygen-using animals cannot have evolved (on Titan)		1	
	(methane) allows short(er) wavelength radiation to pass through (from the sun)	allow (methane) allows uv / ultraviolet radiation to pass through (from the sun)	1	AO1 4.9.2.1
	(which is) re-emitted from the surface as long(er) wavelength radiation	allow (which is) re-emitted from the surface as ir / infra-red radiation	1	
08.2	(which is) absorbed (by methane in the atmosphere)	allow (which is) trapped (by methane in the atmosphere)	1	
		if no other mark is awarded, allow 1 mark for methane absorbs long(er) wavelength radiation or methane absorbs ir / infra-red radiation		
	(add) brancing (water)		4	101
	(add) bromine (water)	do not accept bromide	1	AO1 4.7.1.4 4.7.2.1
08.3	(changes from) orange to colourless	dependent on correct test in MP1 allow (changes from) brown to colourless	1	4.7.2.1
		ignore clear		
Total			8	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
	glowing splint	do not accept burning splint	1	AO1 4.8.2.2
09.1	(which) relights	dependent on correct test in MP1 ignore with a pop	1	
09.2	place the conical flask in a water bath at constant temperature.		1	AO3 4.6.1.2
09.2	use a mass of 1 g manganese dioxide each time.		1	
		an answer of 0.092 (cm ³ /s) scores 3 marks		AO2 4.6.1.1
		allow an answer of 0.091666 (cm³/s) correctly rounded to at least 2 significant figures for 2 marks		
		allow an answer of 0.033 (cm ³ /s) for 2 marks		
		allow an answer of 0.033333 (cm ³ /s) for 1 mark		
09.3	11 (cm ³) and 120 (seconds)		1	
	(mean rate of reaction = $\frac{11}{120}$) = 0.09167	allow a correct calculation using incorrectly determined value(s) for difference in volume and / or time	1	
	= 0.092 (cm ³ /s)	allow a correctly calculated answer given to 2 significant figures from an incorrect attempt at the rate equation	1	

09.4	line starts at origin and less steep than solid line		1	AO2
U3.4	line levelling off at 40 (cm ³)	allow a tolerance of ± ½ a small square	1	AO3 4.6.1.2
09.5	(because) surface area (of fine manganese dioxide powder) greater	allow converse for coarse lumps	1	AO2 4.6.1.2 4.6.1.3
	(so) more collisions (with hydrogen peroxide molecules / particles) per unit time	do not accept references to changes in kinetic energy or speed (of molecules / particles) ignore references to activation energy.	1	
Total			11	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.1	$\frac{6}{34}$ × 100	an answer of 17.6470588 (%) correctly rounded to at least 2 significant figures scores 2 marks	1	AO2 4.3.3.2
	= 17.6 (%)	allow 17.6470588 (%) correctly rounded to at least 2 significant figures	1	
10.2		allow converse arguments in terms of higher pressure ignore references to rate		AO2 4.6.2.4 4.6.2.7
	higher yield (of hydrogen or carbon monoxide or product)	allow more hydrogen or more carbon monoxide or more product allow equilibrium moves to the right allow equilibrium moves in the forward direction	1	
	(because) fewer moles / molecules / particles on left hand side or (because) more moles / molecules / particles on right hand side	allow (because) the reverse reaction produces fewer moles / molecules / particles or allow (because) the forward reaction produces more moles / molecules / particles do not accept fewer / more atoms	1	
10.3	no effect (on yield of hydrogen)	allow position of equilibrium unaffected by pressure	1	AO2 4.6.2.7
		ignore references to rate of reaction		

		an answer of 2.25 scores 3 marks		AO2 4.10.4.1
10.4	350 (°C) and 285 (atmospheres) = 63 (%) and 450 (°C) and 200 (atmospheres) = 28 (%)	allow a value between 62 (%) and 64 (%) inclusive	1	
	63 28	allow a correct expression using incorrectly determined value(s) for percentage yield	1	
	= 2.25 (times greater)	allow a correct calculation using incorrectly determined value(s) for percentage yield correctly evaluated and rounded to at least 2 significant figures	1	
	any one from: • the energy costs would be high(er)	allow converse arguments in terms of low(er) pressure ignore energy / cost unqualified	1	AO1 4.10.4.1
10.5	 the equipment would need to be strong(er) high(er) pressures are (more) dangerous 	allow the equipment would be (more) expensive (to build / maintain) allow (more) dangerous because (greater) risk of explosion		
10.6	higher temperatures produce a lower (percentage) yield (of ammonia)	allow converse allow correct reference to shift in equilibrium	1	AO2 4.6.2.6 4.10.4.1
		ignore references to pressure		
	world population has increased		1	AO3
10.7	 any one from: demand for fertiliser has increased increased demand for other 	allow more food needed	1	AO1 4.10.4.1 4.10.4.2
	specified ammonia-based products e.g. nitric acid, drugs, dyes, explosives			
Total			12	