

GCSE COMBINED SCIENCE: SYNERGY 8465/1F

Foundation Tier Paper 1 Life and Environmental Sciences

Mark scheme

June 2020

Version: 1.0 Final Mark Scheme

206G8465/1F/MS

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright information

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2020 AQA and its licensors. All rights reserved.

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement
- the Assessment Objectives, level of demand and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening and underlining

- **2.1** In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- **2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- **2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.
- **2.4** Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

[2 marks]

| Student | Response | Marks awarded |
|---------|----------|------------------|
| 1 | green, 5 | 0 |
| 2 | red*, 5 | 1 |
| 3 | red*, 8 | 0 |

Example 2: Name two planets in the solar system.

StudentResponseMarks awarded1Neptune, Mars, Moon12Neptune, Sun, Mars,
Moon0

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. Full marks can, however, be given for a correct numerical answer, without any working shown.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation ecf in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do not accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this.

The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do **not** have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

| Question | Answers | Extra information | Mark | AO / Spec. Ref. |
|----------|--|--|------|--------------------------------------|
| 01.1 | nucleus | | 1 | AO1 4.1.2.1 4.1.2.3 |
| 01.2 | proton | | 1 | AO1 4.1.2.3 |
| 01.3 | electron | | 1 | AO1 4.1.2.3 |
| 01.4 | 2,8 | | 1 | AO2 4.1.2.5 |
| 01.5 | $percentage = \frac{18}{1\ 000\ 000} \times 100$ | | 1 | AO2 4.4.1.1 |
| 01.6 | visible light | | 1 | AO1 4.3.2.1 |
| 01.7 | any two from: mutations (of genes / DNA / chromosomes) (skin) cancer sunburn / burning / blistering (of skin) eye damage / irritation / cataracts (premature) skin ageing | allow damages genes / DNA / chromosomes | 2 | AO1 4.3.2.6 4.1.4.3 4.3.1.2 |
| Total | | | 8 | |

| Question | Answers | Extra information | Mark | AO / Spec. Ref. |
|----------|---|------------------------------------|-------------|--------------------------------------|
| 02.1 | (A) (cell) membrane (B) nucleus (C) cytoplasm | | 1 1 1 | AO1 4.1.3.2 |
| 02.2 | В | | 1 | AO1 4.1.3.2 4.1.3.4 4.4.3.1 |
| 02.3 | $\frac{40}{0.25}$ | | 1 | AO2 4.1.3.1 RPA 3 |
| | (×) 160 | do not accept if unit given | 1 | |
| 02.4 | chloroplast(s) | allow chlorophyll | 1 | AO2 4.1.3.2 4.2.2.5 |
| 02.5 | cell wall | | 1 | AO1 4.1.3.2 |
| | permanent vacuole | | 1 | |
| Total | | | 9 | |

| Question | Answers | Extra information | Mark | AO / Spec. Ref. |
|----------|---|--|------|-----------------------|
| 03.1 | a disease caused by a pathogen | | 1 | AO1 4.3.3.1 |
| 03.2 | Body part Has Skin Stomach Trachea Secretes additional line from a box on the | Adaptation a large surface area a a physical barrier es a cid to kill pathogens a mucus to trap pathogens left negates the mark for that box | 3 | AO1 4.3.3.3 |
| 03.3 | pesticide | | 1 | AO1 4.4.4.6 |
| 03.4 | 3 | | 1 | AO2 4.1.3.5 |
| 03.5 | genes from one organism being transferred to another organism | | 1 | AO1 4.4.4.6 |
| 03.6 | decreases the use of chemicals to kill mosquitos | | 1 | AO3 4.4.4.6 |
| Total | | | 8 | |

| Question | | Answer | S | Extra information | Mark | AO / Spec. Ref. |
|---------------------------------------|--|-----------------------------------|--|---|------|---------------------------|
| 04.1 | different | iation | | | 1 | AO1 4.1.3.6 |
| 04.2 | Blood com Platele Red blood White blood | ponent et d cell od cell | F Carri Carr Defends a Helps a box on the | es nitrogen ies oxygen against infection blood to clot left negates the mark for that box | 3 | AO1 4.2.1.4 4.3.3.4 |
| 04.3 | engulfing | g pathogen: | 5 | | 1 | AO1 4.2.1.4 4.3.3.4 |
| 04.4 | heterozy | /gous | | | 1 | AO2 4.4.3.3 |
| 04.5 | the obse of an org | ervable char ganism | acteristics | | 1 | AO1 4.4.3.4 |
| 04.6 mark with 04.7 and 04.8 | Father r | R RR (Rr) | her r Rr or rR (rr) | allow 1 mark for 1 genotype correct | 2 | AO2 4.4.3.3 |
| 04.7 mark with 04.6 and 04.8 | any rr ci | rcled | | | 1 | AO2 4.4.3.3 |

| 04.8 mark with 04.6 and 04.7 | percentage must match answer given to question 04.6 and 04.7 | if no answer in question 04.6 allow 25% | 1 | AO3 4.4.3.3 |
|---------------------------------------|---|---|----|----------------|
| 04.9 | any one from: to assess / test toxicity to assess / test efficacy | allow to assess / test / see side effects allow reference to safety / harmful / dangerous allow to assess / test / see if the drug works | 1 | AO1 4.3.3.7 |
| Total | | | 12 | |

| Question | Answers | Extra information | Mark | AO / Spec. Ref. |
|----------|--|---|------|-----------------------|
| 05.1 | diffusion active transport | must be in this order | 1 | AO2 4.1.3.3 |
| 05.2 | (sodium ion) concentration is higher outside (the cell) | allow (sodium ion) concentration is lower inside the cell allow there are more (sodium ions) outside (the cell) allow there are fewer / less (sodium ions) inside (the cell) allow (sodium ions) move from high concentration to low concentration ignore diffusion unqualified | 1 | AO2 4.1.3.3 |
| 05.3 | 30 | allow 30 × or × 30 or 30 times | 1 | AO2 4.1.3.3 |
| 05.4 | respiration | ignore aerobic / anaerobic | 1 | AO1 4.2.1.1 |
| 05.5 | active transport | | 1 | AO1 4.1.3.3 |
| 05.6 | any two from: temperature surface area (of membrane) concentration (gradient) | | 2 | AO1 4.1.3.3 |

| Question | Answers | | Mark | AO/ Spec. Ref |
|----------|---|--|------|------------------|
| 05.7 | Level 3: The method would lead outcome. All key steps are identi | to the production of a valid ified and logically sequenced. | 5–6 | AO1 4.1.3.3 |
| | Level 2: The method would not r outcome. Most steps are identifi logically sequenced. | necessarily lead to a valid ed, but the plan is not fully | 3–4 | RPA 4 |
| | Level 1: The method would not le relevant steps are identified, but l | ead to a valid outcome. Some links are not made clear. | 1–2 | |
| | No relevant content | | 0 | |
| | Indicative content | | | |
| | at least 5 concentrations remove peel cut pieces of potato to same mass / size measure / record initial mass of leave in solutions for known time (at least 15 min dry pieces measure / record final mass of calculate change in mass calculate percentage change ir control surface area / size / shate control temperature control type of potato repeat and calculate a mean (fertical stress of the second stress of the second | f potato pieces nutes if given) potato pieces n mass ape / length for each concentration) | | |
| Total | | | 14 | |

| Question | Answers | | Extra info | ormation | | Mark | AO / Spec. Ref. |
|----------|--|----------------|------------------|--------------|-----|------|------------------------|
| 06.1 | Electromagnetic | | Use | | | 3 | AO1 |
| | wave | | Cooking f | ood | | | 4.1.4.3 |
| | Radio waves | | Detecting broke | en bones | | | |
| | Visible light | Fi | bre optic comm | nunications | ; | | |
| | X-rays | | permitting T\/ p | rogrammo | | | |
| | additional line from a b | ox on the left | negates the m | ark for that | box | | |
| 06.2 | Variable | Independer | t Dependent | Control | | | AO1 |
| | Distance between infrared detector and surface of cube | | | | | | RPA6 |
| | Starting temperature of water inside cube | | | \checkmark | | 1 | |
| | Temperature measured by infrared detector | | ~ | | | 1 | |
| | Type of surface | \checkmark | | | | 1 | |
| | do not accept more tha | an one tick pe | er row | | | | |
| 06.3 | 0.5 °C | | | | | 1 | AO3 4.1.4.3 RPA6 |

| 06.4 | any one from: • 26(.0 °C to) 69(.0 °C) • 69(.0 °C to) 26(.0 °C) | ignore 43(.0 °C) | 1 | AO2 4.1.4.3 RPA6 |
|-------|--|--|----|--|
| 06.5 | 3 bars correctly plotted | allow a tolerance of +/- $\frac{1}{2}$ of a small square allow any width, bars touching or not allow 1 mark for 2 bars correctly plotted | 2 | AO2 4.1.4.3 RPA6 |
| | 3 bars correctly labelled | | 1 | |
| 06.6 | any one from: matt black is the best emitter / radiator shiny silver is the worst emitter / radiator | allow black is a good emitter / radiator allow silver is a poor emitter / radiator allow an answer in terms of highest / lowest temperature allow matt white and shiny black are (almost) the same at emitting / radiating ignore any reference to absorption / reflection | 1 | AO3 4.1.4.3 RPA6 AO1 4.1.4.2 |
| 06.8 | | | | |
| | $300\ 000\ 000 = f \times 500$ | | 1 | AO2 |
| | $f = \frac{300\ 000\ 000}{500}$ | | 1 | AO2 |
| | <i>f</i> = 600 000 | | 1 | AO2 |
| | hertz / Hz | | 1 | AO1 |
| | | | | 4.1.4.2 |
| Total | | | 17 | |

| Question | Answers | Extra information | Mark | AO / Spec. Ref. |
|----------|---|---|------|-----------------------|
| 07.1 | prokaryotic cells | | 1 | AO2 4.1.3.2 |
| 07.2 | <u>13 500 - 9 000</u> 9 000 × 100 | allow <u>4500</u> 9 000 × 100 for 1 mark | 1 | AO2 4.3.3.6 |
| | 50 (%) | | 1 | |
| | | if no other mark awarded allow $\frac{13500 - 9000}{9000} = 0.5$ for 1 mark | | |
| 07.3 | any two from: | | 2 | AO2 |
| | number of (antibiotic) resistant infections is increasing | allow (current) antibiotics don't always work allow (more) bacteria have become antibiotic resistant | | 4.3.3.0 |
| | existing tests to find which antibiotic to use are slow | allow existing tests to find which antibiotic to use take over 30 minutes | | |
| | to find new antibiotic(s) | allow new antibiotics are needed | | |
| | (too many) antibiotics are being given for viral infections | allow idea of reducing inappropriate use | | |
| | | ignore reducing number of people taking antibiotics unqualified | | |
| | doctors can start effective treatment sooner | | | |
| | (antibiotic) resistant infections cause deaths or burden on doctors / NHS | | | |

| 07.4 | antibiotic resistant bacteria are less likely to evolve fewer bacteria will be exposed to antibiotics | | 1 | AO2 4.3.3.6 4.4.4.3 |
|------|--|---|---|---------------------------|
| 07.5 | dead / inactive <i>E. coli</i> | allow parts of <i>E. coli</i> allow <i>E. coli</i> antigens ignore dead / inactive bacteria / pathogen(s) unqualified ignore italics ignore capitalisation | 1 | AO2 4.3.3.5 |

| Total | 8 |
|-------|---|
|-------|---|

| Question | Answers | Extra information | Mark | AO / Spec. Ref. |
|---|--|--|------|-----------------------|
| 08.1 | any two from: (in a solid) regular arrangement / pattern (of particles / spaces) particles are packed close(r) together particles in a fixed position | allow converse allow each particle touches nearest neighbour allow particles are moving less in a solid | 2 | AO1 4.1.1.1 |
| 08.2 | a mixture is formed (which) has a lower melting point alternative approach: (mixture) has a lower melting point (1) (so) temperature of surroundings / air / road is not cold enough to keep mixture / ice frozen (1) | allow a solution is formed allow (which) has a lower freezing point allow (mixture) has a lower freezing point | 1 | AO2 4.1.1.5 |
| 08.3 view with Figure 10 and mark with 08.4 | line of best fit | ignore extrapolation | 1 | AO2 4.1.1.5 |
| 08.4 view with Figure 10 and mark with 08.3 | answer consistent with their line | allow ecf from 08.3 if no line drawn allow value between 1.0 and 1.5 (kg) | 1 | AO3 4.1.1.5 |

| 08.5 | any two from: more ice is melted (by 1 kg of grit) at higher temperatures increasingly more ice is melted at higher temperatures or gradient increases at higher temperatures use of pairs of values that show more ice is melted at higher temperatures | allow converse allow the relationship is not linear / proportional allow a tolerance of +/- ½ a small square | 2 | AO2 4.1.1.5 |
|-------|--|--|---|----------------|
| 08.6 | any one from: road temperature not air temperature actual temperature (rather than prediction) specific to a small area avoids wasting grit fewer accidents | allow weather forecasts are (often) inaccurate allow reference to cost of grit allow reference to safety | 1 | AO3 4.1.1.5 |
| Total | | | 9 | |

| Question | Answers | Extra information | Mark | AO / Spec. Ref. |
|----------|---|---|------|------------------------|
| 09.1 | (fat) mix sample with ethanol and add (distilled) water milky / white / cloudy (if fat is present) or | result must correspond with test | 1 | AO1 4.2.1.5 RPA7 |
| | rub food on paper (and allow to dry) (1) greasy mark (if fat is present) (1) | allow apply Sudan Red / III / Black stain to food (1) red / black (if lipid is present) (1) | | |
| | (protein) mix sample with Biuret (reagent) | allow mix sample with Biuret A and Biuret B allow mix sample with potassium / sodium hydroxide solution and copper sulphate solution | 1 | |
| | mauve / purple / lilac / pink-purple (if protein is present) | | 1 | |
| 09.2 | fatty acid(s) glycerol | in either order | 1 | AO1 4.2.1.5 |

| 09.3 | E = 40 × 1250 (= 50 000 (MJ/hour)) E = 50 000 × 8760 | 1 | AO2 4.4.1.5 4.2.1.5 |
|------|---|---|---------------------------|
| | E = 438 000 000 (MJ) or 4.38 × 10 ⁸ (MJ) | 1 | |

| Question | Answ | /ers | Mark | AO/ Spec. Ref | |
|----------|--|---|------|-------------------------------|--|
| 09.4 | Level 3: A judgement, strongly link sufficient range of correct reasons | ked and logically supported by a s, is given. | 5–6 | AO3 | |
| | Level 2: Some logically linked rea also be a simple judgement. | sons are given. There may | 3–4 | AO2 | |
| | Level 1: Relevant points are made | e. They are not logically linked. | 1–2 | AO2 | |
| | No relevant content | | 0 | 4.2.1.5 | |
| | Indicative content | | | 4.4.1.5 | |
| | fats and coal are stores of energy | ах | | 4.4.1.2 4.4.1.6 4.4.1.4 | |
| | fatbergs are (partially) renewable coal is a pop renewable energy | | | | |
| | | Source | | | |
| | burning / using fatbergs is using prevents sewers from being block | a waste product | | | |
| | costs involved with removing block | ockages | | | |
| | • more useful than sending fatber | rgs to landfill | | | |
| | if less fats are passed into drain issue to the (fatberg) power stat | is then this will cause a supply tion | | | |
| | • both fuels release carbon dioxid | le when burnt | | | |
| | fatberg power station might be carbon neutral (if carbon neutral) global warming may be less named consequence of global warming | | | | |
| | | | | | |
| | • coal releases other pollutants w | hen burnt | | | |
| | • such as sulfur dioxide | | | | |
| | which can cause respiratory pro | blems and acid rain | | | |
| | • other items in fatbergs could car | use pollution issues if burnt, or | | | |
| | would need to be separated | | | | |
| | which would be a cost issue | | | | |
| | both fuels may release particulates when burnt | | | | |
| | which can damage lungs | | | | |
| Total | | | 15 | | |