

Surname	
Other Names	
Centre Number	
Candidate Number _	
Candidate Signature	

GCSE COMBINED SCIENCE: SYNERGY

Higher Tier Paper 3 Physical sciences

8465/3H

Monday 11 June 2018

Morning

Time allowed: 1 hour 45 minutes

For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed)
- the Physics Equations Sheet (enclosed).

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.



BLANK PAGE



INSTRUCTIONS

- Use black ink or black ball-point pen.
- Answer ALL questions in the spaces provided. Do not write on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

INFORMATION

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

DO NOT TURN OVER UNTIL TOLD TO DO SO




0	1	This question is about hydrogen	chloride.
---	---	---------------------------------	-----------

0 1 . 1 A hydrogen atom contains 1 electron and a chlorine atom contains 17 electrons.

Complete FIGURE 1 to show a dot and cross diagram for a hydrogen chloride molecule.

Show the outer electrons only. [2 marks]

FIGURE 1



Hydrogen gas (H₂) reacts with chlorine gas to produce hydrogen chloride.


0 1 . 2	Complete the balanced chemical equation for
	the reaction between hydrogen and chlorine.
	[2 marks]

$$H_2$$
 + \rightarrow



FIGURE 2 shows the reaction profile diagram for the reaction between hydrogen and chlorine.

FIGURE 2



0 1 . 3	What do A and B represent on FIGURE 2?
	[2 marks]

4			

3			



0 1 . 4	How does the reaction profile diagram show that the reaction is exothermic? [1 mark]			



0 1 . 5	Hydrogen chloride gas dissolves in water to form hydrochloric acid.
	Hydrochloric acid contains hydrogen ions and chloride ions.
	Explain why hydrogen chloride gas does NOT conduct electricity but hydrochloric acid is able to conduct electricity. [3 marks]
[Turn over]	10

0 7

BLANK PAGE



0 2	When a metal carbonate reacts with an acid, a salt, carbon dioxide and water are produced.
02.1	Describe how you would test for carbon dioxide gas.
	Give the result of the test. [2 marks]
	Test
	Result



02.2	Describe how to make pure dry crystals of magnesium chloride from magnesium carbonate and a dilute acid.				
	In your method you should name the apparatus and reagents you plan to use. [6 marks]				



•			
•			
•			
,			
•			
•			
•			
•	 		
•			
•			
[Turn over]			8
[. a o voi]			0



0 3	An energy input of 1.3 × 10 ¹⁸ J is supplied each year by power stations to the National Grid.
	Not all of this energy is supplied to consumers. Some of the energy is wasted in the distribution process.
03.1	Write the equation which links efficiency, total input energy transfer and useful output energy transfer. [1 mark]



0 3 . 2	The energy supplied each year to consumers is 1.2×10^{18} J
	Calculate the efficiency of the distribution process. [2 marks]
	Efficiency =



03.3	How is electrical power transmitted across the National Grid to make the process as efficient as possible? [1 mark]		
	Tick ONE box.		
		At a high potential difference and a high current	
		At a high potential difference and a low current	
		At a low potential difference and a high current	
		At a low potential difference and a low current	
03.4		e equation which links energy red, power and time. [1 mark]	



0 3 . 5	A wind turbine supplies a power output of 8000 kW for 1200 seconds.
	Calculate the energy transferred by the wind turbine in kJ [3 marks]
	Energy transferred =kJ



Describe the environmental advantages and disadvantages of using wind turbines to generate electricity in the UK. [4 marks]



[Turn over]			
[. a 0 10.]			12



0 4	FIGURE 3 shows a bar magnet.
04.1	Complete the diagram to show the magnetic field lines around a bar magnet. [2 marks]
	FIGURE 3
04.2	Describe a method using a compass to plot the magnetic field lines around a bar magnet. [4 marks]





0	4	. 3	Explain why a compass needle moves when placed near the bar magnet. [2 marks]



0 4 . 4	Iron is a magnetic element.		
	Which of the following is also a magnetic ELEMENT? [1 mark]		
	Tick ONE box.		
	Cobalt		
	Copper		
	Steel		
	Zinc		



0 4 . 5	Give TWO pieces of evidence that show the Earth's magnetic field is changing. [2 marks]
	1
	2



0 4 . 6	Describe the most likely cause of the change in the Earth's magnetic field. [2 marks]	? S
[Turn over	<u>]</u>	3



0 5

A teacher demonstrated the extraction of copper from copper oxide.

This is the method used.

- 1. Mix 1.30 g of zinc and 1.59 g of copper oxide.
- 2. Heat the mixture strongly.
- 3. When the mixture starts to glow, stop heating.
- 4. Let the glow spread through the mixture.
- 5. Leave the mixture to cool.
- 6. Add hydrochloric acid to the cooled mixture.
- 7. Filter the mixture obtained in step 6.



0 5 . 1	A student concluded that an exothermic reaction had taken place.
	Explain how an observation made during the demonstration shows this. [2 marks]



0 5 . 2	The equation for the reaction between zinc and copper oxide is:
	$Zn + CuO \rightarrow ZnO + Cu$
	1.59 g of copper oxide reacted.
	Calculate the mass of copper produced.
	Relative atomic masses (A _r):
	Cu = 63.5 O = 16 Zn = 65 [3 marks]
	Mass of copper produced =
	g



0 5 . 3	Explain why steps 6 and 7 result in only copper being obtained as the residue. [4 marks]



 Zn + Cu²+ → Zn²+ + Cu Which statement about the reaction between zinc and copper ions is correct? [1 mark] Tick ONE box. Copper ions have been oxidised because the copper ions have gained electrons. Copper ions have been oxidised because the copper ions have lost electrons. Zinc has been oxidised because the zinc atoms have gained electrons. Zinc has been oxidised because the zinc atoms have lost electrons. 	0 5 . 4	The ionic equation for the reaction is:		
zinc and copper ions is correct? [1 mark] Tick ONE box. Copper ions have been oxidised because the copper ions have gained electrons. Copper ions have been oxidised because the copper ions have lost electrons. Zinc has been oxidised because the zinc atoms have gained electrons. Zinc has been oxidised because the		$Zn + Cu^{2+} \rightarrow Zn^{2+} + Cu$		
Copper ions have been oxidised because the copper ions have gained electrons. Copper ions have been oxidised because the copper ions have lost electrons. Zinc has been oxidised because the zinc atoms have gained electrons. Zinc has been oxidised because the				
because the copper ions have gained electrons. Copper ions have been oxidised because the copper ions have lost electrons. Zinc has been oxidised because the zinc atoms have gained electrons. Zinc has been oxidised because the		Tick ON	IE box.	
because the copper ions have lost electrons. Zinc has been oxidised because the zinc atoms have gained electrons. Zinc has been oxidised because the			because the copper ions have	
zinc atoms have gained electrons. Zinc has been oxidised because the			because the copper ions have	
				_
10				he
10				
				10



BLANK PAGE



0 6	Copper can be extracted using biological methods.
06.1	Name TWO biological methods used to extract copper from copper ores.
	For each method, name the type of organism used in the process. [4 marks]
	Method 1
	Type of organism
	Method 2
	Type of organism



0 6 . 2	Give THREE reasons why biological methods are being introduced to extract copper. [3 marks]
	1
	2
	3



The biological methods produce copper compounds such as copper sulfate.

06.3	Copper can be extracted from copper sulfate solution by adding scrap iron.
	Explain why. [2 marks]

0 6 . 4 Complete the chemical equation for the reaction between iron and copper sulfate solution. [2 marks]

Include state symbols.

$$_$$
 ($_$) + CuSO₄ ($_$) \longrightarrow



06.5	A solution of copper sulfate contains 3.175 g of copper ions.	
	Calculate the number of copper ions in the solution.	
	Give your answer in standard form.	
	Relative atomic mass (A_r) : Cu = 63.5	
	The Avogadro constant is 6.02 × 10 ²³ per mole. [4 marks]	
		_
		_
		_
		_
		_
	Number of copper ions =	
Turn over]	
	15	

3 3

0 7

A teacher demonstrated the temperature change when hydrochloric acid is added to sodium hydroxide solution.

This is the method used.

- 1. Measure 25 cm³ of sodium hydroxide solution using a measuring cylinder.
- 2. Add the sodium hydroxide solution to a polystyrene cup.
- 3. Record the temperature of the sodium hydroxide solution.
- 4. Add 5 cm³ of hydrochloric acid from a burette to the sodium hydroxide solution.
- 5. Stir the solution.
- 6. Record the temperature of the solution.
- 7. Repeat steps 4–6 until 50 cm³ of hydrochloric acid in total is added.



BLANK PAGE



TABLE 1 shows some of the teacher's results.

TABLE 1

Volume of hydrochloric acid added in cm ³	Temperature in °C
0	21.30
5	24.25
10	26.15
15	27.05
20	27.70

o 7 . 1 FIGURE 4 shows the results when 30 cm³ to 50 cm³ of hydrochloric acid was added to sodium hydroxide solution.

A line of best fit has been drawn through these results.

Complete FIGURE 4.

You should:


- plot the data from TABLE 1 on FIGURE 4
- draw a line of best fit through these results
- continue both lines of best fit until the lines meet.

[4 marks]



FIGURE 4

Temperature in °C







07.2	Estimate the maximum temperature reached in the reaction.
	Use FIGURE 4. [1 mark]
	Maximum temperature =°C
07.3	The teacher used a temperature sensor to measure the temperature of the reaction mixture.
	What is the resolution of the temperature sensor? [1 mark]
	Tick ONE box.
	1 × 10 ⁻¹ °C
	1 × 10 ⁻² °C
	1 × 10 ⁻³ °C
	1 × 10 ⁻⁴ °C



0 7 . 4	Suggest TWO ways of improving the accuracy of the results. [2 marks]
	1
	2



0 7.5	The pH of the solution changes as hydrochloric acid is gradually added to sodium hydroxide solution, until hydrochloric acid is in excess.
	Describe how the pH of the solution changes.
	Give reasons for these changes.
	You should refer to the pH value of the solution at different stages in the procedure. [6 marks]





0 7 . 6	In a different demonstration the teacher used a 25 cm ³ solution containing 1.4 g of sodium hydroxide.
	Calculate the concentration of the sodium hydroxide solution in g/dm ³ [2 marks]
	Concentration of sodium hydroxide solution =
	g/dm ³
	16



BLANK PAGE




0 8

An athlete takes part in a race on a straight, horizontal running track.

FIGURE 5 shows the velocity-time graph for the athlete during the race.

FIGURE 5

Velocity in m/s





08.1	What is the main force that opposes the athlete's forward motion? [1 mark]	
08.2	Which section of the graph represents a part of the race where the resultant force on the athlete is zero? [1 mark]	
	Tick ONE box.	
	A-B	
	B-C	
	C-D	
	D-E	



			Use i iouke 5, on page 44. [5 marks]	
			Use FIGURE 5, on page 44. [3 marks]	
			Calculate the momentum of the athlete a time of 6.0 s	nt a
0	8	. 3 The athlete has a mass of 94.8 kg		




0 8 . 4	The acceleration is NOT constant from D to E.
	Determine the acceleration at a time of 12.0 s
	Use FIGURE 5.
	Give the unit. [5 marks]
	Acceleration =
	Acceleration -
	Unit =



FIGURE 6 is a copy of FIGURE 5 to help you answer the following questions.

FIGURE 6

Velocity in m/s





A second athlete starts the race at the same time as the first athlete.

The second athlete moves with a constant acceleration of 1.6 m/s² for the first 6.0 seconds of the race.


The first athlete travels further than the second athlete during the first 6.0 seconds.

0	8.5	Draw a line on FIGURE 6 to represent the motion of the second athlete for the first 6.0 seconds of the race. [2 marks]



Repeat of FIGURE 6

Velocity in m/s





08.6	Determine the extra distance travelled by the first athlete over the first 6.0 seconds of the race.	the
	Use FIGURE 6. [4 marks]	
	Extra distance travelled by first athlete =	
	m	
END OF C	QUESTIONS	16
		1 0 1



There are no questions printed on this page

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
TOTAL		

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

IB/M/Jun18/LO/8465/3H/E2

