# GCSE COMBINED SCIENCE: SYNERGY

Foundation Tier

AQA

Paper 4F

# Specimen 2018

Time allowed: 1 hour 45 minutes

# Materials

For this paper you must have:

- a ruler
- a calculator
- the periodic table (enclosed)
- the Physics equation sheet (enclosed).

### Instructions

- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.

### Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.
- When answering questions 06.4 and 10.6 you need to make sure that your answer:
  - is clear, logical, sensibly structured
  - fully meets the requirements of the question
  - shows that each separate point or step supports the overall answer.

### Advice

• In all calculations, show clearly how you work out your answer.

Please write clearly, in block capitals.
Centre number
Forename(s)
Candidate signature



Figure 1 shows how he sets up the investigation.





The student lets go of the marble from different heights.

He records:

- the height from which he drops the marble (the drop height)
- the height the marble rolls up the other side (the roll height).

01.1	What force causes the Tick <b>one</b> box.	e marble to fall down the track?	[1 mark]
	Air resistance Friction Gravity Magnetism		
01.2	What is one variable t Tick <b>one</b> box.	the student should control in the investigation?	[1 mark]
	Length of ruler Length of track Mass of marble Roll height		

# Question 1 continues on the next page

Table 1 shows the student's results.

Drop height in cm	Roll height in cm				
	Test 1	Test 2	Test 3	Mean	
20	15	14	14	14	
40	29	33	32		
60	47	19	46	46	
80	65	61	63	63	

Table '	1
---------	---

# **01**. **3** What is the **independent** variable in the investigation?

[1 mark]

Tick one box.

Drop height

Length of track

Mass of marble

Roll height

01.4	Calculate the mean roll height of the marble when it is dropped from 40 cm.	[1 mark]
	Mean roll height =	cm
01.5	The student calculated the mean roll height for a drop height of 60 cm. He did not include the result for Test 2 in his calculation.	
	Why did the student leave out the result for Test 2?	[1 mark]
0 1 . 6	Describe how the drop height of the marble affects the roll height.	[1 mark]
01.7	Why does the marble never roll up to the same height the student drops it fro	om? <b>[1 mark]</b>
	Turn over for the next question	

0 2

#### SPECIMEN MATERIAL

	Chlorine	-101	-35	
	Bromine	-7	59	
	lodine	114	184	
	Astatine			
02.1	Look at <b>Table 2</b> . Describe the trend in mel	ting point from fluc	prine to astatine.	[1 mark]
02.2	Estimate the boiling point Use <b>Table 2</b> to help you.	of astatine.		[1 mark]
		Boiling p	oint of astatine =	<u></u> ٢٠
02.3	Room temperature is 20 ° Which element in <b>Table 2</b>	°C. 2 is a liquid at roon	n temperature?	[1 mark]

Table 2 shows information about some elements.

Element

Fluorine

Table	2
-------	---

Melting point in °C

-202

Boiling point in °C

-188

[1 mark]

Tick **one** box.

Group 0	
Group 1	
Group 5	
Group 7	



**02**. **5** A chlorine atom has 17 electrons.

On Figure 2, use crosses to show the arrangement of electrons in the outer shell of a chlorine atom.

[1 mark]





Question 2 continues on the next page

02.6	Chlorine reacts with sodium bromide solution to produce bromine and sodium chloride solution.			
	Complete the symbol equation for the reaction.	[2 marks]		
	$\_$ Cl <sub>2</sub> + $\_$ NaBr $\longrightarrow$ $\_$ + $\_$			
02.7	Which element in Table 2 will react with sodium chloride solution?			
	Give a reason for your answer.	[2 marks]		

0 3	This question is about r	nagnetism.	
03.1	Which two materials a Tick <b>two</b> boxes.	are magnetic?	[2 marks]
	Carbon Cobalt Copper Nickel Sodium		
03.2	Describe how you cou	Ild find the magnetic field pattern of a permanent ba	r magnet. <b>[3 marks]</b>

Question 3 continues on the next page

A student investigates how the number of turns of wire on a solenoid affects the strength of the solenoid.

To test the strength of the solenoid she looks at how many paper clips the solenoid could lift.

Figure 6 shows how she sets up the equipment.

She keeps the current through the coil constant throughout the experiment.





Table 3 shows the student's results.

Table	3
-------	---

Number of turns of wire on solenoid	Number of paper clips picked up by solenoid			
	Test 1	Test 2	Test 3	Mean
0	0	0	0	0
10	4	3	4	4
20	8	8	9	8
30	11	11	13	12
40	15	13	16	15
50	21	24	19	21
60	25	24	26	25



×

20

30

40

Number of turns of wire on solenoid

Use your graph to predict how many paper clips the solenoid will pick up when

50

60

70

80

[2 marks]

×

10

80 turns of wire are used.

Describe the pattern shown in the graph.

**0 3 . 3** Use the data from **Table 3** to complete the graph in **Figure 4**.

0 3 . 5

0 3 . 4

picked up

15

10

5

0+0

Number of paper clips picked up = \_\_\_\_\_

\_\_\_\_\_

[1 mark]

#### Turn over ▶

# There are no questions printed on this page

0 4

Forces can be classed as contact or non-contact forces.

# **0 4 . 1** Look at **Table 4**.

Tick one box for each type of force to say whether it is a contact force or a non-contact force.

[3 marks]

#### Table 4

Type of force	Contact force	Non-contact force
Electrostatic		
Friction		
Gravity		



**0 4 . 2** Force is a vector quantity.

What are two other vector quantities?

Tick **two** boxes.

Mass	
Time	
Velocity	
Speed	
Displacement	

[2 marks]

Question 4 continues on the next page

A student does a practical to investigate the relationship between force and extension for a spring.

Figure 5 shows how he set up his experiment.







Use a longer ruler to measure the length Use a pointer from the spring to measure the length Use a new spring between each reading Use a stronger spring in the investigation [1 mark]



### Question 4 continues on the next page

The student plotted a graph of force applied and extension of the spring.

Figure 6 shows his graph.



Figure 6

 0
 4
 .
 5
 What is the relationship between force applied and extension?
 [1 mark]

 Tick one box.
 Image: Tick one box.
 [1 mark]

 Extension is directly proportional to force
 Image: Tick one box.
 Image: Tick one box.

 Extension is directly proportional to force
 Image: Tick one box.
 Image: Tick one box.

 Extension is directly proportional to force
 Image: Tick one box.
 Image: Tick one box.

 Extension increases by smaller values as force increases
 Image: Tick one box.
 Image: Tick one box.

 Extension is inversely proportional to force
 Image: Tick one box.
 Image: Tick one box.

04.6	Use <b>Figure 6</b> to determine the force needed to give an extension of 4.5 cm.
	Force needed = N
04.7	A different spring has a spring constant of 13.5 N/m.
	Calculate the elastic potential energy stored in the spring when its extension is 12 cm.
	Use the correct equation from the Physics equation sheet. [2 marks]
	Elastic potential energy = J

Turn over for the next question

0 5	Ne use mains electricit	y in our homes.	
0 5 . 1	What is the frequency Tick <b>one</b> box.	of the UK mains electricity supply?	[1 mark]
	23 Hz		
	50 Hz		
	230 Hz		
	500 Hz		

**05. 2** Many appliances in the home use three-core electrical cable.

Look at Figure 7.

Figure 7



Label the wires in the cable in Figure 7.

Use words from the box.

[2 marks]

Earth Negative	Neutral	Positive
----------------	---------	----------

# 0 5 . 3 The sentences explain how touching the live wire in a cable can cause an electric shock. Complete the sentences. Use words from the box. [2 marks] potential difference current force resistance Touching the live wire causes a large to exist across the body. This causes a through the body, which results in an electric shock. **0 5 . 4** A heater has a power rating of 2500 W. The heater is turned on for 180 seconds. Calculate the energy transferred by the heater. Use the equation: energy transferred = power × time Give your answer in kilojoules (kJ). [3 marks] Energy transferred = kJ

#### Question 5 continues on the next page

05.5	Write down the equation that links charge flow, energy transferred and potential difference.	[1 mark]
05.6	The mains electricity supply is at 230 V. A different heater transfers 4200 J of energy.	
	Calculate the charge flow through the heater.	[3 marks]
	Charge flow =	C

06	Hydrocarbons are used to make us	seful products.	
06.1	What are the elements in hydroca	arbons?	14
	Tick <b>one</b> box.		[1 mark]
	Carbon and hydrogen only		
	Carbon, hydrogen and oxygen		
	Carbon and nitrogen only		
	Carbon, nitrogen and oxygen		

# Question 6 continues on the next page

**06. 2 Table 5** gives some information about four hydrocarbons.

# Table 5

Hydrocarbon	Melting point in °C	Boiling point in °C
Methane	-183	-162
Ethene	-169	-104
Octane	-57	+126
Decane	-30	+174

What are two correct statements about the four compounds?	[2 marks]
Tick <b>two</b> boxes.	
Methane has the lowest boiling point and decane has the highest melting point	
Methane and decane are both gases at 20 °C	
Ethene and octane are both alkanes	
Decane and ethene are both liquids at 0 °C	
Octane is liquid over a larger temperature range than methane	



Ethene can be produced from long-chain hydrocarbons by cracking.

Give the conditions needed for cracking.

[2 marks]

# **06. 4** Poly(ethene) is a polymer made from ethene. Poly(ethene) is used to make plastic bags.

Table 6 is from a life cycle assessment comparing paper bags and plastic bags.

### Table 6

	Paper bag	Plastic bag
Raw material	Wood (renewable)	Oil or gas (non-renewable)
Energy used to make in MJ	1.7	1.5
Solid waste produced in g	50	14
Carbon dioxide produced in kg	0.23	0.53

Evaluate which type of bag is more environmentally friendly.

Use data from Table 6 and your own knowledge to support your answer.

[6 marks]

# **07** A student used electrical circuits to investigate the relationship between resistance, potential difference and current.

Figure 8 shows how the student connects the first circuit he set up.







Draw the correct circuit.

[2 marks]

The student then sets up the circuit correctly.

Look at Figure 9.



Figure 9



[1 mark]

Question 7 continues on the next page

The student then set up a circuit to investigate how resistance affects the brightness of a lamp.

Figure 10 shows the circuit he set up.



**0 7 . 3** The student increases the resistance of the variable resistor.

What effect does this have on the brightness of the lamp?

Explain your answer.

[2 marks]

0 7 . 4	Write down the equation that links current, potential difference and resistance.	nark]
	L	
07.5	When the potential difference across the lamp is 3.3 V the current is 0.15 A.	
	Calculate the resistance of the lamp in the student's experiment. [3 ma	arks]
	Resistance =	Ω

Turn over for the next question

0 8	A student investigates a potassium salt, X.	
	She finds that salt X:	
	<ul> <li>has a high melting point</li> <li>does not conduct electricity when it is solid</li> <li>dissolves in water and the solution does conduct electricity.</li> </ul>	
08.1	What is the type of bonding in salt <b>X</b> ? Tick <b>one</b> box.	[1 mark]
	CovalentGiant molecularIonicMetallic	
08.2	What is the name given to solutions that conduct electricity?	[1 mark]
08.3	Why does a solution of salt <b>X</b> in water conduct electricity?	[1 mark]

# **08**. **4** The student electrolyses a solution of potassium chloride.

Figure 11 shows the apparatus she uses.

## Figure 11



When the current is switched on, bubbles of hydrogen gas are given off at the negative electrode.

Explain why hydrogen is produced and **not** potassium.

[2 marks]

Question 8 continues on the next page

The student then compares the relative conductivity of different concentrations of potassium chloride.

Figure 12 shows the apparatus she uses.





This is the method used.

- 1. Add potassium chloride solution to the water one drop at a time.
- 2. Stir the mixture.
- 3. Record the reading on the conductivity meter.

Table 7 shows the student's results.

Table 7

Number of drops of potassium chloride solution	Relative conductivity of solution
0	0
1	90
2	180
3	270
4	360
5	450
6	540



Turn over for the next question

# **0 9** A student investigates how the concentration of an acid affects the rate of a reaction.

This is the method used.

- 1. Put a 3 cm piece of magnesium ribbon into a conical flask.
- 2. Add 50 cm<sup>3</sup> of 0.5 mol/dm<sup>3</sup> hydrochloric acid to the flask.
- 3. Collect and measure the volume of gas produced at 10 second intervals.
- 4. Repeat with different concentrations of hydrochloric acid using the same length of magnesium ribbon and volume of acid.

The student's results are shown in Figure 13.





# **09. 1** How do the results show that increasing the concentration of acid increases the rate of reaction?

	You <b>must</b> use data from the graph in your answer. [2 marks	5]
09.2	Explain why the rate of reaction changes as the concentration of the acid increases.	
	You should answer in terms of particles. [3 marks	5]

Question 9 continues on the next page

# $\begin{bmatrix} 0 & 9 \end{bmatrix}$ . **3** Student **A** said that the final volume of gas collected was lower for a concentration of 0.5 mol dm<sup>3</sup> because the reaction had not finished.

Student **B** said it was because all the acid had reacted.

Describe further experimental work the students could do to find out which student was correct.

[2 marks]

# Turn over for the next question

1 0

Amylase catalyses the breakdown of starch into sugars.

A student investigated the effect of amylase on the reaction at different temperatures.

Figure 14 shows the apparatus the student used.



Figure 14

This is the method used.

- 1. Put starch suspension into a test tube.
- 2. Add amylase solution.
- 3. Put the test tube in a beaker of water at 15 °C.
- Remove a small sample of the mixture every 30 seconds and put in a spotting tile.
- 5. Test the sample for starch.
- 6. Time how long it takes to break down all of the starch in the mixture.
- 7. Repeat steps 1–5 at 20 °C, 25 °C and 30 °C.
- 8. Repeat for each temperature twice more.

Table 8 shows the student's results.

### Table 8

	Time taken until there was no starch in the sample in minutes			
Temperature in °C	Test 1	Test 2	Test 3	Mean
15	6.1	9.4	10.0	8.5
20	4.8	5.0	4.6	4.8
25	3.0	2.5	3.0	3.2
30	1.5	2.0	2.0	

**1 0 . 1** One of the results in **Table 8** is anomalous.

Draw a ring around the anomalous result.

[1 mark]

**1 0 . 2** Calculate the mean for 30 °C.

[1 mark]

Question 10 continues on the next page





Figure 15

1 0 . 3

Use the graph to predict how long it would take to break down all of the starch at 10 °C.

## [1 mark]

Time = \_\_\_\_\_ minutes

10.4	The student tested samples of the mixture for starch every	30 seconds.	
	In each test she added one drop of iodine to the sample in	the spotting t	ile.
	Predict the colour of the samples from the 20 °C test at 4.0 and 7.0 minutes.	minutes	[2 marks]
	Colour at 4.0 minutes		
	Colour at 7.0 minutes		
10.5	The student did a fourth test at 30 °C.		
	In this test the starch did not break down, even after 45 minut	les.	
	Why did the amylase not break down the starch in this test?		[1 mark]
	Tick <b>one</b> box.		
	The amylase solution and the starch suspension were mixed before the start of the experiment.		
	The amylase solution had been prepared with water at 95 °C.		
	The amylase solution had been prepared with water at 20 °C.		
	The amylase solution had been stored in the fridge.		

Question 10 continues on the next page

1 0 . 6	The student made the following conclusion about the optimum temperature for amylase to work at.
	'Amylase works fastest at 40 °C'
	Her teacher said that this is <b>not</b> a valid conclusion from her results.
	Describe how the student could change her method to give results that would improve the validity of her conclusion.
	[6 marks]

### END OF QUESTIONS

#### Copyright information

-

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements in future papers if notified. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright  $\ensuremath{\mathbb{C}}$  2016 AQA and its licensors. All rights reserved.