

Surname	
Other Names	
Centre Number	
Candidate Number	
Candidate Signature _	

## **GCSE**

## **COMBINED SCIENCE: TRILOGY**

F

Foundation Tier
Chemistry Paper 1F

8464/C/1F

Thursday 17 May 2018 Morning

Time allowed: 1 hour 15 minutes

For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed).

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.



## **BLANK PAGE**



#### INSTRUCTIONS

- Use black ink or black ball-point pen.
- Answer ALL questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

#### INFORMATION

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

DO NOT TURN OVER UNTIL TOLD TO DO SO



0 1	This question is about structure and bonding.				
01.1	FIGURE 1 shows part of the structure of calcium oxide (CaO).				
	FIGURE 1				
	2- 2+ 2- 2+ 2- 2+ 2- 2+ 2-				
	What type of bonding is present in calcium oxide? [1 mark]				
	Tick ONE box.				
	Covalent				
	lonic				
	Macromolecular				
	Metallic				




01.2	FIGURE 2 shows a particle of methane (CH <sub>4</sub> ).			
	FIGURE 2			
	H   H—C—H   			
	What type [1 mark]	e of particle is present in FIGURE 2?		
	Tick ONE	box.		
		An ion		
		A lattice		
		A molecule		
		A polymer		



# 0 1.3 FIGURE 3 shows the structure of C<sub>60</sub>

## FIGURE 3



Complete the sentence.

Choose the answer from the list below. [1 mark]

- diatomic
- giant ionic
- a fullerene
- giant metallic

The structure of C<sub>60</sub> is




## **BLANK PAGE**



FIGURE 4 shows the structure of graphite.

## FIGURE 4



0 1 . 4 What type of bond is labelled A in FIGURE 4? [1 mark]

Tick ONE box.

covalent
double
ionic
metallic




0 1 . 5	In graphite, each carbon atom forms bonds with other carbon atoms as shown in FIGURE 4				
	How many electrons does ONE carbon atom use to form ONE bond? [1 mark]				
	Tick ONE box.				
	1				
	2				
	3				
	4				



An electric current is passed through copper.

FIGURE 5 shows the apparatus used.

#### FIGURE 5



0 1 . 6 Complete the sentence.

Choose the answer from the list below. [1 mark]

- gas
- liquid
- solid
- solution

FIGURE 5 shows that copper conducts

electricity as a \_\_\_\_\_




01.7	Complete the sentence.				
	Choose the answer from the list below. [1 mark]				
	• atoms				
	• electrons				
	• ions				
	• molecules				
	Copper conducts electricity because of the				
	movement of delocalised				



0 1.8 FIGURE 6 shows the apparatus used to investigate the effect of electricity on sodium chloride solution.

#### FIGURE 6





Complete the sentence.

Choose the answer from the list below. [1 mark]

- dissolved
- gaseous
- molten


FIGURE 6 shows that sodium chloride conducts electricity when \_\_\_\_\_\_.




0 1.9 Sodium chloride is made up of ions.

FIGURE 7, on pages 14 and 15, shows the apparatus used to investigate the effect of electricity on solid sodium chloride and molten sodium chloride.

#### FIGURE 7







**TABLE 1 shows the results.** 

## TABLE 1

	Solid sodium chloride	Molten sodium chloride
Observation	The filament bulb does not light up	The filament bulb lights up
Deduction	Does not conduct electricity	Does conduct electricity



## **BLANK PAGE**



# Draw ONE line from each statement to the correct reason. [2 marks]

#### **STATEMENT**

**REASON** 

The ions are fixed.

Solid sodium chloride does not conduct electricity.

The ions are mobile.

Molten sodium chloride conducts electricity.

The ions are neutral.

The ions are vibrating.

10



0 2	This question is about the halogens.			
02.1	Which group in the periodic table is known as the halogens? [1 mark]			
	Tick ONE box.			
	Group 1			
	Group 2			
	Group 7			
	Group 0			




0 2 . 2 A fluorine atom has 7 electrons in the outer shell.

FIGURE 8 shows part of a dot and cross diagram to represent a molecule of fluorine (F<sub>2</sub>).

Complete the dot and cross diagram.

You should show only the electrons in the outer shells. [2 marks]

#### FIGURE 8





02.3	Chlorine reacts with potassium bromide solution.				
	Complete the word equation. [2 marks]				
chlorine	+ potassium bromide				
<b>→</b>	+				
02.4	What type of reaction happens when chlorine reacts with potassium bromide solution? [1 mark]				
	Tick ONE box.				
	decomposition				
	displacement				
	neutralisation				
	precipitation				



0	2	5	Complete the sentence

Choose the answer from the list below. [1 mark]

- an atom
- an electron
- a neutron
- a proton

Chlorine is more reactive than bromine.

This is because chlorine gains

more easily.



0 2 . 6	How does the size of a chlorine atom compare
	with the size of a bromine atom?

Complete the sentence.

Choose the answer from the list below. [1 mark]

- bigger than
- the same size as
- smaller than

A chlorine atom is

a bromine atom.



02.7	Give a reason for your answer to question 02.6 [1 mark]			
	Reason			
02.8	Fluorine re	acts with chlorin	e to produce CIF <sub>3</sub>	
	Balance the [1 mark]	e chemical equa	ion for the reaction.	
	Cl <sub>2</sub> +		$F_2 \rightarrow 2 CIF_3$	



02.9	Explain why fluorine is a gas at room temperature.
	Use the following words in your answer:
	energy
	forces
	molecules
	weak
	[3 marks]



<del></del>	
	-
	13



0 3	This question is about acids and bases.					
03.1	Which ion is found in all acids? [1 mark]					
	Tick ONE box.					
	CI-					
	H+					
	Na+					
	OH-					
03.2	Zinc nitrate can be produced by reacting an acid and a metal oxide.					
	Name the acid and the metal oxide used to produce zinc nitrate. [2 marks]					
	Acid					
	Metal oxide					



03.3	In an equation, zinc nitrate is written as $Zn(NO_3)_2(aq)$ .					
	What does (aq) mean? [1 mark] Tick ONE box.					
	Dissolved in water					
	Insoluble					
	Not all reacted					
	Reactant					
03.4	The pH of a solution is 8					
	Some hydrochloric acid is added to the solution.					
	Suggest the pH of the solution after mixing. [1 mark]					
	pH =					



0 3.5 TABLE 2 shows the solubility of three solids in water at room temperature.

#### TABLE 2

Solid	The mass of the solid that dissolves in 100 cm <sup>3</sup> of water
Phosphorus oxide	50 g
Silicon dioxide	0 g
Sodium hydroxide	100 g

A teacher labelled these three solids A, B and C.

She gave a student the information shown in TABLE 3

## TABLE 3

Solid	Observation when added to water	pH of the solid in water
Α	colourless solution	14
В	colourless solution	2
С	solid does not dissolve	7



Describe a method that could be used to identify each of the three solids A, B and C.						
You must use an indicator in the method.						
Use information in TABLE 2 and TABLE 3 [4 marks]						



0 4	This question is about the elements in Group 2 of the periodic table.											
04.1	FIGURE 9 shows the positions of four elements, A, B, C and D, in the periodic table.  FIGURE 9							ıts,				
В					1							D
Α										С		
							, i					
	Whice						•	2?				



Group 2 metal carbonates break down when heated to produce a metal oxide and a gas.

metal carbonate → metal oxide + gas

0 4 . 2 Name the two products when calcium carbonate (CaCO<sub>3</sub>) is heated. [2 marks]

and



04.3	What type of reaction happens when a compound breaks down? [1 mark]					
	Tick ONE box.					
		burning				
		decomposition				
		neutralisation				
		reduction				




0 4 . 4	The metal carbonate takes in energy from the surroundings to break down.					
	What type of reaction takes in energy from the surroundings? [1 mark]					
	Tick ONE box.					
	combustion					
	electrolysis					
	endothermic					
	exothermic					



0 4.5 FIGURE 10 shows the volume of gas produced when a Group 2 metal carbonate is heated.

#### FIGURE 10

Volume of gas in dm<sup>3</sup>





	The student collected 5.2 dm <sup>3</sup> of	gas.
	What mass of the Group 2 metal heated? [1 mark]	carbonate is
	Mass =	g
04.6	Calculate the mass of the Group needed to produce 24 dm <sup>3</sup> of ga	
	Use your answer from question you. [2 marks]	04.5 to help
		_
	Mass =	g




0 4.7 A student heated different masses of a Group 2 carbonate. The student measured the volume of gas produced.

FIGURE 11 shows a graph of the student's results.

The student calculates the gradient of the line in FIGURE 11

The student makes TWO mistakes.

#### FIGURE 11





# **Correct formula for gradient =** Increase in volume of gas Increase in mass of Group 2 metal carbonate heated Student's calculation = $\frac{4}{750}$ = 0.00533 cm<sup>3</sup> per g Identify the TWO mistakes the student makes. Calculate the correct gradient of the line. [4 marks] Mistake 1 Mistake 2 Calculation \_\_\_\_\_

Gradient = \_\_\_\_ cm<sup>3</sup> per g



### **BLANK PAGE**



04.8	A student repeated the experiment with a different Group 2 metal carbonate (XCO <sub>3</sub> ).	
	The relative formula mass $(M_r)$ of XCO <sub>3</sub> is 84	
	Relative atomic masses ( $A_r$ ): $C = 12$ $O = 16$	
	Calculate the relative atomic mass $(A_r)$ of X.	
	Name metal X.	
	Use the periodic table. [4 marks]	
	Deletive etemie mass (A)	
	Relative atomic mass $(A_r) = $	
	Metal X is	16




0 5 This question is about electrolysis.

A student investigates the mass of copper produced during electrolysis of copper chloride solution.

FIGURE 12 shows the apparatus.

FIGURE 12





0 5 . 1	_	as is produced at the positive electrode [1 mark]
	Tick ONE	box.
		carbon dioxide
		chlorine
		hydrogen
		oxygen



### **BLANK PAGE**



0 5 . 2	Copper is produced at the negative electrode cathode).
	What does this tell you about the reactivity of copper? [1 mark]
	Γick ONE box.
	Copper is less reactive than hydrogen
	Copper is less reactive than oxygen
	Copper is more reactive than carbon
	Copper is more reactive than chlorine



#### **TABLE 4 shows the student's results.**

TABLE 4

	Total mass of copper produced in mg			
Time in mins	Experiment 1	Experiment 2	Experiment 3	Mean
1	0.60	0.58	0.62	0.60
2	1.17	1.22	1.21	1.20
4	2.40	2.41	2.39	2.40
5	3.02	X	3.01	3.06



Determine the MEAN mass of copper produced after 3 minutes.

[1 mark]

Mass = \_\_\_\_ mg



#### **TABLE 4 shows the student's results.**

TABLE 4

	Total mass of copper produced in mg				
Time in mins	Experiment 1	Experiment 2	Experiment 3	Mean	
1	0.60	0.58	0.62	0.60	
2	1.17	1.22	1.21	1.20	
4	2.40	2.41	2.39	2.40	
5	3.02	X	3.01	3.06	



0 5 .	4	Calculate the mass X of copper produced in EXPERIMENT	2 after
		5 minutes.	

Use TABLE 4 on page 46 [2 marks]

Mass X = \_\_\_\_\_mg



05.5	The copper chloride solution used in the investigation contained 300 grams per dm <sup>3</sup> of solid CuCl <sub>2</sub> dissolved in 1 dm <sup>3</sup> of water.	
	The students used 50 cm <sup>3</sup> of copper chloride solution in each experiment.	
	Calculate the mass of solid copper chloride used in each experiment. [3 marks]	
	Mass = g	8



0 6	This question is about sodium and chlorine.		
	FIGURE 13 shows the positions of sodium and chlorine in the periodic table.		
	FIGURE 13		
NI =			
Na			
06.1	State ONE difference and ONE similarity in the electronic structure of sodium and of chlorine. [2 marks]  Difference	-	
	Similarity	- -	
		-	



06.2	Sodium atoms react with chlorine atoms to produce sodium chloride (NaCl).
	Describe what happens when a sodium atom reacts with a chlorine atom.
	Write about electron transfer in your answer. [4 marks]



0 6 . 3	The reaction between sodium and chlorine is
	an exothermic reaction.

Complete the reaction profile for the reaction between sodium and chlorine. [2 marks]

FIGURE 14

ner 	gy		
	Reactants		
į.	Progress of	reaction	



0 7	A student plans a method to prepare pure crystals of copper sulfate.
	The student's method is:
	<ol> <li>Add one spatula of calcium carbonate to dilute hydrochloric acid in a beaker.</li> <li>When the fizzing stops, heat the solution with a Bunsen burner until all the liquid is gone.</li> </ol>
	The method contains several errors and does not produce copper sulfate crystals.
	Explain the improvements the student should make to the method so that pure crystals of copper sulfate are produced. [6 marks]



-
•
•
 •
_'
•
•
•
_'
•
•
· [
6

## **END OF QUESTIONS**



#### There are no questions printed on this page

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
TOTAL	

#### **Copyright information**

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

#### IB/M/Jun18/NC/8464/C/1F/E4

