



Surname _____

Other Names _____

Centre Number _____

Candidate Number _____

Candidate Signature _____

GCSE

COMBINED SCIENCE: TRILOGY

F

Foundation Tier
Chemistry Paper 2F

8464/C/2F

Wednesday 12 June 2019

Morning

Time allowed: 1 hour 15 minutes

For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed).

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.

[Turn over]



J U N 1 9 8 4 6 4 C 2 F 0 1

BLANK PAGE



INSTRUCTIONS

- **Use black ink or black ball-point pen.**
- **Answer ALL questions in the spaces provided.**
- **Do all rough work in this book. Cross through any work you do not want to be marked.**
- **In all calculations, show clearly how you work out your answer.**

INFORMATION

- **The maximum mark for this paper is 70.**
- **The marks for questions are shown in brackets.**
- **You are expected to use a calculator where appropriate.**
- **You are reminded of the need for good English and clear presentation in your answers.**

DO NOT TURN OVER UNTIL TOLD TO DO SO



0 1 . 1 This question is about gases.

Draw ONE line from each substance to the description of the substance. [3 marks]

SUBSTANCE

**DESCRIPTION OF
SUBSTANCE**

Compound

Air

Element

Carbon dioxide

Hydrocarbon

Oxygen

Metal

Mixture



0 1 . 2 What is used to test for each of the gases?

Draw ONE line from each gas to the test for the gas. [2 marks]

GAS

TEST

A glowing splint

Carbon dioxide

A lighted splint

Oxygen

Limewater

Litmus paper

[Turn over]



0 1 . 3 Give TWO reasons why the percentage of carbon dioxide in the air has decreased in the last 2.7 billion years. [2 marks]

Tick (✓) TWO boxes.

Combustion

Dissolved in oceans

Intense volcanic activity

Photosynthesis

Respiration



Oxygen reacts with sulfur dioxide.

The reaction is reversible.

0 1 . 4 What is the symbol for a reversible reaction?
[1 mark]

0 1 . 5 Complete the sentence. [1 mark]

In a reversible reaction the forward reaction is exothermic, so the reverse reaction is

_____ .

0 1 . 6 A reversible reaction happens in apparatus which stops the escape of reactants and products.

Complete the sentence. [1 mark]

Equilibrium is reached when the forward and reverse reactions happen at exactly the same

_____ .

[Turn over]

10



0 2

Concrete contains cement, water, sand and small stones.

0 2 . 1

Concrete is a mixture designed as a useful product.

What do we call a mixture which has been designed as a useful product? [1 mark]

Tick (✓) ONE box.

Finite

Formula

Formulation

Fraction



0 2 . 2 Concrete contains cement.

Cement is made by heating a mixture containing silicon dioxide (SiO_2).

Why does silicon dioxide have a very high melting point? [2 marks]

Tick (✓) TWO boxes.

It has a giant structure

It has a simple molecular structure

It has strong covalent bonds

It has strong ionic bonds

It has weak intermolecular forces

[Turn over]




Student A investigated how the mass of the small stones in concrete affects the strength of a concrete beam. All other variables were kept the same.

The student added weights until the concrete beam broke.

FIGURE 1 shows the apparatus Student A used.

FIGURE 1



0 2 . 3 Draw ONE line from each type of variable to the correct example of the variable. [2 marks]

**TYPE OF
VARIABLE**

**EXAMPLE OF
VARIABLE**

**Length of
concrete beam**

Control

**Mass of small
stones in
concrete**

Independent

**Time taken to add
weights**

**Weight needed
to break
concrete beam**

[Turn over]



TABLE 1 shows Student A's results.

TABLE 1

Mass of small stones in grams (g)	Weight needed to break concrete beam in newtons (N)
500	70
1000	100
1500	110
2000	100
2250	85
2500	65
2750	35

0 2 . 4 Plot the data from TABLE 1 on FIGURE 2, on the opposite page.


The first three points are plotted for you.

Draw the line of best fit. [3 marks]



FIGURE 2

Weight
needed
to break
concrete
beam
in N



[Turn over]



BLANK PAGE



0 2 . 5 What mass of small stones would be needed to make the strongest concrete?

Give a reason for your answer.

Use FIGURE 2, on page 13. [2 marks]

Mass = _____ g

Reason _____

[Turn over]




02.6 Student B did a similar investigation.

FIGURE 3 shows Student B's results.

FIGURE 3

Weight
needed
to break
concrete
beam
in N



How could Student B improve their investigation?

Use FIGURE 2, on page 13, and FIGURE 3, on page 16. [1 mark]

11

[Turn over]




03

A student investigated the rate of the reaction between magnesium and hydrochloric acid.

FIGURE 4 shows the apparatus the student used.

FIGURE 4



03

.1

Balance the equation for the reaction. [1 mark]



03.**2** The student used 50 cm³ of hydrochloric acid.

**Which apparatus would measure 50 cm³ of hydrochloric acid with the greatest accuracy?
[1 mark]**

Tick (✓) ONE box.

50 cm³ beaker

50 cm³ conical flask

50 cm³ measuring cylinder

[Turn over]



03.3

The student measured the volume of gas produced every 20 seconds for 2 minutes.

The volume of gas was zero at the start of the experiment.

The measured volumes of gas were:

26 cm³ 38 cm³ 47 cm³ 55 cm³ 59 cm³ 60 cm³

Complete TABLE 2 to show these results.
[4 marks]

TABLE 2

0	0



03.4 The volumes of gas were lower than expected.

Suggest ONE reason. [1 mark]

03.5 The student repeated the experiment using different concentrations of hydrochloric acid.

Give TWO variables the student should keep the same. [2 marks]

1 _____

2 _____

[Turn over]



0 3 . 6 Complete the sentences. [3 marks]

As the concentration of the hydrochloric acid increased, the rate of the reaction

_____ .

This is because there were more acid

_____ in each cubic centimetre (cm³).

So the collisions happened more

_____ .

12



0	4
---	---

Large hydrocarbon molecules can be cracked to produce smaller, more useful molecules.

Alkanes and alkenes are produced when hydrocarbons are cracked.

0	4	.	1
---	---	---	---

Give TWO conditions used for cracking.
[2 marks]

1

2

[Turn over]




0 4 . 2 Butane (C₄H₁₀) is an alkane.

FIGURE 5 shows part of the displayed structural formula of butane.

Complete the displayed structural formula of butane in **FIGURE 5**. [1 mark]

FIGURE 5



0 4 . 3 Butane burns in oxygen.

Complete the word equation for the complete combustion of butane. [2 marks]

butane + oxygen →

_____ + _____



0 4 . 4 Ethene is an alkene.

Give a test for alkenes.

Give the result of the test if an alkene is present. [2 marks]

Test _____

Result _____

[Turn over]



0 4 . 5 Each year many tonnes of crude oil are extracted from the Earth.

It took millions of years for the crude oil to be formed.

What do we call development that meets the needs of current generations without compromising the resources for future generations? [1 mark]

Tick (✓) ONE box.

Finite development

Global development

Natural development

Sustainable development

8



BLANK PAGE

[Turn over]




05

FIGURE 6 shows the percentage by mass of some metals in the Earth's crust.

FIGURE 6

Percentage
by mass of
metal (%)



0 5 . 1 What is the percentage by mass of calcium in the Earth's crust? [1 mark]

Tick (✓) ONE box.

3.25%

3.50%

4.50%

5.00%

0 5 . 2 The percentage by mass of magnesium in the Earth's crust is 2.1%

Draw the bar for magnesium on FIGURE 6.
[1 mark]

[Turn over]



0 5 . 3 Copper sulfate is produced during the extraction of copper from the Earth's crust.

Copper is produced from copper sulfate solution using iron.

The word equation for the reaction is:

copper sulfate + iron \rightarrow iron sulfate + copper

From the equation a company calculated that 648 kg of copper sulfate are needed to produce 617 kg of iron sulfate and 258 kg of copper.

Calculate the mass of iron needed to make 258 kg of copper. [2 marks]


Mass = _____ kg



Copper is used as a catalyst.

0 5 . 4 FIGURE 7 shows the reaction profile for a reaction without a catalyst.

FIGURE 7




Draw an arrow on FIGURE 7 to show the activation energy. [1 mark]

[Turn over]



- 0 5 . 5** The reaction profile for the reaction without a catalyst is shown again in FIGURE 8.

FIGURE 8



Draw a reaction profile on FIGURE 8 for the same reaction with a catalyst. [2 marks]



0 5 . 6 What are catalysts in biological systems called? [1 mark]

Tick (✓) ONE box.

Detergents

Enzymes

Polymers

Solvents

8

[Turn over]



0 6

Water that is safe to drink contains dissolved substances.

0 6 . 1

**What do we call water that is safe to drink?
[1 mark]**

Tick (✓) ONE box.

Desalinated

Filtered

Fresh

Potable



0 6 . 2 Describe a test for pure water.

**Give the result of the test if the water is pure.
[2 marks]**

Test _____

Result _____

[Turn over]



06.3

Describe a method to determine the mass of dissolved solids in a 100 cm^3 sample of river water. [4 marks]



[Turn over]



06.4 A sample of river water contains 125 mg per dm^3 of dissolved solids.

Calculate the mass of dissolved solids in grams in 250 cm^3 of this sample of river water.

Give your answer to 2 significant figures.
[4 marks]

Mass of dissolved solids = _____ g



0 6 . 5 A water company allows a maximum of 500 mg per dm³ of sulfate ions in drinking water.

A sample of drinking water contains 44 mg per dm³ of sulfate ions.

Calculate the percentage (%) of the maximum allowed mass of sulfate ions in the sample of drinking water. [2 marks]

Percentage (%) of the maximum allowed mass =

_____ %

13

[Turn over]



BLANK PAGE



07

This question is about atmospheric pollutants from fuels.

07.1

Fuel burns in a car engine.

Describe how oxides of nitrogen are produced in a car engine. [2 marks]

[Turn over]



07.2 TABLE 3 shows the carbon footprint during the manufacture and use of three cars.

TABLE 3


Car	Mass of CO ₂ produced during manufacture in kg	Mass of CO ₂ produced when driving in kg per km	Total mass of CO ₂ produced from manufacture and 40 000 km driving in kg	Total mass of CO ₂ produced from manufacture and 100 000 km driving in kg
Car A	14 000	0.123	18 920	26 300
Car B	20 000	0.085	23 400	28 500
Car C	23 000	0.044	24 760	27 400

Evaluate the carbon footprint of the cars.


Use information from TABLE 3. [6 marks]



[Turn over]



BLANK PAGE



8

END OF QUESTIONS



BLANK PAGE

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
TOTAL	

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third-party copyright material are published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2019 AQA and its licensors. All rights reserved.

IB/M/CH/Jun19/8464/C/2F/E2