

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education

Advanced Subsidiary Level and Advanced Level

CANDIDATE NAME **CANDIDATE CENTRE NUMBER NUMBER**



BIOLOGY 9700/02

Paper 2 Structured Questions AS

May/June 2007

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work together.


The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use		
1		
2		
3		
4		
5		
6		
Total		

This document consists of 14 printed pages and 2 blank pages.



1 Fig. 1.1 is a drawing made from an electron micrograph of a cell from the ciliated epithelium of the bronchus.



Fin 11

[5]

www.PapaCambridge.com (a) Complete the table below by writing the appropriate letter from Fig. 1.1 to indic structure that carries out each of the functions listed. The first one has been complete. for you.

function	structure
facilitated diffusion of glucose	В
creates a current to move mucus	
aerobic respiration	
makes ribosomes	
a site of transcription	
packages proteins into lysosomes	

(b)	The alveoli in the lungs are lined by a squamous epithelium.
	Explain why gas exchange occurs in alveoli and not in the bronchus.
	[3]
(c)	Describe the likely appearance of the lining of the bronchus in a person who has been a heavy smoker for many years.
	[3]
	[3]

[Total: 11]

2

(a)	Describe how enzymes take part in chemical reactions.				
	[4]				
	Starch phosphorylase is an enzyme found in plant cells. In potato tuber cells, the enzyme takes part in the breakdown of starch when the tuber begins to grow.				
	starch phosphorylase starch + phosphate ions				
	A student investigated the effect of pH on this reaction using two buffer solutions.				
	The student prepared four test-tubes, ${\bf A}$ to ${\bf D}$, as shown in Table 2.1 and described below.				
	The student made an extract of potato tissue that contained the enzyme. Some of this extract was boiled.				

A solution of potassium dihydrogen phosphate was added to some tubes as a source of phosphate ions.

The test-tubes were left for ten minutes in a water bath at 30 °C and then samples were tested with iodine solution.

Table 2.1

			5 Table 2.1			results with iodine solution	For Examiner's Use
test- tube	_		contents				Tage
	volume of starch solution / cm ³	volume of glucose 1-phosphate solution / cm ³	volume of potassium dihydrogen phosphate solution / cm ³	pH of buffer solution	enzyme extract	results with iodine solution after ten minutes	G
Α	2		0.5	6.5	unboiled	negative	
В	2		0.5	2.0	unboiled	positive	
С	2		0.5	6.5	boiled	positive	
D		2		6.5	boiled	negative	

(b)	(i)	State what the student would conclude from a positive result with iodine solution.
		[1]
	(ii)	Explain why the student boiled some of the extract in this investigation.
		[2]
(c)	Ехр	lain the results shown in Table 2.1.
		[4]

[Total: 11]

3 Muntjac are small deer found throughout Asia. Cells at the base of the epidermis in continually divide by mitosis. Fig. 3.1 shows the chromosomes from a skin cell of a fel Indian muntjac deer at metaphase of mitosis.




Fig. 3.1

(a) (i)	State the diploid chromosome number of the female Indian muntjac deer.			
		[1]		
(ii)	Name X and state its role in mitosis.			
	name			
	role			
		[2]		
(iii)	On Fig. 3.1, shade in a pair of homologous chromosomes.	[1]		
(iv)	In the space below, draw one of the chromosomes shown in Fig. 3.1 as it w	ould/		

appear during anaphase of mitosis.

	42
	7
b)	Outline what happens to a chromosome between the end of anaphase and the the next mitosis.
	TO.
c)	During the formation of eggs in the ovary of the female Indian muntjac deer, the chromosome number changes.
	State what happens to the chromosome number and explain why this change is necessary.
	[2]
	[Total: 11]

Fig. 4.1 shows the movement of sucrose from source to sink through the phloem in a





Fig. 4.1

(a)	With	n reference to Fig. 4.1,
	(i)	name an example of a source and a sink
		source
		sink[1]
	(ii)	name cells C and D .
		C
		D [1]
(b)	With	n reference to Fig. 4.1, explain how sucrose travels from,
	the	source to cell C
	cell	C to the sink.
		[4]
(c)		lain why multicellular plants require transport systems for substances, such as water sucrose.
		[O]
		[2]

[Total: 8]

5 Two people took part in a study to find out the effectiveness of two types of immunisations Person A received an injection of antibodies against tetanus and person B received a tel vaccination.

www.PapaCambridge.com Over the new few weeks, the blood from these two people was analysed for the presence of antibodies to tetanus. The results are shown in Fig. 5.1A and Fig. 5.1B.






Fig. 5.1

(a) Name the types of immunity shown by Fig. 5.1 A and B.

A

		11 lain why the antibody concentration in person A, decreased during the study period
		11
(b)	Ехр	lain why the antibody concentration in person A ,
	(i)	decreased during the study period
	(ii)	did not increase.
		[3
:)		tch on Fig. 5.1 B, on page 10, what you would expect to happen to the antibode centration if person B received a booster vaccination at day 60.
		Put your answer to this question on Fig. 5.1 B on page 1 0
		[:
d)		lain why, in this investigation, the experimenters had to measure the concentration ntibodies to tetanus rather than the concentration of all antibodies in the blood of B .
		[2
		[Total: 9

For Examiner's

6 Fig. 6.1 shows a diagram of a plasma (cell surface) membrane.




Fig. 6.1

(a)		putting a ci shown in Fig.	. (), around one o	of the following	ng, the width of	the
	0.7 nm	7.0 nm	70 nm	$7 \times 10^{-5} \text{m}$	700 µm	7.0 µm	[1]
(b)	Outline the	functions of t	he following	components of th	ne plasma me	mbrane.	
	κ						
	L						
	M						
	N						
							.[4]

					13					00	
(c)	Some substances may cross plasma membranes by simple diffusion. Glucose, hodoes not.										
	Explain why glucose cannot pass across membranes by simple diffusion.										
										[2]	
(d)	rate of	nvestigation uptake of th concentr	glucose	into the o	cells acro	ss the pla					
		22 20]									
		18 -				0					
rate of ι of gluce		16 - 14 -									
cells/ar units	bitrary	12 - 10 -									
		8 - 6 -									
		4 -	/6								
		2 - 0				ı		ı			
		0	5	10 conce	15 ntration o	20 of glucose	25 /arbitrar	30 v units	35	40	
						9	,	,			
					Fig. 6.2						
		the informa at glucose					Its of the	investiga	tion supp	ort the	

	For
L	Examiner's
٦,	1100

(e)	State how active transport differs from facilitated diffusion.	Use
		Tidge
	[1]	
	[Total: 10]	

15

BLANK PAGE

www.PapaCambridge.com

16

BLANK PAGE

www.PapaCambridge.com

Copyright Acknowledgements:

Question 1 Fig. 1.1 © http://n2.bioeng5.bioeng.auckland.ac.nz/ontology/anatomy/ontology_instance_view?instance_uri=http%3A//physiome.bioeng.auckland.ac.nz/anatomy/all%23cellsonly%2000167

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of