

**MARK SCHEME for the May/June 2011 question paper  
for the guidance of teachers**

**9700 BIOLOGY**

**9700/32**

Paper 32 (Advanced Practical Skills 2),  
maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- Cambridge will not enter into discussions or correspondence in connection with these mark schemes.


Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

<b>Page 2</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>
	<b>GCE AS/A LEVEL – May/June 2011</b>	<b>9700</b>

Mark scheme abbreviations:

<b>;</b>	separates marking points
<b>/</b>	alternative answers for the same point
<b>R</b>	reject
<b>A</b>	accept (for answers correctly cued by the question, or by extra guidance)
<b>AW</b>	alternative wording (where responses vary more than usual)
<b><u>underline</u></b>	actual word given must be used by candidate (grammatical variants excepted)
<b>max</b>	indicates the maximum number of marks that can be given
<b>ora</b>	or reverse argument
<b>mp</b>	marking point (with relevant number)
<b>ecf</b>	error carried forward
<b>I</b>	ignore
<b>BOD</b>	Benefit of Doubt given
<b>ACE</b>	Analysis, Conclusions and Evaluation (skills)
<b>PDO</b>	Presentation of Data and Observations (skills)
<b>MMO</b>	Manipulations, Measurement and Observation (skills)

www.PapaCambridge.com




1 (a) (i) Complete Fig. 1.1 to show how you will make a <i>serial</i> dilution to reduce the concentration by <i>half</i> between each concentration.	
MMO decisions 1	[1] (labels under correct sequence of beakers)  1(.0) AND 0.5 AND 0.2(5);  Additional guidance <b>Must have</b> • % once
	[1] (uses serial dilution) (adds previous concentration of G to <b>each</b> of three beakers and same volume) volume of <u>2</u> (%) or shown by arrow with volume <b>AND</b> the <u>same</u> volume transferred from first beaker to second and from second beaker to third beaker);  Additional guidance <b>Must have</b> • cm <sup>3</sup> once
MMO decisions 2	[1] (adds of (distilled) water/W to <b>each</b> of three beakers) 10 cm <sup>3</sup> ;  Additional guidance <b>Must have</b> • cm <sup>3</sup> once

(ii) Complete Table 1.1 to show the volumes of solutions you intend to use in your investigation.

MMO decisions 2	[1]	solution	volume / cm <sup>3</sup>
		G and S1 and S2	<p>all same volume;</p> <p>Additional guidance <b>Must have</b></p> <ul style="list-style-type: none"> <li>• volume 2 cm<sup>3</sup> or more <b>AND</b> 15 cm<sup>3</sup> or less</li> <li>• whole number</li> </ul> <p><b>Do not give mark for</b></p> <ul style="list-style-type: none"> <li>• drops</li> </ul>
	[1]	Benedict's	<p>(whole number) same as G and S1 and S2</p> <p>OR more than G and S1 and S2</p> <p>OR same or more than the largest volume from G/S1/S2;</p>
			<p>Additional guidance <b>Do not give mark if</b></p> <ul style="list-style-type: none"> <li>• for a combined volume of solution plus Benedict's of 21 or more cm<sup>3</sup></li> <li>• if any value missing for G/S1/S2</li> </ul>

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	32



<b>(b) (i) State one variable, other than volume, which needs to be kept the same in this investigation. Describe <i>how you will keep</i> variable the same.</b>				
ACE improvement 1	[1]	<b>Do not give credit if answer gives a choice.</b>		
		<u>temperature</u>  	<b>AND</b> (idea of how kept the water-bath the same) heat or described Or add hot or cold water	<b>AND</b> boil Or to temperature 80(°C) to 100 Or checking or monitoring with thermometer BOD temperature probe/gauge;
		Additional guidance <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>• ref to thermostatically controlled or electronic etc. <b>how will you</b></li> <li>• heating with thermometer</li> <li>• temperatures below 80</li> </ul>		

(ii) Prepare the space below and record your results. Allow G as 4%.

PDO recording 2	[1]	table with all cells drawn	<b>AND</b> heading (top or left) percent(age) conc(entration);
		Additional guidance	<b>Can have</b> <ul style="list-style-type: none"> <li>no outer boundary</li> <li>%</li> </ul> <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>test-tube or beaker</li> <li>other units e.g. mol dm<sup>-3</sup></li> </ul>
PDO recording 2	[1]	(heading for any column/row including mean) <u>time</u> with s or sec(onds);	
		Additional guidance	<b>Do not give mark if</b> <ul style="list-style-type: none"> <li>units in cells of this column/row</li> <li>min(utes)</li> <li>additional columns/rows for method e.g. volumes of glucose or water or temp</li> <li>t or T</li> </ul>
MMO collection 2	[1]	records whole seconds (numbers) less than 301 for ANY 5 concentrations <b>and S1 and S2 (7)</b> ;	
		Additional guidance	<b>Must have</b> <ul style="list-style-type: none"> <li>whole seconds only</li> <li>no value over 300</li> </ul>
MMO collection 2	[1]	highest concentration recorded is shorter time than next concentration;	
		Additional guidance	<b>Can have</b> <ul style="list-style-type: none"> <li>minimum two recorded times</li> </ul>


<b>(c) (i) Estimate the concentration of glucose in solutions S1 and S2.</b>	
ACE conclusion 1	[1] correct estimate with their results for both S1 and S2 <b>AND</b> percentage or % once;  Additional guidance <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>• calculate value between concentrations</li> </ul> <b>Can have</b> <ul style="list-style-type: none"> <li>• 'lower than' or quote lower value</li> <li>• 'higher than' or quote higher value</li> <li>• 'between ... and ...' Or e.g. 2–4%</li> </ul>
	<b>(ii) State which solution, S1 or S2 is most likely to be from an untreated diabetic.</b> [1]
ACE conclusion 1	[1] (from <b>(c)(i)</b> – <b>MUST</b> have values for both S1 and S2) correct with their estimate from <b>(c)(i)</b> i.e. the highest concentration estimate;  Additional guidance <b>ECF</b> if estimates the same value then can have 'S1 and S2' Or 'S1 or S2' Or 'both' <b>Must have</b> <ul style="list-style-type: none"> <li>• estimate in <b>(c)(i)</b> for both S1 and S2</li> </ul>
	[Total: 12]

<b>2 (a) Plot a graph of the data shown in Table 2.1.</b>							
PDO layout 4	<table border="1"> <tr> <td>[1]</td> <td>x-axis <u>distance</u> (along tube (l)) <u>cm</u></td> <td><b>AND</b> y-axis <u>diameter</u> (of tube (l)) <u>mm</u>;</td> </tr> <tr> <td colspan="3">           Additional guidance <b>Must have</b> <ul style="list-style-type: none"> <li>units on x-axis and y-axis</li> </ul> </td> </tr> </table>	[1]	x-axis <u>distance</u> (along tube (l)) <u>cm</u>	<b>AND</b> y-axis <u>diameter</u> (of tube (l)) <u>mm</u> ;	Additional guidance <b>Must have</b> <ul style="list-style-type: none"> <li>units on x-axis and y-axis</li> </ul>		
	[1]	x-axis <u>distance</u> (along tube (l)) <u>cm</u>	<b>AND</b> y-axis <u>diameter</u> (of tube (l)) <u>mm</u> ;				
	Additional guidance <b>Must have</b> <ul style="list-style-type: none"> <li>units on x-axis and y-axis</li> </ul>						
	<table border="1"> <tr> <td>[1]</td> <td>scale as x-axis 5.0 to 2 cm <b>Must</b> label each 2 cm</td> <td><b>AND</b> y-axis 1.0 to 2 cm; <b>Must</b> label each 2 cm</td> </tr> <tr> <td colspan="3">           Additional guidance <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>awkward scale</li> <li>scale not written on each 2 cm</li> </ul> </td> </tr> </table>	[1]	scale as x-axis 5.0 to 2 cm <b>Must</b> label each 2 cm	<b>AND</b> y-axis 1.0 to 2 cm; <b>Must</b> label each 2 cm	Additional guidance <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>awkward scale</li> <li>scale not written on each 2 cm</li> </ul>		
	[1]	scale as x-axis 5.0 to 2 cm <b>Must</b> label each 2 cm	<b>AND</b> y-axis 1.0 to 2 cm; <b>Must</b> label each 2 cm				
	Additional guidance <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>awkward scale</li> <li>scale not written on each 2 cm</li> </ul>						
	<table border="1"> <tr> <td>[1]</td> <td colspan="2">correct plotting of each point;</td> </tr> <tr> <td colspan="3">           Additional guidance <b>Can have</b> <ul style="list-style-type: none"> <li>small cross or dot in circle or cross in circle</li> <li>ECF if x-axis not 0 if scale 20 to 2 cm.</li> </ul> <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>awkward y-axis scale</li> <li>blobs or dots alone</li> <li>cross too large with any part of line touching 4 mm by 4 mm square –</li> </ul> </td> </tr> </table>	[1]	correct plotting of each point;		Additional guidance <b>Can have</b> <ul style="list-style-type: none"> <li>small cross or dot in circle or cross in circle</li> <li>ECF if x-axis not 0 if scale 20 to 2 cm.</li> </ul> <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>awkward y-axis scale</li> <li>blobs or dots alone</li> <li>cross too large with any part of line touching 4 mm by 4 mm square –</li> </ul>		
	[1]	correct plotting of each point;					
Additional guidance <b>Can have</b> <ul style="list-style-type: none"> <li>small cross or dot in circle or cross in circle</li> <li>ECF if x-axis not 0 if scale 20 to 2 cm.</li> </ul> <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>awkward y-axis scale</li> <li>blobs or dots alone</li> <li>cross too large with any part of line touching 4 mm by 4 mm square –</li> </ul>							
<table border="1"> <tr> <td>[1]</td> <td>lines point to point or line of best fit</td> <td><b>AND</b> <ul style="list-style-type: none"> <li>ruled, clear sharp –</li> <li>quality – ruled lines thinner than half square;</li> </ul> </td> </tr> <tr> <td colspan="3">           Additional guidance <b>Can have</b> <ul style="list-style-type: none"> <li>extrapolation to edges of grid if line of best fit</li> </ul> <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>less than 5 plots</li> <li>any feathery line</li> <li>irregular thickness</li> <li>extrapolated when point to point line (not line of best fit)</li> </ul> </td> </tr> </table>	[1]	lines point to point or line of best fit	<b>AND</b> <ul style="list-style-type: none"> <li>ruled, clear sharp –</li> <li>quality – ruled lines thinner than half square;</li> </ul>	Additional guidance <b>Can have</b> <ul style="list-style-type: none"> <li>extrapolation to edges of grid if line of best fit</li> </ul> <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>less than 5 plots</li> <li>any feathery line</li> <li>irregular thickness</li> <li>extrapolated when point to point line (not line of best fit)</li> </ul>			
[1]	lines point to point or line of best fit	<b>AND</b> <ul style="list-style-type: none"> <li>ruled, clear sharp –</li> <li>quality – ruled lines thinner than half square;</li> </ul>					
Additional guidance <b>Can have</b> <ul style="list-style-type: none"> <li>extrapolation to edges of grid if line of best fit</li> </ul> <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>less than 5 plots</li> <li>any feathery line</li> <li>irregular thickness</li> <li>extrapolated when point to point line (not line of best fit)</li> </ul>							


0.5	1.8
4.5	2.4
12.5	3.8
20.0	5.1
24.0	5.8



<b>(b) (i) Calculate the actual diameter of the tube shown by line x in fig. 2.1</b>		
MMO collection 1	[1]	measures line X correctly in mm; <i>95 or 95.5 or 96 or 96.5 or 97 mm</i>
		Additional guidance <b>Must have</b> <ul style="list-style-type: none"> <li>units</li> </ul>
PDO display 2	[1]	shows measurement divided by <u>22</u> ;
		Additional guidance <b>Can show</b> <ul style="list-style-type: none"> <li>alternative division signs</li> <li>incorrect measurement</li> </ul>
	[1]	rounds any answer of division by <u>22</u> to two or three significant figures;
		Additional guidance <b>Do not give if</b> <ul style="list-style-type: none"> <li>in metres</li> </ul>
ACE interpretation 1	[1]	correct answer one of following only <u>in mm</u> ; 4.32 or 4.34 or 4.36 or 4.39 or 4.41 or 4.3 or 4.4 mm.
		Additional guidance <b>Do not give mark if</b> 0.43/0.44 cm or micrometres
		<b>(ii) Use the actual diameter of the tube calculated in (b)(i) and your graph in (a)(i) to estimate the distance along length of the tube. [1]</b>
ACE interpretation 1	[1]	correct answer using their answer from <b>(b)(i)</b> and graph and <u>cm</u> ;



(iii) Describe how you would find the mean diameter of the tube shown in Fig. 2.1.		
ACE improvements 2	[1] assume in context of the tube – <b>Do not give mark if</b>	
	<ul style="list-style-type: none"> <li>• Idea of different tubes</li> <li>• Just 'take readings'</li> </ul>	
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 35%; padding: 5px;">           Idea of more or e.g. 2 or higher take/find measure make readings/measurements of OR Uses/adds         </td> <td style="padding: 5px;">           diameters (from graph) measurements  5 actual figures from data or 5 points from graph – Or all diameters or values-or readings         </td> </tr> </table>	Idea of more or e.g. 2 or higher take/find measure make readings/measurements of OR Uses/adds
Idea of more or e.g. 2 or higher take/find measure make readings/measurements of OR Uses/adds	diameters (from graph) measurements  5 actual figures from data or 5 points from graph – Or all diameters or values-or readings	
[1]	add/sigma/sum of (measurements can be from graph) <b>and</b> divide by the number of measurements (ecf) OR alternative description;	



(iv) Prepare the space below so that it is suitable for you to record the observable differences between the specimens in Fig. 2.1 and in Fig. 2.2.


PDO recording 2	[1]	organise as a table/Venn diagram/ruled boxes	<b>AND</b> headed Fig. 2.1 and Fig. 2.2	<b>AND</b> first difference opposite each other;	
		Additional guidance Fig. 2.1   Fig. 2.2 OR Fig. 2.2   Fig. 2.1			
	[1]	observable differences only; can be incorrect <b>Do not give mark if</b> any similarities or function differences or features in overlapping part of Venn diagram			
ACE interpretation max 3	max 3		feature	Fig. 2.1	Fig. 2.2
		1.	lumen shape or epithelial	less / few / four folds / thick cross(-shape) or drawn	more / five / six folds / thin star or drawn
		2.	lumen size	large(r)	small(er);
		3.	epithelial tissue	thick(er)	thin(er);
		4.	connective tissue	goes less into folds thick(er) or thin(ner)	goes more into folds thin(ner) or thick(er);
		5.	muscle tissue	more / thick or less / thin striated / skeletal / voluntary	less / thin or more / thick smooth / involuntary;
		6.	cells or nuclei	visible / present / seen	not visible / absent / not seen;
		7.	(Overall) shape Extra layer between connective tissue and muscle	squashed / no extra layer absent	round / extra 'arm' present / has / described
<b>[Total: 16]</b>					

**3 (a) (i) Draw a large plan diagram of the whole of the transverse section. Label the epidermis and xylem.**

PDO layout 1	[1]	clear, sharp, unbroken lines	<b>AND</b> no shading	<b>AND</b> larger than 60 mm across widest point top to bottom;
		Additional guidance 'tail' or overlap or gap has to be more than 1 mm	<b>Must have</b> <ul style="list-style-type: none"> <li>three or more enclosed areas</li> </ul> <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>drawn over the print of question</li> <li>any line thicker – 1 mm or more</li> <li>any feathery line or broken in enclosed area</li> </ul>	
MMO collection 2	[1]	no cells drawn	<b>AND</b> complete section drawn;	
	[1]	draws outline with at least four larger bulges;	Additional guidance <b>Can have</b> <ul style="list-style-type: none"> <li>different bulge attached or additional structure outside main outline</li> </ul>	
MMO decisions 2	[1]	inner region below bulges has at least three lines (two layers);	Additional guidance <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>vascular bundle(s) drawn</li> </ul>	
	[1]	correct label with label lines to epidermis (outer two lines or touches outermost line not into area past a single line) <b>and</b> xylem (any inner region outside centre and under bulges); blob tick	Additional guidance <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>any label which is biologically incorrect e.g. from incorrect organ or animal</li> <li>any label within drawn area except if showing ratio</li> <li>upper or lower</li> </ul> <b>Can have</b> <ul style="list-style-type: none"> <li>labels to additional bulges</li> </ul>	

<b>(ii) Calculate the ratio of the total diameter of the stem to the diameter of the pith.</b>			
ACE interpretation 1	[1]	last answer as larger <b>whole</b> number to/: smaller <b>whole</b> number;	
		Additional guidance	<p><b>Must have</b></p> <ul style="list-style-type: none"> <li>to smallest denominator</li> </ul> <p><b>Can have</b></p> <ul style="list-style-type: none"> <li>as a fraction to smallest denominator</li> </ul> <p><b>Do not give mark if</b></p> <ul style="list-style-type: none"> <li>any units/epg in answer</li> <li>if give more than one answer</li> </ul>
<b>(b) (i) State one observable feature of the epidermis that supports the conclusion that this is a stem from a plant growing in a dry habitat. Explain how this feature reduces water loss. Read whole answer for feature. [1]</b>			
ACE conclusions 1	[1]	cuticle or stomata with no or BOD few or sunken epidermis with folded grooved fleshy	<p><b>AND</b></p> <p>reduces or prevents</p> <p>storage of water</p> <p>evaporation or water escaping or diffusing or transpiration;</p>
		Additional guidance	<p><b>Do not give mark if</b></p> <ul style="list-style-type: none"> <li>features not linked to epidermis</li> <li>ref. to leaf</li> </ul> <p><b>Ignore</b></p> <ul style="list-style-type: none"> <li>ref. to surface area</li> </ul>

Page 14	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	32



(ii) Make a large drawing of three adjacent cells from the central pith. Label the cell wall.			
PDO layout 1	[1]	clear, sharp, unbroken lines	<b>AND</b> no shading
		Additional guidance	<b>AND</b> longer than 30 mm across widest point of largest cell;
MMO collection 3	[1]	only three cells drawn	<b>AND</b> as a group or as line;
	[1]	no gaps between two pairs of touching cell walls;	
		Additional guidance	<b>Must have</b> <ul style="list-style-type: none"> <li>at least three enclosed areas</li> </ul> <b>Do not give mark if</b> <ul style="list-style-type: none"> <li>drawn over the print of question</li> <li>any thicker line – than 1 mm</li> <li>any feathery line</li> </ul>
MMO decision 1	[1]	cell walls drawn as double lines with middle lamella between adjacent walls of any two cells;	
		Additional guidance	<b>Do not give mark if</b> <ul style="list-style-type: none"> <li>any label is biologically incorrect e.g. from incorrect organ or animal or EM organelles or chloroplasts</li> <li>label within drawn area</li> </ul>
			<b>[Total: 12]</b>