# UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Advanced Subsidiary Level and Advanced Level

CHEMISTRY

9701/01

Paper 1 Multiple Choice

May/June 2004

1 hour

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

**Data Booklet** 

### **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the answer sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C**, and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate answer sheet.

# Read the instructions on the answer sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet.

This document consists of 13 printed pages and 3 blank pages.

# www. PapaCambridge.com

# **Section A**

For each question there are four possible answers, **A**, **B**, **C**, and **D**. Choose the **one** you consbe correct.

- 1 Which of these samples of gas contains the same number of atoms as 1g of hydrogen  $(M_r: H_2, 2)$ ?
  - **A** 22 g of carbon dioxide ( $M_r$ : CO<sub>2</sub>, 44)
  - **B** 8g of methane ( $M_r$ : CH<sub>4</sub>, 16)
  - **C** 20 g of neon ( $M_r$ : Ne, 20)
  - **D** 8 g of ozone ( $M_r$ : O<sub>3</sub>, 48)
- 2 Self-igniting flares contain  $Mg_3P_2$ . With water this produces diphosphane,  $P_2H_4$ , which is spontaneously flammable in air.

Which equation that includes the formation of diphosphane is balanced?

- **A**  $Mg_3P_2 + 6H_2O \rightarrow 3Mg(OH)_2 + P_2H_4$
- **B**  $Mg_3P_2 + 6H_2O \rightarrow 3Mg(OH)_2 + P_2H_4 + H_2$
- **C**  $2Mg_3P_2 + 12H_2O \rightarrow 6Mg(OH)_2 + P_2H_4 + 2PH_3$
- **D**  $2Mg_3P_2 + 12H_2O \rightarrow 6Mg(OH)_2 + 3P_2H_4$
- **3** Use of the Data Booklet is relevant to this question.

Most modern cars are fitted with airbags. These work by decomposing sodium azide to liberate nitrogen gas, which inflates the bag.

$$2NaN_3 \rightarrow 3N_2 + 2Na$$

A typical driver's airbag contains 50 g of sodium azide.

Calculate the volume of nitrogen this will produce at room temperature.

- **A** 9.2 dm<sup>3</sup>
- **B** 13.9 dm<sup>3</sup>
- $\mathbf{C}$  27.7 dm<sup>3</sup>
- **D**  $72.0\,\mathrm{dm}^3$
- 4 What is the order of increasing energy of the listed orbitals in the atom of titanium?
  - **A** 3s 3p 3d 4s
  - **B** 3s 3p 4s 3d
  - C 3s 4s 3p 3d
  - **D** 4s 3s 3p 3d

						3		T. Oak	
5	Wh	ich of the follow	ing p	particles would,	on lo	sing an electron	, hav	ve a half-filled set of	Car
		C-	В	N		N <sup>-</sup>	D	O <sup>+</sup>	Cambridge
6	Ма	gnesium oxide is	s us	ed to line industr	rial fu	urnaces because	e it h	as a very high melting p	
	Which type of bond needs to be broken for magnesium oxide to melt?								
	Α	co-ordinate							
	В	covalent							
	С	ionic							
	D	metallic							
7	Which solid exhibits more than one kind of chemical bonding?								
	Α	brass							
	В	copper							
	С	diamond							
	D	ice							
8	The standard enthalpy changes of formation of iron(II) oxide, FeO(s), and aluminium oxide, $Al_2O_3(s)$ , are $-266\mathrm{kJmol^{-1}}$ and $-1676\mathrm{kJmol^{-1}}$ respectively.								
	What is the enthalpy change under standard conditions for the following reaction?								
$3FeO(s) + 2Al(s) \rightarrow 3Fe(s) + Al_2O_3(s)$									
	Α	+878 kJ	В	-878 kJ	С	–1942 kJ	D	–2474 kJ	
9	Wh			1 mol dm <sup>-3</sup> adm <sup>-3</sup> of by draught	queo	us solution, w	ould	have the same hyd	rogen ion

concentration as  $1\,\mathrm{mol}\,\mathrm{dm}^{-3}$  of hydrochloric acid?

A ethanoic acid

B nitric acid

sodium hydroxide С

D sulphuric acid 10 When vanadium(II) compounds are dissolved in water, the following equilibrium is


$$V^{2+} + H_2O \rightleftharpoons V^{3+} + \frac{1}{2}H_2 + OH^{-}$$

What would alter the composition of the equilibrium mixture in favour of the V<sup>2+</sup> ions?

- A adding an acid
- **B** adding a reagent that selectively precipitates V<sup>3+</sup> ions
- C allowing the hydrogen to escape as it forms
- **D** making the solution more alkaline
- 11 In an industrial process, two gases *X* and *Y* react together to form a single gaseous product *Z*.

$$X(g) + Y(g) \rightleftharpoons Z(g)$$

The percentage yield of product Z varies according to the pressure and the temperature as shown in the graphs.




Which statement about this equilibrium reaction is correct?


- A Decreasing the temperature decreases the value of the equilibrium constant.
- **B** Decreasing the temperature increases the rate of this reaction.
- **C** Increasing the pressure increases the value of the equilibrium constant.
- **D** The reaction is exothermic in the forward direction.


**12** Four reactions of the type shown are studied at the same temperature.


$$X(g) + Y(g) \rightarrow Z(g)$$

www.PapaCambridge.com Which is the correct reaction pathway diagram for the reaction that would proceed most rap and with good yield?









13 Which of these equations represents the reaction of sulphur dioxide with an excess of aqueous sodium hydroxide?

A 
$$SO_2 + NaOH \rightarrow NaHSO_3$$

$$\textbf{B} \quad \text{SO}_2 + 2 \text{NaOH} \rightarrow \text{Na}_2 \text{SO}_3 + \text{H}_2 \text{O}$$

$$\textbf{C} \quad \text{SO}_2 + 2 \text{NaOH} \rightarrow \text{Na}_2 \text{SO}_4 + \text{H}_2 \text{O}$$


**D** 
$$SO_2 + 2NaOH \rightarrow Na_2SO_4 + H_2$$

**14** Which ion is most polarising?

**A** 
$$Al^{3+}$$

www.PapaCambridge.com 15 Which element has the same oxidation number in all of its known compounds?

- beryllium
- В chlorine
- C nitrogen
- D sulphur



Which statement concerning the reactions of lithium and its compounds is correct?

- Lithium carbonate decomposes on heating at a relatively low temperature, forming lithium oxide and carbon dioxide.
- В Lithium nitrate decomposes on heating, forming lithium nitrite and oxygen.
- C Lithium only burns slowly in oxygen.
- D Lithium reacts violently with cold water, liberating hydrogen.
- 17 Which statement is most likely to be true for astatine, which is below iodine in Group VII of the Periodic Table?
  - Astatine and aqueous potassium chloride react to form aqueous potassium astatide and chlorine.
  - Potassium astatide and hot dilute sulphuric acid react to form white fumes of only hydrogen astatide.
  - Silver astatide reacts with dilute aqueous ammonia in excess to form a solution of a soluble complex.
  - Sodium astatide and hot concentrated sulphuric acid react to form astatine.
- **18** Use of the Data Booklet is relevant to this question.

In the commercial electrolysis of brine, the products are chlorine, hydrogen and sodium hydroxide.

What is the maximum yield of each of these products when 58.5 kg of sodium chloride are electrolysed as brine?

	yield of chlorine / kg	yield of hydrogen / kg	yield of sodium hydroxide / kg
Α	35.5	1	40
В	35.5	2	40
С	71	1	40
D	71	2	80

Which property is shown by **one** of these compounds, but **not** by the other?

- A forms 'acid-rain'
- **B** is a reducing agent
- C is insoluble in water
- **D** is used as a food-preservative
- 20 Which molecule is planar?
  - $\mathbf{A}$  NF<sub>3</sub>
  - $B C_2Cl_4$
  - $\mathbf{C}$   $C_3H_6$
  - D  $C_3H_8$
- 21 Which of these always applies to a nucleophile?
  - A It attacks a double bond.
  - **B** It has a lone pair of electrons.
  - **C** It is a single atom.
  - **D** It is negatively charged.
- **22** Compound **P** displays *cis-trans* isomerism and gives a red-brown precipitate with Fehling's solution.

What is **P**?

A

H

$$C = C$$
 $CH_2CHO$ 
 $CH_3$ 

$$C = C$$
 $C = C$ 
 $C = C$ 
 $C = C$ 
 $C = C$ 


$$C = C$$

- 23 Which compound could not be obtained from cracking a sample of nonane, CH<sub>3</sub>(Cr
  - A CH<sub>3</sub>CH=CHCH=CHCH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>
  - **B** CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>
  - C CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>CH=CH<sub>2</sub>
  - D (CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>)<sub>3</sub>CH
- 24 In which way are ethene and propane similar?

CH<sub>2</sub>=CH<sub>2</sub> ethene

CH<sub>3</sub>CH<sub>2</sub>CH<sub>3</sub> propane

- **A** They are both obtained by the dehydration of alcohols.
- **B** They are both neutral to an indicator solution.
- **C** They can both be hydrogenated using a suitable catalyst.
- **D** They can both undergo polymerisation under suitable conditions.
- 25 Which reaction in the catalytic converter does **not** remove hazardous and polluting gases from the exhaust fumes of a motor car?



These equations are qualitative and unbalanced. [HC = unburnt hydrocarbons;  $NO_x$  = oxides of nitrogen]


A HC + NO<sub>x</sub> 
$$\rightarrow$$
 H<sub>2</sub>O + CO + N<sub>2</sub>

**B** 
$$CO + NO_x \rightarrow CO_2 + N_2$$


C HC + NO<sub>x</sub> 
$$\rightarrow$$
 H<sub>2</sub>O + CO<sub>2</sub> + N<sub>2</sub>

**D** 
$$CO + O_2 \rightarrow CO_2$$

www.PapaCambridge.com **26** A possible mechanism of the hydrolysis of 2-chloro-2-methylpropane is shown.



Which diagram represents the reaction profile for this mechanism?



27 Ethene reacts with aqueous bromine to give two products, CH<sub>2</sub>BrCH<sub>2</sub>Br and CH<sub>2</sub>BrCH<sub>2</sub>OH.

Which statement is correct for these products?

- Α Both products are obtained in this reaction by electrophilic substitution.
- В Both products are obtained in this reaction by nucleophilic addition.
- C Both products can be hydrolysed to form the same diol.
- D Both products can form hydrogen bonds with water.

# 28 Compound X

- has the molecular formula C<sub>10</sub>H<sub>14</sub>O;
- is unreactive towards mild oxidising agents.

What is the structure of the compound formed by dehydration of X?

Α

В

C

$$\begin{array}{c} \text{CH}_3 \\ \mid \\ \text{CH-CH=CH}_2 \end{array}$$

D

- 29 For which pair of compounds can the members be distinguished by means of Tollens' test (the use of a solution containing  $Ag(NH_3)_2^+$ )?
  - A CH<sub>3</sub>CHO and CH<sub>3</sub>COCH<sub>3</sub>
  - **B** CH<sub>3</sub>COCH<sub>3</sub> and C<sub>2</sub>H<sub>5</sub>COCH<sub>3</sub>
  - C CH<sub>3</sub>COCH<sub>3</sub> and CH<sub>3</sub>CO<sub>2</sub>CH<sub>3</sub>
  - D CH<sub>3</sub>CO<sub>2</sub>H and CH<sub>3</sub>CO<sub>2</sub>CH<sub>3</sub>
- **30** Compound **X** changes the colour of acidified sodium dichromate(VI) from orange to green. 1 mol of **X** reacts with 2 mol of HCN(g).

What could X be?

- A CH<sub>3</sub>COCH<sub>2</sub>COCH<sub>3</sub>
- B CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>CHO
- C H<sub>2</sub>C=CHCH<sub>2</sub>CHO
- D OHCCH<sub>2</sub>CH<sub>2</sub>CHO

## **Section B**

For each of the questions in this section, one or more of the three numbered statements 1 to be correct.

Decide whether each of the statements is or is not correct (you may find it helpful to put a tick against the statements that you consider to be correct).

The responses A to D should be selected on the basis of

Α	В	С	D
1, 2 and 3 are correct	<b>1</b> and <b>2</b> only are correct	2 and 3 only are correct	1 only is correct

No other combination of statements is used as a correct response.

31 The isotope cobalt-60 ( $^{60}_{27}$ Co ) is used to destroy cancer cells in the human body.

Which statements about an atom of cobalt-60 are correct?

- 1 It contains 33 neutrons.
- 2 Its nucleus has a relative charge of 27+.
- 3 It has a different number of neutrons from the atoms of other isotopes of cobalt.

**32** The conversion of graphite has only a small positive value of  $\Delta H$ .

C (graphite) 
$$\rightarrow$$
 C (diamond)  $\Delta H = +2.1 \text{ kJ mol}^{-1}$ 

However, the production of synthetic diamonds using this reaction is very difficult.

Which statements help to explain this?

- 1 The activation energy of the reaction is large.
- 2 An equilibrium exists between diamond and graphite.
- 3 Only exothermic reactions can be made to occur readily.

**33** Which statements about the properties of a catalyst are correct?

- 1 A catalyst increases the average kinetic energy of the reacting particles.
- 2 A catalyst increases the rate of the reverse reaction.
- **3** A catalyst has no effect on the enthalpy change  $\Delta H^{\Theta}$  of the reaction.

The responses A to D should be selected on the basis of

Α	В	С	D
1, 2 and 3 are correct	1 and 2 only are correct	2 and 3 only are correct	1 only is correct

No other combination of statements is used as a correct response.

- 34 Which pairs of compounds contain one that is giant ionic and one that is simple molecular?
  - 1  $Al_2O_3$  and  $Al_2Cl_6$
  - 2 SiO<sub>2</sub> and SiC $l_4$
  - 3  $P_4O_{10}$  and  $PCl_3$
- 35 When coal is burnt, gaseous oxides of carbon and sulphur are formed which pollute the atmosphere. One method of preventing such pollution involves adding calcium carbonate to the burning coal. The temperature of the process causes the decomposition of the calcium carbonate into calcium oxide.

Which reactions will be important in helping to reduce atmospheric pollution?

- 1 Calcium oxide reacts with sulphur dioxide to form calcium sulphite.
- 2 Calcium oxide reacts with sulphur dioxide and more air to form calcium sulphate.
- 3 Calcium oxide reacts with carbon monoxide to form calcium carbonate.
- **36** When a hot glass rod is placed in a gas jar of hydrogen iodide, there is an immediate reaction as the hydrogen iodide decomposes.

Which statements about this reaction are correct?

- **1** Hydrogen iodide is purple coloured.
- **2** The hot rod provides the activation energy.
- **3** One of the products is a solid.

nly

37 Acrolein is produced in photochemical smog. It has a strong smell, irritates eyes membranes and is carcinogenic.

What can be deduced from this structure?

- 1 All bond angles are approximately 120°.
- 2 It will undergo electrophilic addition reactions.
- 3 It will undergo nucleophilic addition reactions.
- **38** What can be produced when an aqueous solution of butan-1-ol is heated with dilute acidified potassium manganate(VII)?
  - 1 butanal
  - 2 butanoic acid
  - 3 butanone
- **39** Which carbonyl compounds could be easily oxidised to carboxylic acids that are readily soluble in cold water?
  - 1 CH<sub>2</sub>CH<sub>2</sub>CHO

- 40 Which properties of poly(alkenes) and of pvc can cause their disposal to be difficult?
  - 1 Poly(alkenes) are highly flammable.
  - 2 Poly(alkenes) are non-biodegradable.
  - 3 pvc produces harmful combustion products.

**BLANK PAGE** 

**BLANK PAGE** 

16

**BLANK PAGE**