

Cambridge International AS & A Level

CHEMISTRY 9701/33

Paper 3 Advanced Practical Skills 1

October/November 2023

CONFIDENTIAL INSTRUCTIONS




The information in this document and the identity of any materials supplied by Cambridge International are confidential and must NOT reach candidates either directly or indirectly.

The supervisor must complete the report at the end of this document and return it with the scripts.

INSTRUCTIONS

 If you have any queries regarding these confidential instructions, contact Cambridge International stating the centre number, the syllabus and component number and the nature of the query.
 email info@cambridgeinternational.org

phone +44 1223 553554



General information about practical exams

Centres must follow the guidance on science practical exams given in the Cambridge Handbook.

Safety

Supervisors must follow national and local regulations relating to safety and first aid.

Only those procedures described in the question paper should be attempted.

Supervisors must inform candidates that materials and apparatus used in the exam should be treated with caution. Suitable eye protection should be used where necessary.

The following hazard codes are used in these confidential instructions, where relevant:

C corrosive
 HH health hazard
 F flammable
 MH moderate hazard
 T acutely toxic
 O oxidising

N hazardous to the aquatic environment

Hazard data sheets relating to substances used in this exam should be available from your chemical supplier.

Before the exam

- The packets containing the question papers must **not** be opened before the exam.
- It is assumed that standard school laboratory facilities, as indicated in the *Guide to Planning Practical Science*, will be available.
- Spare materials and apparatus for the tasks set must be available for candidates, if required.

During the exam

- It must be made clear to candidates at the start of the exam that they may request spare materials and apparatus for the tasks set.
- Where specified, the supervisor must perform the experiments and record the results as instructed.
 This must be done out of sight of the candidates, using the same materials and apparatus as the candidates.
- Any assistance provided to candidates must be recorded in the supervisor's report.
- If any materials or apparatus need to be replaced, for example, in the event of breakage or loss, this must be recorded in the supervisor's report.

After the exam

- The supervisor must complete a report for each practical session held and each laboratory used.
- Each packet of scripts returned to Cambridge International must contain the following items:
 - the scripts of the candidates specified on the bar code label provided
 - the supervisor's results relevant to these candidates
 - the supervisor's reports relevant to these candidates
 - seating plans for each practical session, referring to each candidate by candidate number
 - the attendance register.

Specific information for this practical exam

During the exam, the supervisor (**not** the invigilator) must do all the experiments and record the results on a spare copy of the question paper, clearly labelled 'supervisor's results'.

If chemicals are prepared in more than one batch, clearly labelled supervisor's results must be provided for each batch. The candidates using each batch must be listed on the supervisor's report.

Apparatus

The apparatus listed must be provided to each candidate.

- $1 \times 25 \, \text{cm}^3$ pipette
- 1 × pipette filler
- $1 \times 50 \, \text{cm}^3$ burette
- $2 \times 150 \, \text{cm}^3$ or $250 \, \text{cm}^3$ conical flask
- 1 × 25 cm³ measuring cylinder
- $1 \times 50 \, \text{cm}^3$ measuring cylinder
- 1 × burette stand and clamp
- $1 \times 100 \, \text{cm}^3 \, \text{beaker}$
- $1 \times 250 \, \text{cm}^3 \, \text{beaker}$
- 1 × funnel (for filling burette)
- 1 × white tile
- $1 \times \text{thermometer } (-10 \,^{\circ}\text{C to } +110 \,^{\circ}\text{C at } 1 \,^{\circ}\text{C})$
- 2 × plastic or cardboard cup, capacity approximately 150 cm³
- 1 × glass rod
- 2 × teat/dropping pipette
- 1 × spatula
- 1 × Bunsen burner
- 1 × heat-proof mat
- 1 x test-tube holder
- 2 × boiling tube*
- 2 × hard-glass test-tube
- 8 × test-tube*
- 1 × test-tube rack

balance, single-pan, direct reading, minimum accuracy 0.01 g (1 per 8-12 candidates) weighing to 200 g

- 1 × wash bottle containing distilled water
- 1 × pen for labelling glassware

red and blue litmus papers

aluminium foil

wooden splints

the apparatus normally used in the centre for use with limewater in testing for carbon dioxide paper towels

*Candidates are expected to rinse and re-use tubes where possible. Additional tubes should be available.

© Materials

Characterials

Materials in the table must be provided to each candidate. Materials must be labelled only as specified in the 'label' column. The sidentities of chemicals labelled with letter codes, e.g. FA 1, may be different from their descriptions in the question paper. Candidates must be the descriptions of the description of the descriptions of the descriptions of the descriptions of t use the descriptions given in the question paper. For example, candidates may be supplied with sulfuric acid, labelled as FA 1, but be told in the question paper that FA 1 is phosphoric acid.

N.B. Small amounts of NH₃ [C][T][N], which can cause respiratory distress in some people, may be produced. The laboratory must be well ventilated.

candidate120 cm³0.0250 moldm⁻³ potassium manganate(VII)60 cm³0.50 moldm⁻³ potassium iodide120 cm³0.120 moldm⁻³ sodium thiosulfate10 cm³1.0 moldm⁻³ dilute sulfuric acid10 cm³starch indicator0.80 gmagnesium oxide80 cm³2.00 moldm⁻³ hydrochloric acid2.40 gmagnesium hydroxide1.5 gbasic zinc carbonate	identity notes	
120 cm ³ 0.0250 moldm ⁻³ potassium manganate(VII) 60 cm ³ 0.50 moldm ⁻³ sodium thiosulfate 120 cm ³ 1.0 moldm ⁻³ sodium thiosulfate 10 cm ³ starch indicator 0.80 g magnesium oxide 80 cm ³ 2.00 moldm ⁻³ hydrochloric acid 2.40 g magnesium hydroxide 1.5 basic zinc carbonate		
60 cm³0.50 mol dm⁻³ potassium iodide120 cm³0.120 mol dm⁻³ sodium thiosulfate10 cm³1.0 mol dm⁻³ dilute sulfuric acid10 cm³starch indicator0.80 gmagnesium oxide80 cm³2.00 mol dm⁻³ hydrochloric acid2.40 gmagnesium hydroxide1.5 gbasic zinc carbonate	Dissolve 3.95g of KMnO $_4$ [O][MH][HH][N] in each dm 3 . The solution will require stirring for a significant time.	dm³. ie.
IMH]80 cm³1.0 moldm-³ sodium thiosulfate10 cm³1.0 moldm-³ dilute sulfuric acid10 cm³starch indicator0.80gmagnesium oxide80 cm³2.00 moldm-³ hydrochloric acid2.40gmagnesium hydroxide1.5gbasic zinc carbonate	nol dm ⁻³ potassium iodide Dissolve 83.0g KI in each dm ³ .	
IMH]80 cm³1.0 moldm-³ dilute sulfuric acid10 cm³starch indicator0.80gmagnesium oxide80 cm³2.00 moldm-³ hydrochloric acid2.40gmagnesium hydroxide1.5gbasic zinc carbonate	moldm ⁻³ sodium thiosulfate Dissolve 29.78g Na ₂ S ₂ O ₃ •5H ₂ O in each dm ³ .	
10 cm ³ starch indicator 0.80 g magnesium oxide 80 cm ³ 2.00 mol dm ⁻³ hydrochloric acid 2.40 g magnesium hydroxide 1.5 g basic zinc carbonate		
80 cm ³ 2.00 mol dm ⁻³ hydrochloric acid 2.40g magnesium hydroxide 1.5g basic zinc carbonate	indicator See preparation instructions in current syllabus.	
80 cm ³ 2.00 mol dm ⁻³ hydrochloric acid 2.40g magnesium hydroxide 1.5g basic zinc carbonate	esium oxide Provide 0.80 ± 0.05g of MgO in a stoppered container.	iner.
2.40g magnesium hydroxide 1.5g basic zinc carbonate	nol dm ⁻³ hydrochloric acid See preparation instructions in current syllabus.	
1.5g basic zinc carbonate	ssium hydroxide $2.40 \pm 0.05 \mathrm{g}$ of Mg(OH) ₂ in a stoppered container.	ontainer.
	Provide 1.50 \pm 0.05g of ZnCO ₃ •Zn(OH) ₂ in a stoppered container. Any type or formula of basic zinc carbonate is suitable.	oered container.
iron(III) sultate	$0.20\mathrm{moldm^{-3}}$ ammonium iron(III) sulfate Dissolve 96.45g of NH $_4$ Fe(SO $_4$) $_2$ •12H $_2$ O [MH] in each dm 3 .	ach dm³.

© UCLES	label	per candidate	identity	notes
3 2023	dilute hydrochloric acid	10 cm ³	2.0 moldm ⁻³ HC <i>l</i>	
I	dilute nitric acid [C]	10 cm ³	2.0 moldm ⁻³ HNO ₃	
L	dilute sulfuric acid [MH]	10 cm ³	$1.0\mathrm{moldm^{-3}H_2SO_4}$	See preparation instructions in the current syllabus
	aqueous ammonia [C][MH][N]	20 cm ³	2.0 moldm ⁻³ NH ₃	
I	aqueous sodium hydroxide [C]	20 cm ³	2.0 moldm ⁻³ NaOH	If necessary, each of these reagents can be provided as a communal supply for groups of up
	aqueous barium chloride	10 cm ³	$0.1\mathrm{moldm^{-3}BaC}l_2$	to 6 candidates.
	or aqueous barium nitrate		or $0.1\mathrm{moldm^{-3}Ba(NO_3)_2}$	Invigilators must be alert to the risk of
	limewater [MH]	10 cm ³	saturated aqueous calcium hydroxide, Ca(OH) ₂	when using a communal supply.
9701/3	aqueous silver nitrate	10 cm ³	$0.05\mathrm{moldm^{-3}AgNO_3}$	
	acidified aqueous potassium manganate(VII) [MH]	10 cm ³	$0.01\mathrm{moldm^{-3}KMnO_4}$ in $0.5\mathrm{moldm^{-3}H_2SO_4}$	

An excess of at least 10% of each material must be prepared to cover accidental loss.

All solutions must be thoroughly mixed.

If you are unable to source any of these chemicals, you must contact Cambridge International as far as possible in advance of the exam for advice.

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

Supervisor's report

Syllabus and component number			/		
Centre number					
Centre name	 	 		 	
Time of the practical session	 	 		 	
Lahoratory name/number					

Give details of any difficulties experienced by the centre or by candidates (include the relevant candidate names and candidate numbers).

You must include:

- any difficulties experienced by the centre in the preparation of materials
- any difficulties experienced by candidates, e.g. due to faulty materials or apparatus
- any specific assistance given to candidates.

lf	chemicals have be	een pre	pared in more	e than one	batch,	list the	candidates	using e	ach b	atch

Declaration

- 1 Each packet that I am returning to Cambridge International contains all of the following items:
 - the scripts of the candidates specified on the bar code label provided
 - the supervisor's results relevant to these candidates
 - the supervisor's reports relevant to these candidates
 - seating plans for each practical session, referring to each candidate by candidate number
 - the attendance register.
- 2 Where the practical exam has taken place in more than one practical session, I have clearly labelled the supervisor's results, supervisor's reports and seating plans with the time and laboratory name/number for each practical session.
- 3 I have included details of difficulties relating to each practical session experienced by the centre or by candidates.
- 4 I have reported any other adverse circumstances affecting candidates, e.g. illness, bereavement or temporary injury, directly to Cambridge International on a *special consideration form*.

Signed	(supervisor)
Name (in block capitals)	

© UCLES 2023 9701/33/CI/O/N/23