WWW. Dalla

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the May/June 2010 question paper for the guidance of teachers

9691 COMPUTING

9691/11 Paper 11 (Written Paper), maximum raw mark 90

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

| Page 2 | | ie 2 | Mark Scheme: Teachers' version | Syllabus | |
|--------|--|---|--|----------------------------|--------|
| | | , | GCE AS/A LEVEL – May/June 2010 | 9691 | |
| 1 | ` , | -R0 -R0 (1 | ata held in ROM is permanent/the data in RAM can be ch OM is not volatile, RAM is volatile OM is normally smaller than RAM per -, max 2) oot/Bootstrap program (Not: Bootfile) | Syllabus 9691 hanged | bridge |
| | | | ust be available when computer is turned on/protects boo | t program from corruption | [2] |
| | · · · - | -N.I.C/t -Moden -Hub or | s or wireless/to carry signals from one machine to the oth o interface between cable and motherboard n or Router/to connect two computers on a WAN r switch/to connect computers in a star LAN , max 2 -, max 4) | ner. | [4] |
| 2 | - - - () - - - - - | -Key bo -Scales -Chip a Output: -Screer -Buzze -Printer Storage -Hard d -CDRW | n/to show current state of bill r or Speaker/to make audio signal that signifies successf r/to print receipt | ful reading | [8] |
| | - - - - | -If new -If stock -Softwa -after e -When -Note th -Linked | des read whenever goods bought/sold stock then number in stock is incremented a sold then number in stock is decremented are checks number in stock against reorder number very transaction number in stock is below reorder level (then order created at order has been made, stored as Boolean/until deliver to supplier table for automatic ordering/order list product, max 6) | red | [6] |
| 3 | -by n -Pictor- or o -JPE -Disp -man -Sen | -Digital camera takes picture -by means of array of light sensitive pixels -Picture stored in computer memoryor on flash memory stick/hard disk for computer transfer inJPEG format (or other) -Displayed on screen to allowmanipulation by suitable image editing softwareSent to inkjet printer to print on shirt. (1 per -, max 6) | | | [6] |

(1 per -, max 6)


| Page 3 | | ge 3 Mark Scheme: Teachers' version S | | Syllabus | , | |
|--------|-----|--|---|---|-------------------|-----|
| | | | GCE AS/A LEVEL – May/June 2010 | 9691 | | |
| 4 | (a) | (a) -Set of rulesto control the transmission of data | | Syllabus 7 Add er | Bridge | |
| | (b) | (i) | -Blood-are Circulary -Rout -Mess General -The -Mess -eac | ket Switching: cks of data find own way through network and reordered when they reach the destination uit Switching ute is reserved for the duration of the data transfer ssage simply needs to be reconstructed at destination eral points: e transmission of data from one node to another over a ssage is split into (standard sized) blocks of data h has label attached showing destination and block num er -, max 5) | network | [5] |
| | | (ii) | -Diffi Disa | antage: icult to intercept message/network not tied up/all possik dvantage: ssage must be reordered at destination/message sent a | | [2] |
| 5 | (a) | e.g. | · | | | |
| | | (i) | Prod | luce information booklets for patients | | |
| | | (ii) | Mak | e presentations on health topics to audiences, e.g. sch | ools | |
| | | (iii) | Store | e patient records | | |
| | | (iv) | To s | end orders to drug companies | | [4] |
| | (b) | e.g. | | omated filling of drug containers s is a one-off problem/off-the-shelf software will not exis | st | [2] |
| | (c) | -Da -Do -Da -Se -Ma | tabas ctor= te of l lected by be | d letter is written with data markers/fields se of patients searched with the following criteria Dr. Mun last appointment >=October 1st d patients have their details input to data areas/fields or done electronically resulting in emails being sent. max 5) | n standard letter | [5] |

| Page 4 | Mark Scheme: Teachers' version | Syllabus |
|--------------|--------------------------------|----------|
| - | GCE AS/A LEVEL – May/June 2010 | 9691 |

- 6 (a) -Different requirements of enquiry and order completion (warehouse) areas
 - -Warehouse requires all records to be accessed in some order (sequential)...
 - -so that none are missed
 - -The other requires direct access (indexed)...
 - -to allow for fast response to customer with telephone query.

(1 per -, max 4)

[4]



Mark Points:

- -Accurate diagram used to illustrate at least 2 of the other mark points
- -Use of Base index (1 or 2 digits)...
- -pointing to second level index
- -Indexes shown to be sequential
- -Finally pointing to data (block).

(1 per -, max 4, max 3 if no diagram but answer is prose)

[4]

- 7 -Backups taken regularly/archive at wider intervals
 - -Backup will be (e.g.) daily...
 - -because any corruption will lead to loss of orders/revenue/client dissatisfaction/valuable data which the company cannot afford to lose
 - -Archiving is removal of redundant/little used data...
 - -To free space on medium/tidy up index/speed up direct access
 - -Back up is used as security/requires whole file including structure
 - -Archive is used for statistics/comparison/data requirements like tax office/tends not to include structure as may never be required/long term queries
 - -Transaction file mentioned

(1 per -, max 5)

[5]

| Page 5 | Mark Scheme: Teachers' version | Syllabus | er |
|--------|--------------------------------|----------|----|
| | GCE AS/A LEVEL – May/June 2010 | 9691 | |

- 8 (a) (i) -Form based interface
 - -Contains areas to be filled in with information
 - -Data must be input/in order
 - -May have drop down lists/radio buttons
 - -Will have prompts for operator so correct information is ascertained.

(1 per -, max 3)

(ii) -e.g. Bank account number

- -Restrict number of staff who have access...
- -by using passwords/access rights
- -Use firewall to stop hackers/outside access to system/do not allow on a WAN
- -Control physical access by only allowing data on limited machines/locking files away when not in use
- -Encrypt data on files.
- -Make files RO

(1 for first point, + 4 more points, max 5)

[5]

- (b) (i) -Passive, is a system which provides information but the information cannot be altered by the user.
 - -e.g. Details of items on offer
 - -Interactive is a system which allows the information to be altered by the user.
 - -e.g. User can make an order which will change the information stored on the customer file.

[4]

[6]

- (ii) -Corrective/when bugs or errors are found in the software which must be corrected
 - -Perfective/to improve the software e.g. adding a search engine to the site.
 - -Adaptive/to alter the software due to some external influences
 - e.g. Tax rates might change which would require the price calculated to be altered. (2 per -, max 6)

9 (a) e.g. PROCEDURE INVOICE

INITIALISE TOTAL
WHILE NOT END OF ORDERS, DO
READ ORDER, AMOUNT
OUTPUT ORDER, AMOUNT
TOTAL = TOTAL + AMOUNT
ENDWHILE

Mark Points:

- -Naming of INVOICE in some way
- -Initialise total
- -Use of WHILE loop
- -Read order details and amount owing, inside loop
- -Condition statement for amount owing > 0
- -Output order details and amount owing, inside loop
- -Cumulative total
- -Output running total outside loop

(1 per -, max 4)

[4]

| Page 6 | Mark Scheme: Teachers' version | Syllabus |
|--------|--|-----------|
| | GCE AS/A LEVEL – May/June 2010 | 9691 |
| (, 0 | LE NOT END OF CUSTOMERS, DO READ CUSTOMER RECORD READ DISCOUNT OUTPUT CUSTOMER DETAILS FROM RECORD PROCEDURE INVOICE IF DISCOUNT = "GOLD" THEN FINAL = TOTAL * .8 ELSE IF DISCOUNT = "SILVER" THEN FINAL = | TOTAL * 9 |

(b) e.g. WHILE NOT END OF CUSTOMERS, DO READ CUSTOMER RECORD READ DISCOUNT **OUTPUT CUSTOMER DETAILS FROM RECORD** PROCEDURE INVOICE IF DISCOUNT = "GOLD" THEN FINAL = TOTAL * .8 ELSE IF DISCOUNT = "SILVER" THEN FINAL = TOTAL *.9 ELSE FINAL = TOTAL "* .95 **END IF END IF OUTPUT TOTAL** OUTPUT "AMOUNT AFTER DISCOUNT" = FINAL **ENDWHILE**

Mark Points:

END

- -Reads all records, even when they are zero
- -Reads Discount
- -Reads and Outputs customer details, before...
- -INVOICE (not repeat of statements) (f.t.)
- -Correct nested condition statements (or equivalent)...
- -using .8, .9, .95 (or equivalent)
- -Output TOTAL and FINAL
- -Output explanation
- -Well laid out.

(1 per -, max 7)

[7]