

#### **Cambridge International Examinations**

Cambridge International Advanced Subsidiary and Advanced Level

MARINE SCIENCE 9693/03

Paper 3 A2 Structured Questions

May/June 2017

MARK SCHEME
Maximum Mark: 75

#### **Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

 ${\rm \rlap{R}\hskip-1pt B}$  IGCSE is a registered trademark.



This mark scheme will use the following abbreviations:

; separates marking points

separates alternatives within a marking point

() contents of brackets are not required but should be implied / the contents set the

context of the answer

**R** reject

A accept (answers that are correctly cued by the question or guidance you have

received)

ignore (mark as if this material was not present)

**AW** alternative wording (where responses vary more than usual, accept other ways of

expressing the same idea)

**AVP** alternative valid point (where a greater than usual variety of responses is expected)

**ORA** or reverse argument

<u>underline</u> actual word underlined must be used by the candidate (grammatical variants excepted)

indicates the maximum number of marks that can be awarded
 statements on both sides of the + are needed for that mark

OR separates two different routes to a mark point and only one should be awarded ECF error carried forward (credit an operation from a previous incorrect response)

© UCLES 2017 Page 2 of 13

| Question   | Answer   | Marks | Guidance                     |
|------------|--|-------|------------------------------|
| 1(a)(i)    | fix the algae to the substratum / <b>AW</b> / stops alga being washed away by current ;  | 1     |                              |
| 1(a)(ii)   | idea of, holding up the algae / gives buoyancy (to the thallus) ORA;   | 2     |                              |
|            | idea of, more / enough light (for photosynthesis);   |       |                              |
| 1(a)(iiii) | $7\pm0.1\text{cm}$ (length of line A to B cm) $\times10$ (scale line) ;  | 2     |                              |
|            | = 70 ± 1 cm ;  |       |                              |
| 1(a)(iv)   | idea that: light penetration decreases with depth / different wave lengths go to different depths;                             | 2     |                              |
|            | (so any deeper) not all of the thallus would get enough light for photosynthesis / light highest / more light in photic zone ; |       |                              |
| 1(b)       | any 3 of:  | 3     |                              |
|            | (primary) producers (in the marine food web / chain / ecosystem);  |       |                              |
|            | fix carbon / introduce energy into the ecosystem;  |       |                              |
|            | provide food for (a wide range of) organisms / species / named species ;   |       | e.g. turtles, fish           |
|            | provides a habitat / shelter / home / for marine organisms / number of species / named species ;                               |       | e.g. small fish, sea urchins |
|            | nursery area for a number of species / named species ;   |       | e.g. eels and turtles        |
|            | decomposition provides source of nutrient / mineral salts in the ocean ;   |       |                              |
|            | provide oxygen for marine organisms to respire ;   |       |                              |
|            | reduce water movement so prevent small organisms from being washed away by current;  |       |                              |

© UCLES 2017 Page 3 of 13

| Question | Answer   | Marks | Guidance |
|----------|--|-------|----------|
| 1(c)     | any 2 of:  | 2     |          |
|          | spread diseases;   |       |          |
|          | idea of <b>out</b> competes local species (of Sargassum) / <b>AW</b> ; |       |          |
|          | grows very fast / uses more resources (than local species of algae);   |       |          |

| Question  | Answer   | Marks | Guidance |
|-----------|--|-------|----------|
| 2(a)      | any 3 of:  | 3     |          |
|           | mouth open and operculum closed / moves in ;   |       |          |
|           | floor drops increases volume (in buccal cavity / mouth);   |       |          |
|           | low pressure in mouth causes water to move in ;  |       |          |
|           | mouth closes and floor lifts ;   |       |          |
|           | (this) decreases volume / increases pressure forcing water back over gills ;                       |       |          |
|           | operculum opens / moves out to let water out ;   |       |          |
| 2(b)(i)   | oxygen + water;  | 1     |          |
| 2(b)(ii)  | idea of, operculum movement shows the ventilation rate;  | 3     |          |
|           | respiration uses the oxygen (taken in at the gills);   |       |          |
|           | idea of, more respiration <b>OR</b> more oxygen so faster ventilation / operculum movement needed; |       |          |
| 2(b)(iii) | 141 + 155 ;  | 1     |          |

© UCLES 2017 Page 4 of 13

| Question | Answer   | Marks | Guidance |
|----------|--|-------|----------|
| 2(b)(iv) | as the temperature increases (the rate of) operculum movement increases ;              | 1     |          |
| 2(b)(v)  | any 3 of:  | 3     |          |
|          | oxygen content of water decreases as the temperature increases / ORA;                  |       |          |
|          | need to increase ventilation to get same oxygen from the water at higher temperature ; |       |          |
|          | increasd temperature also increases respiration rate;                                  |       |          |
|          | need to increase ventilation even more to meet oxygen demand ;                         |       |          |

| Question | Answer   | Marks | Guidance |
|----------|--|-------|----------|
| 3(a)     | adult – benthic / ocean / sea floor;                               | 3     |          |
|          | egg – plankton(ic) / ocean surface ;                               |       |          |
|          | larval stages – plankton(ic) / ocean surface ;                     |       |          |
| 3(b)     | any 1 of:  | 1     |          |
|          | large (abdomen) to carry / hold eggs ;                             |       |          |
|          | grows large(r) as it uses more resources / energy to produce eggs; |       |          |

© UCLES 2017 Page 5 of 13

| Question | Answer  | Marks | Guidance |
|----------|---|-------|----------|
| 3(c)     | advantage: any 1 of:  | 2     |          |
|          | idea of, more cross fertilisation / genetic diversity;            |       |          |
|          | idea of, some will escape predation ;                             |       |          |
|          | disadvantage: any <b>1</b> of:                                    |       |          |
|          | idea of, higher energy demand to produce eggs ;                   |       |          |
|          | idea of, more wastage / high(er) risk of predation ;              |       |          |
| 3(d)(i)  | any 1 of:   | 1     |          |
|          | idea of, avoiding the two types of shrimp eating each other;      |       |          |
|          | idea of, different food supply / avoiding competition for food ;  |       |          |
| 3(d)(ii) | any 2 of:   | 2     |          |
|          | (provides a) food source / variety of food available ;            |       |          |
|          | (provides) shelter / to hide from predators ;                     |       |          |
|          | (provides) oxygen for respiration;                                |       |          |
|          | (provides) shelter from / protection from waves / ocean current ; |       |          |

© UCLES 2017 Page 6 of 13

| Question | Answer   | Marks | Guidance |
|----------|--|-------|----------|
| 4(a)(i)  | any 2 of:  | 2     |          |
|          | (large number of) juveniles suggests reduced number of / too few adults in the population;                                 |       |          |
|          | ban coincides with spawning season ;   |       |          |
|          | (large numbers of) juveniles would be caught (by pelagic trawlers);  |       |          |
|          | less juveniles surviving to become breeding adults / reach fertility so less adults to spawn in future years ;             |       |          |
|          | stocks might not be sustainable ;  |       |          |
| 4(a)(ii) | any 2 of:  | 2     |          |
|          | restriction by season ;  |       |          |
|          | restriction on fish size ;   |       |          |
|          | restriction on numbers that can be retained ;  |       |          |
|          | restriction of fishing intensity e.g. number of fishermen per boat / number of boats / require fishermen to have a permit; |       |          |
|          | restriction by location ;  |       |          |
| 4(b)(i)  | trend shows an (overall) increase / AW;  | 1     |          |
| 4(b)(ii) | $\frac{35-3}{35} \times 100$ or $\frac{32}{35} \times 100 / 91 / 91.4 / 91.43$ (%);  | 2     |          |
|          | decreases;   |       |          |

© UCLES 2017 Page 7 of 13

| Question  | Answer   | Marks | Guidance |
|-----------|--|-------|----------|
| 4(b)(iii) | any 2 of:  | 2     |          |
|           | ref. to sustainability ;   |       |          |
|           | catch much higher in 2013 / lower catch in 1992 ;                                    |       |          |
|           | ref.to high recruitment in 1989 (enable stock recovery after 1992);                  |       |          |
|           | OR   |       |          |
|           | high recruitment in 1989 ;   |       |          |
|           | (so) 5 years later enough mature fish in stocks for high catch (so no need for ban); |       |          |
|           | very low recruitment in 2010 ;   |       |          |
|           | (so) by 2015 not enough mature fish to support a catch / to be sustainable ;         |       |          |

| Question | Answer   | Marks | Guidance                 |
|----------|--|-------|--------------------------|
| 5(a)(i)  | to remove particles / sand / silt / microbes / example of microbe / pathogen / parasites ; | 1     | R rocks / anything large |
| 5(a)(ii) | any 2 of:  | 2     |                          |
|          | provides (only) <u>oxygen</u> ;  |       |                          |
|          | for respiration ;  |       |                          |
|          | helps circulate contents of tank / AW;   |       |                          |

© UCLES 2017 Page 8 of 13

| Question  | Answer  | Marks | Guidance                                  |
|-----------|---|-------|---|
| 5(a)(iii) | Answer needs to give a reason why hatchery is intensive and sea cages extensive   | 2     |   |
|           | (intensive because) hatchery uses land based tanks / air supply / pumping water / food supplied / environment controlled; |       |   |
|           | (extensive in) sea cages as using water currents to supply oxygen / little control of environment;                        |       |   |
| 5(b)(i)   | any 2 of:   | 1     | Note: 2 factors needed for 1 mark         |
|           | light/moon phases;  |       |   |
|           | temperature ;   |       |   |
|           | (correct) diet;   |       |   |
|           | addition of hormones ;  |       |   |
|           | water quality / pH ;  |       |   |
|           | ratio of males to females ;   |       |   |
| 5(b)(ii)  | hatching tank ;   | 2     |   |
|           | food supply (for larvae) / AW;  |       | ECF if tank incorrect, but reason correct |
| 5(b)(iii) | use fish trimmings / fish processing waste / feed made from soya / plant sources ;  | 1     |   |
| 5(c)(i)   | mutualism;  | 1     |   |
| 5(c)(ii)  | spread disease / introduce parasites / introduce harmful microbes ;   | 1     |   |

© UCLES 2017 Page 9 of 13

| Question | Answer  | Marks | Guidance |
|----------|---|-------|----------|
| 6(a)(i)  | any 3 of:   | 3     |          |
|          | idea of, tuna / fish move away (from blasting);   |       |          |
|          | can kill tuna outright ;  |       |          |
|          | can kill tuna prey fish ;   |       |          |
|          | increases sediment in water / turbidity preventing tuna finding food;   |       |          |
|          | kills eggs / larvae / fry ;   |       |          |
| 6(a)(ii) | ban any seismic surveys between October and April / between February and March / during main fishing season ; | 2     |          |
|          | avoid seismic surveys on migration routes / fishing hotspots / spawning areas ;                               |       |          |
| 6(b)     | any 1 of:   | 1     |          |
|          | location of tuna / fish / spawning or feeding areas;  |       |          |
|          | numbers of tuna ;   |       |          |
|          | (exact) migration route ;   |       |          |
|          | timing of migration / when not to blast;  |       |          |

© UCLES 2017 Page 10 of 13

| Question | Answer   | Marks | Guidance |
|----------|--|-------|----------|
| 6(c)(i)  | any 4 of:  | 4     |          |
|          | sticks to their feathers and inhibits flight;  |       |          |
|          | coats feathers limiting temperature regulation;  |       |          |
|          | coats feathers so decreases / reduces buoyancy (so bird sinks / drowns);                         |       |          |
|          | kills seabirds as it is toxic / poisonous / carcinogenic;  |       |          |
|          | swallowed by sea birds (blocking the intestines) / gets into beak (and blocks breathing system); |       |          |
|          | damages internal) organs as corrosive ;  |       |          |
|          | washes onto shores and covers eggs / kills chicks / nest abandoned ;                             |       |          |
|          | hormonal changes in some birds (and disrupts breeding);  |       |          |
|          | fish killed by oil, so less food for birds;  |       |          |
|          | ref. to bioaccumulation of chemicals / pollutants from oil;                                      |       |          |
| 6(c)(ii) | using microorganisms / bacteria ;  | 2     |          |
|          | that digest the oil;   |       |          |

© UCLES 2017 Page 11 of 13

| Question | Answer   | Marks | Guidance  |
|----------|--|-------|---|
| 7(a)(i)  | support: any 2 of:  using local people to provide hotel service;  small hotel so less impact on the environment;  more money into local economy;  helps conservation / protects environment by clearing rubbish / mapping reefs;  raising awareness / showing appreciation of the natural environment, by educational classes;  undermine:  ref. to car travel causing (air) pollution / adds carbon dioxide to the air;   | 3     | answers must relate to an <b>aim of</b> ecotourism: involving local people, raising awareness, conservation, minimising ecological impact |
| 7(a)(ii) | support: any 2 of: small cruise ships carry fewer people, so less impact on the environment; using local people as guides; raising awareness / showing appreciation by using an expert on the area; small groups for trips have less impact; undermine: any 2 of: cruise ships cause pollution / litter in water (damaging the environment); cruise ships also cause physical damage to reefs / seagrass; idea that a small cruise ship will still have a lot of small groups that could damage the ecosystem / environment; | 3     | answers must relate to an <b>aim of</b> ecotourism: involving local people, raising awareness, conservation, minimising ecological impact |

© UCLES 2017 Page 12 of 13

|          | PUBLISHED  |       |  |
|----------|--|-------|--|
| Question | Answer   | Marks | Guidance                                   |
| 7(b)     | 1 × 2 for energy of:   | 4     |  |
|          | 1 use solar panels / wind turbine (for electricity / energy);  |       | A water power                              |
|          | using renewable resource / reducing use of fossil fuels;   |       |  |
|          | 2 ref. to any method of reducing electricity consumption ;   |       |  |
|          | using less energy from the (mains) supply ;  |       |  |
|          | 1 × 2 for water of:  |       |  |
|          | 1 collect water from showers / baths / to use for watering grass / plants ;  |       | A grey water                               |
|          | re-using water / recycling water reduces clean water demand (from mains);  |       |  |
|          | replace grass with less water-demanding / drought tolerant plants; OR collect rain water for watering grass / plants; OR collect rain water for water in showers / baths / laundry / cleaning; |       | A replacing with artificial grass / paving |
|          | (because) it reduces the use of clean water from the mains ;   |       |  |
|          | 3 replace the water in the swimming pool with sea water;   |       | I filling in swimming pool                 |
|          | reducing use of fresh water / using local resources;   |       |  |
|          | 4 install eco-friendly showers and toilets;  |       | A re-using towels and bed linen            |
|          | reduce water consumption ;   |       |  |

© UCLES 2017 Page 13 of 13