


## Forces and Equilibrium – 2020 AS


1. Nov/2020/Paper\_9709/41/No.3




Coplanar forces of magnitudes  $8\text{ N}$ ,  $12\text{ N}$ ,  $10\text{ N}$  and  $P\text{ N}$  act at a point in the directions shown in the diagram. The system is in equilibrium.

Find  $P$  and  $\theta$ .

[6]







A block of mass  $m$  kg is held in equilibrium below a horizontal ceiling by two strings, as shown in the diagram. One of the strings is inclined at  $45^\circ$  to the horizontal and the tension in this string is  $T$  N. The other string is inclined at  $60^\circ$  to the horizontal and the tension in this string is  $20$  N.

Find  $T$  and  $m$ .


[5]






Three coplanar forces of magnitudes 100 N, 50 N and 50 N act at a point A, as shown in the diagram. The value of  $\cos \alpha$  is  $\frac{4}{5}$ .

Find the magnitude of the resultant of the three forces and state its direction. [3]







Coplanar forces of magnitudes  $20\text{ N}$ ,  $PN$ ,  $3PN$  and  $4PN$  act at a point in the directions shown in the diagram. The system is in equilibrium.

Find  $P$  and  $\theta$ .

[6]







Four coplanar forces of magnitudes 40 N, 20 N, 50 N and  $F$  N act at a point in the directions shown in the diagram. The four forces are in equilibrium.

Find  $F$  and  $\alpha$ .

[6]





Coplanar forces, of magnitudes  $F$  N, 3 N, 6 N and 4 N, act at a point  $P$ , as shown in the diagram.

- (a) Given that  $\alpha = 60$ , and that the resultant of the four forces is in the direction of the 3 N force, find  $F$ . [3]

- (b) Given instead that the four forces are in equilibrium, find the values of  $F$  and  $\alpha$ . [5]

