



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
General Certificate of Education
Advanced Subsidiary Level

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

PHYSICAL SCIENCE

8780/02

Paper 2 Short Response

For Examination from 2011

SPECIMEN PAPER

40 minutes

Candidates answer on the Question Paper.

Additional Materials: Data Booklet

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer **all** questions.

You may lose marks if you do not show your working or if you do not use appropriate units.

A Data Booklet is provided.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
Total	

This document consists of **7** printed pages and **1** blank page.



Answer **all** the questions in the spaces provided.
Relevant Data, Formulae and the Periodic Table are provided in the Data Booklet.

1 State the most appropriate instrument, or instruments, for the measurement of the following:

(a) the diameter of a wire of diameter about 1 mm,

..... [1]

(b) the resistance of a filament lamp,

..... [1]

(c) the peak value of an alternating voltage.

..... [1]

2 Derive the SI base unit of force.

SI base unit of force = [1]

- 3 (a) Salt, sodium chloride, forms transparent colourless crystals. Describe the bonding in sodium chloride crystals, and sketch part of the crystal structure giving the formula of each particle

bonding.....

sketch

[2]


- (b) Explain why crystals of sodium chloride do not conduct electricity, but molten sodium chloride does.

.....

.....

..... [1]

- 4 The formula of the alkene cyclohexene can be written as shown.



- (a) State the molecular formula of cyclohexene. [1]

- (b) Calculate the percentage by mass of carbon in cyclohexene.

percentage = [1]

- 5 A sky-diver jumps from a high-altitude balloon. Explain briefly why the acceleration of the sky-diver decreases with time.

.....

 [2]

- 6 A torque wrench is a type of spanner for tightening a nut and bolt to a particular torque, as illustrated in Fig. 3.1.




Fig. 3.1

The wrench is put on the nut and a force is applied to the handle. A scale indicates the torque applied.

The wheel nuts on a particular car must be tightened to a torque of 130 Nm. This is achieved by applying a force F to the wrench at a distance of 45 cm from its centre of rotation C . This force F may be applied at any angle θ to the axis of the handle, as shown in Fig. 3.1.

For the minimum value of F to achieve this torque,


- (a) state the magnitude of the angle θ that should be used,

$\theta = \dots\dots\dots^\circ$ [1]


- (b) calculate the magnitude of F .

$F = \dots\dots\dots$ N [2]

- 7 1-bromobutane and 2-bromo-2-methylpropane both react with an **ethanolic** (alcoholic) solution of sodium hydroxide to form alkenes.



1-bromobutane



2-bromo-2-methylpropane

(a) Name the type of reaction [1]

(b) Identify, by means of the structural formula, the alkene formed from

(i) 1-bromobutane,

(ii) 2-bromo-2-methylpropane.

[2]

- 8 Explain why the melting point of sulfur is higher than that of chlorine.

.....

.....

.....

..... [2]

9 Explain what is meant by the *diffraction* of a wave.

.....
.....
..... [2]

10 (a) Evidence for the nuclear atom was provided by the α -particle scattering experiment. State the results of this experiment.

.....
.....
.....
.....
..... [2]

(b) Give estimates for the diameter of

(i) an atom,

..... [1]


(ii) a nucleus.

..... [1]

11 Describe how you would confirm the presence of aqueous bromide ions using simple test-tube reactions. You should give details of the reagents you would use and the observations you would make.

.....
.....
.....
.....
..... [2]

- 12 Hydrogen peroxide decomposes to form water and oxygen gas. The curve below shows the variation with time of the volume of oxygen evolved when 100 cm^3 of a 2.0 mol dm^{-3} hydrogen peroxide solution decomposed at 298 K .



- (a) State how you would determine the rate of reaction at point **A**.

.....

.....

..... [1]

- (b) On the axes above, sketch a curve to show how the volume of oxygen evolved would change with time if 50 cm^3 of a 2.0 mol dm^{-3} hydrogen peroxide solution, in the presence of a catalyst, decomposed at 298 K . [2]

