

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Advanced Subsidiary Level and Advanced Level

PHYSICS

9702/32 May/June 2007

Paper 32 Advanced Practical Skills 2 CONFIDENTIAL INSTRUCTIONS

2 hours

Great care should be taken to ensure that any confidential information given does not reach the candidates either directly or indirectly.

No access to the Question Paper is permitted in advance of the examination.

If you have any problems or queries regarding these Instructions, please contact CIE by e-mail: International@cie.org.uk, by phone: +44 1223 553554, by fax: +44 1223 553558,

stating the Centre number, the nature of the query and the syllabus number quoted above.

This document consists of 6 printed pages and 2 blank pages.



UNIVERSITY of CAMBRIDGE International Examinations

[Turn over

Preparing apparatus

www.papacambridge.com These instructions detail the apparatus required for the experiments in the Question Paper essential that absolute confidentiality is maintained in advance of the examination: the conten these instructions must not be revealed either directly or indirectly to candidates.

No access is permitted to the Question Paper in advance of the examination.

If you have problems or queries regarding these instructions, please contact CIE:

by e-mail:	international@cie.org.uk,
or by telephone:	+44 1223 553554,
or by fax:	+44 1223 553558,
stating the nature of the query and quoting the syllabus and paper numbers (9702/32).	

It is assumed that the ordinary apparatus of a Physics laboratory will be available.

Number of sets of apparatus

The number of sets of apparatus provided for each experiment should be $\frac{1}{2}N$, where N is the number of candidates taking the examination. There should, in addition, be a few spare sets of apparatus available in case problems arise during the examination.

Organisation of the examination

Candidates should be allowed access to the apparatus for each experiment for one hour only. After spending one hour on one experiment, candidates should change over to the other experiment. The order in which a candidate attempts the two experiments is immaterial.

Assistance to Candidates

Candidates should be informed that, if they find themselves in real difficulty, they may ask the Supervisor for practical assistance, but that the extent of this assistance will be reported to the Examiner, who may make a deduction of marks.

Assistance should only be given:

when it is asked for by a candidate,

or as directed in the Notes sections of these instructions,

or where apparatus is seen to have developed a fault.

Assistance should be restricted to enabling candidates to make observations and measurements. Observations and measurements must not be made for candidates, and no help should be given with data analysis or evaluation.

All assistance given to candidates must be reported on the Supervisor's Report Form.

Faulty apparatus

In cases of faulty apparatus (not arising from a candidate's mishandling) that prevent the required measurements being taken, the Supervisor may allow extra time to give the candidate a fair opportunity to perform the experiment as if the fault had not been present. The candidate should use a spare copy of the Question Paper when the fault has been rectified or when working with a second set of apparatus.

Supervisor's Report

The Supervisor should complete the Supervisor's Report Form on pages 7 and 8 and enclose it in the envelope containing the answers of the candidates. If more than one envelope is used, a copy of the report must be enclosed in each envelope.

Question 1

Apparatus requirements (per set of apparatus unless otherwise specified)

www.papaCambridge.com Mounted 47 Ω carbon film resistor. The resistor should be labelled R₁. The resistance of the resistor the colour coding) should be hidden from candidates. Candidates must be able to make connections to this resistor without difficulty.

Mounted 220 Ω carbon film resistor. The resistor should be labelled R₂. The resistance of the resistor (i.e. the colour coding) should be hidden from candidates. Candidates must be able to make connections to this resistor without difficulty.

Nine carbon film resistors. The resistors should have the values 33Ω , 47Ω , 100Ω , 150Ω , 220Ω , 330Ω , $470\,\Omega$, $560\,\Omega$ and $680\,\Omega$. Each resistor should carry a label giving the resistance of the resistor. The ends of these resistors should be left as bare wires so that candidates may make connections to individual resistors using crocodile clips.

One 1.5 V dry cell. Candidates must be able to make connections to this cell without difficulty.

Digital voltmeter capable of measuring voltages in the range 0–2 V to a precision of 0.01 V.

Milliammeter capable of measuring currents in the range 0-20 mA to a precision of at least 0.1 mA. A digital or analogue meter would be suitable.

Four crocodile clips.

Eight connecting leads.

Notes

- 1 At the beginning of the experiment, Supervisors must be particularly vigilant to ensure that candidates have connected the circuit correctly. The extent of any help given to candidates must be detailed in the Supervisor's Report and sent with the scripts.
- 2 If the apparatus is to be used by a second candidate, it should be dismantled at the end of the first candidate's experiment and the equipment laid out on the bench ready for the next candidate to use.

Information required by Examiners

None.

Question 2

www.papaCambridge.com Apparatus requirements (per set of apparatus unless otherwise specified)

Stand, boss and clamp.

Table-tennis ball.

Two set-squares.

Half-metre rule.

Stopwatch reading to 0.1 s or better.

Notes

- 1 Spare table-tennis balls should be available.
- 2 If the apparatus is to be used by a second candidate, it should be dismantled at the end of the first candidate's experiment and the equipment laid out on the bench ready for the next candidate to use.

Information required by the Examiners

None.





BLANK PAGE



BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of

This form should be completed and sent to the Examiner with the scripts.

SUPERVISOR'S REPORT FORM

www.papaCambridge.com General Certificate of Education Advanced Subsidiary Level and Advanced Level

May/June Session 2007

The Supervisor's Report should give full details of:

- (a) any help given to a candidate (including the nature of the help given and the name and candidate number of the candidate);
- (b) any cases of faulty apparatus (including the nature of the problem, the action taken to rectify it, any additional time allowed, and the name and candidate number of the candidate);
- (c) any accidents that occurred during the examination;
- (d) any other difficulties experienced by candidates, or any other information that is likely to assist the Examiner, especially if this information cannot be discovered in the scripts.

Cases of individual hardship, such as illness, bereavement or disability, should be reported direct to CIE on the normal Special Consideration form.

Information required by Examiners

Question 1: none.

Question 2: none.

Supervisor's Report

Supervisor's Report (continued)



(to be signed by the Supervisor)

The preparation of this practical examination has been carried out so as to maintain fully the security of the examination.

Signed
Name
Centre Number
Name of Centre

www.papacambridge.com

Å