Cambridge International Advanced Level

MARK SCHEME for the October/November 2014 series

9694 THINKING SKILLS

9694/33

Paper 3 (Problem Analysis and Solution), maximum raw mark 50

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2014	9694	33

1 (a) Give an example of a numbered vertical rock sample involving the numbers 1, 2, 3 and 4 only, without repeating any number, which must have resulted from a fault followed by erosion. [1]

4, 1, 2, 3 OR 3, 4, 1, 2 OR 2, 3, 4, 1

(b) Give an example of such a sample, with at least one number appearing more than once. [1]

1, 2, 1

SC – a sample which was caused by both a fold and a fault (e.g. 1232112321)

(c) Give the order of the layers which would be found if three layers of rock (1 2 3) were subjected to a fold, followed by a fault, and then the top layer was completely eroded. Assume that the sample goes deep enough to include all relevant layers.

2, 3, (3), 2, 1, (1), 2, 3, (3), 2, 1 : allow repeated layers (shown in brackets)

Award 1 mark if the original '1' is included.

(d) Which one of the four combinations described above could have caused it? You must also identify any layers which were omitted due to the sample being insufficiently deep.

Fault then fold; (1 mark) bottom layer [1] omitted (1 mark).

1 mark for appreciation that it required a fault then a fold.

(e) Give two examples of samples with four layers which could not have been produced by the processes defined in this question. [2]

For example: 1, 4, 2, 4 and 1, 3, 1, 2. Most easily achieved by a jump of two layers not resulting from a fault (i.e. not highest to lowest)

1 mark for each impossible sample

(f) What can be concluded about the thicknesses of the three original layers which produced the following rock sample?

[2]

Top layer = (greater than or equal to) 8 m Middle layer = 9 m Bottom layer = 2 m

2 out of 3 correct OR top layer eroded by (at least) 7m : 1 mark SC [1] : total thickness is (greater than or equal to) 19m

		Cambridge International A Level – October/November 2014	9694	33
(a)	(i)	How did she distribute the overtime hours over the four weeks	?	[1]
		She will do them <u>all in the same week</u> .		
	(ii)	How much did her employer deduct at the end of the four weel	ks?	[1]
		$30 \times $4 = 120 basic per week, from which only \$20 can be taken. Total deduction = $$25 + 3 \times $20 = 85 .		
		Allow follow through mark from (i).		
(b)	(i)	If Hannah were now to work 5 hours overtime per four weeks, would she get on pay day than if she did no overtime?	how much	more [1]
		Basic is \$480 per month. The first \$20 of overtime would be deduct hours at \$5 per hour would only bring in <u>\$5</u> more.	ed, so work	king 5
	(ii)	What would Richard receive for the four-week period if Hannal overtime?	n did no	[1]
		4 × \$20 = <u>\$80</u> .		
(c)	(i)	What is the minimum number of hours of overtime that Hannal work in order to get more on pay day than if she did no overtin	h would no ne?	w have to [1]
		\$480 – \$410 = \$70 is deducted from basic salary \$120 – \$70 = \$50 Therefore <u>11 hours</u> .		
		Credit answers which clearly state that 10 hours of overtime would amount on pay day.	yield the sa	ime
	(ii)	What does Richard now receive on average each week?		[1]
		$70/4 = \frac{17.50}{17.50}$		
(d)	Wh wo	at percentage would be sufficient for him to receive \$90 per fou rked 4 hours of overtime each week?	ır weeks if	Hannah [2]
	(4) \$56	$(30 \times \$4) + (4 \times 4 \times \$5) = \$480 + \$80 = \$560.$ (60 - \$410 = \$150.		
	90/	150 = 0.6 = <u>60</u> % oe		
	1 n app	nark for working with arithmetic error, or for concluding 90/560 = 16/1 propriate working.	7% with so	me
	(a) (b) (c)	(a) (i) (ii) (b) (i) (i) (c) (i) (c) (i) (ii) (d) Wh wo (4) \$56 90/ 1 m app	 (a) (i) How did she distribute the overtime hours over the four weeks. She will do them <u>all in the same week</u>. (ii) How much did her employer deduct at the end of the four weel 30 × \$4 = \$120 basic per week, from which only \$20 can be taken. Total deduction = \$25 + 3 × \$20 = <u>\$85</u>. Allow follow through mark from (i). (b) (i) If Hannah were now to work 5 hours overtime per four weeks, would she get on pay day than if she did no overtime? Basic is \$480 per month. The first \$20 of overtime would be deduct hours at \$5 per hour would only bring in <u>\$5</u> more. (ii) What would Richard receive for the four-week period if Hannal overtime? 4 × \$20 = <u>\$80</u>. (c) (i) What is the minimum number of hours of overtime that Hannal work in order to get more on pay day than if she did no overtim \$480 - \$410 = \$70 is deducted from basic salary \$120 - \$70 = \$50 Therefore <u>11 hours</u>. Credit answers which clearly state that 10 hours of overtime would amount on pay day. (ii) What does Richard now receive on average each week? \$70/4 = <u>\$17.50</u> (d) What percentage would be sufficient for him to receive \$90 per four worked 4 hours of overtime each week? (4 × 30 × \$410 = \$150. 90/150 = 0.6 = <u>60</u>% oe 1 mark for working with arithmetic error, or for concluding 90/560 = 16/1 appropriate working. 	 (a) (i) How did she distribute the overtime hours over the four weeks? She will do them <u>all in the same week</u>. (ii) How much did her employer deduct at the end of the four weeks? 30 × \$4 = \$120 basic per week, from which only \$20 can be taken. Total deduction = \$25 + 3 × \$20 = <u>\$85</u>. Allow follow through mark from (i). (b) (i) If Hannah were now to work 5 hours overtime per four weeks, how much would she get on pay day than if she did no overtime? Basic is \$480 per month. The first \$20 of overtime would be deducted, so work hours at \$5 per hour would only bring in <u>\$5</u> more. (ii) What would Richard receive for the four-week period if Hannah did no overtime? 4 × \$20 = <u>\$80</u>. (c) (i) What is the minimum number of hours of overtime that Hannah would no work in order to get more on pay day than if she did no overtime? \$480 - \$410 = \$70 is deducted from basic salary \$120 - \$70 = \$50 Therefore <u>11 hours</u>. Credit answers which clearly state that 10 hours of overtime would yield the se amount on pay day. (ii) What does Richard now receive on average each week? \$70/4 = <u>\$17.50</u> (d) What percentage would be sufficient for him to receive \$90 per four weeks if worked 4 hours of overtime each week? (4 × 30 × \$41 + (4 × 4 × \$5) = \$480 + \$80 = \$560. \$560 - \$410 = \$150. 90/150 = 0.6 = <u>60</u>% oe 1 mark for working with arithmetic error, or for concluding 90/560 = 16/17% with so appropriate working.

Page 4		4	Mark Scheme	Syllabus	Paper
			Cambridge International A Level – October/November 2014	9694	33
	(e)	WI	no benefits from this increase, and by how much?		[2]
		Th All De	e increase is 4 × 30 × \$0.2 = <u>\$24</u> per 4 weeks oe. ow \$94 as Richard's new amount [1]. pending on this result (or \$504) seen, award 1 mark for all of this goi	ing to Richa	rd.
		SC	c – calculations with not more than one arithmetic error – allow follow	through to	2 nd mark.
3	(a)	Sh dir	ow that Samantha cannot avoid the tax collector if she travels w rection.	vithout cha	nging [1]
		Dis	stance from the wall = 4 blocks. Distance around half the walls = 12 b	olocks.	
	(b)	lf S	Samantha decides to change direction once on the way out,		
		(i)	what is the greatest distance she could be from the tax collect reaches the wall?	or when sh	ne [1]
			<u>3 blocks</u>		
		(ii)	what is the probability that Samantha will avoid the tax collect	or?	[2]
			<u>1/12</u> : 1/6 chance she goes in the right direction initially, and 1/2 that way (left or right) after one block.	t she goes	the right
			1 mark for 1/6 seen.		
	(c)	Lis	st the points on the city wall where the tax collector could be if		
		(i)	he is not able to meet Tabitha,		[2]
			W, X, A, B, C		
			1 mark for either W and/or C missing, or D and/or V added.		
		(ii)	he is able to meet Tabitha but not Endora.		[2]
			D, E, F		

1 mark for explicitly comparing *their sets* of unattainable starting points – correctly BCDEF and WXABC – and selecting an inappropriate subset OR for one extra point added/omitted.

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2014	9694	33

(d) If the tax collector is waiting at point A, from how many of the 37 starting points within the city wall is it impossible for a citizen to avoid him, if the citizen travels without changing direction? [3]

There are $5 + 5 + 3 + 1 = \underline{14}$ starting points from which it is impossible to avoid the tax collector.

Award 1 mark for a clear attempt to divide the escape points up into those within 1, 2, 3 and 4 blocks from the walls, with at least one of these considered correctly. Award 2 marks if the two of these cases are considered correctly.

Alternatively, award up to 2 marks for answers which analyse points which it is possible to escape from (without changing direction) = 37 - 14 = 23 points. Award 1 mark if this is considered systematically but with one arithmetic error.

SC: if the walls are included as starting points, then there are 15 starting points (2 marks)

(e) What is the greatest distance she could be from the tax collector when she reaches the wall? Describe a possible route for her to take. [4]

<u>9 blocks</u>: In steps of 1 block at a time, towards M, then O, then X, then P, then W, then Q, then L, then P.

Award 3 marks for a route taking 8 blocks: In steps of 1 block at a time, towards M, then S, then N, then G, then M, then R, then N.

2 marks for 5 or 6 or 7 blocks with a matching route described. 1 mark for any route which allows her to escape the tax collector.

For any solutions which fit the descriptions above but for one erroneous step, deduct one mark from the allotted mark (and continue to deduct for further erroneous steps).

4 (a) (i) How much will Matt charge Ferreb for the 44 parcels that he will pick up today? [2]

Answer: $\underline{\$275}$ (11 × \$4 + 33 × \$7)

If 2 marks cannot be awarded, award 1 mark for evidence of appreciation that 11 parcels will be charged at the reduced rate / 4 and/or that 33 parcels will be charged at the full rate / 7, OR (10@4 and 34@7 =) 206 OR (11@7 and 4@4 =) 33.

(ii) What is the maximum he could charge for picking up 44 parcels from one depot on any one day? [2]

Answer: $\underline{\$296}$ (40 × \$7 + 4 × \$4)

If 2 marks cannot be awarded, award 1 mark for evidence of appreciation that a maximum of 40 parcels (40×10) can be charged at the full rate / \$7.

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2014	9694	33

(b) How many parcels will Matt have on board when he leaves Payli?

Answer: <u>99</u> parcels

If 2 marks cannot be awarded, award 1 mark for sight of 44 (picked up) or 29 (dropped off), or the calculation 14 + 8 + 11 + 10 + 12 + 17 + 8 + 5 + 14

[2]

[2]

(c) In what order must he visit the remaining islands, and how many parcels will he have on board when he returns to Malzay? Justify your answer. [4]

<u>Honia then Tolou</u> (then Malzay), with a demonstration that the other route would entail carrying more than 100 parcels - going to Tolou first would require him to carry 107 parcels. [2 marks].

At Honia: drop off 42, pick up 40; $99 - 42 + 40 = \underline{97}$ At Tolou: drop off 44, pick up 43; $97 - 44 + 43 = \underline{96}$

2 marks for final correct answer; 1 mark for 97 given.

Condone 59, i.e. drops off 37 Malzay parcels.

(d) What is the total distance that Matt will fly today?

Answer: 226 km (54 + 29 + 20 + 88 + 35) [follow through from incorrect (c)] Tolou then Honia : 54 + 29 + 77 + 88 + 63 = 311 km

If 2 marks cannot be awarded, award 1 mark for sight of at least three correctly extracted distances.

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge International A Level – October/November 2014	9694	33

(e) How many parcels in total did Matt pick up from Payli last Tuesday?

Answer: 48 (12 to each of the other four depots)

For every 4 parcels (one to each destination) he would have charged \$26 (\$5 to Honia, \$7 to Malzay, \$5 to Styha and \$9 to Tolou) under the old system. For every 4 parcels (one to each destination) he now charges \$28 ($4 \times$ \$7) up to a total of 40

[3]

For every 4 parcels (one to each destination) he now charges \$28 (4 \times \$7) up to a total of 40, then \$16 (4 \times \$4).

 $12 \times \$26 = 10 \times \$28 + 4 \times \$4 = \296

If 3 marks cannot be awarded, award 2 marks for evidence of appreciation that 40 parcels would have been \$260 under the old system AND is \$280 now, OR an algebraic approach to the problem:

 $26p = (7 \times 40) + 4(4p - 40)$ where *p* is the number dealt to each of the islands.

OR

Award 2 marks for **two** correct comparisons of costs for a specific number of parcels (ie correct but incomplete trial and improvement).

If 2 marks cannot be awarded, award 1 mark for **one** correct comparison of costs for a specific number of parcels (which could be simply \$26 for 4 parcels under the old system and \$28 now).

If no other marks can be awarded, award 1 mark for an answer of 12.