

www.PapaCambridge.com

As part of CIE's continual commitment to maintaining best practice in assessment, CIE has begun to use different variants of some question papers for our most popular assessments with extremely large and widespread candidature, The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

The content assessed by the examination papers and the type of questions are unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner's Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiner's Reports.

#### **Question Paper**

# Introduction First variant Question Paper Second variant Question Paper

### Mark Scheme

Introduction
First variant Mark Scheme
Second variant Mark Scheme

#### **Principal Examiner's Report**

Introduction
First variant Principal Examiner's Report
Second variant Principal Examiner's Report

#### Who can I contact for further information on these changes?

Please direct any questions about this to CIE's Customer Services team at: international@cie.org.uk

www.PapaCambridge.com

#### **UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS**

**International General Certificate of Secondary Education** 

# MARK SCHEME for the October/November 2008 question paper

# 0610 BIOLOGY

0610/31

Paper 31 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme	Syllabus	er
	IGCSE – October/November 2008	0610	100

Cambridge.com ignore absence of feature(s) (a) ignore slime shell: muscular foot; R leg / false foot (soft) unsegmented body; tentacles; mantle / mantle cavity; gills; AVP; e.g. visceral mass R exoskeleton [max 2] (b) species name ignore refs to generic name second name / follows genus name; begins with small letter / all small letters; [max 1] (c) asexual = 0 markssexual / external; involves, gametes / fertilisation; [2] (d) (i) current of water provides (good) source of oxygen; A ref to obtaining oxygen R 'from gills' / 'easy to breathe' low carbon dioxide concentration; A ref to losing carbon dioxide food source: protection / hiding, from predators; blood / mucus (from gills), may be food source; [max 1] (ii) one of the following ignore growth / maturity increase in complexity differentiation / specialisation, of cells / tissues formation of, new structures / organs / tissues / different types of cells A change in, structure / form [1] (e) one mark for named species, two max for details. If no species = no marks, NB species may be identified in outline of conservation named species; must be an endangered species **R** whale(s), **A** rhino(s) if in doubt check IUCN red list http://www.iucnredlist.org [1] nature reserve / game park / sanctuary / AW; protection of habitat / stop habitat destruction / fenced area / restore habitat A example; control of, predators / grazers / parasites / disease; provide food supply; prevent hunting / reduce poaching / reduce fishing / AW; A wardens / rangers education (of local population); captive breeding / provide breeding sites; release of captive bred organisms; AVP;; e.g. dehorn rhinos, ban trade [max 2]

[Total: 10]

movement; respiration;

Page 3	Mark Scheme	Syllabus	2 er
	IGCSE – October/November 2008	0610	Sp.

Cambridge.com **Question 2** (a) bars must be within potato square bars plotted accurately at 2.6 and 5.6; shading correct according to key; (b) (sugar) beet; [1] (ii) wheat; [1] award three different main points as given below (c) or award two marks for the main points and max one for any detail of one point use of named appropriate machinery; e.g. tractor / combine harvester detail e.g. more efficient, sowing / harvesting / watering; (artificial) fertilisers; detail e.g. prevent mineral deficiencies / provide more nutrients; pesticides / insecticides / fungicides / AW; detail e.g. control, pests / diseases, feed / destroy / damage, crops; A reduce losses to, pests / diseases herbicides: detail e.g. control / kill, weeds / competitors; use of, hormones / named hormone(s); detail e.g. reduce vegetative growth / promote fruiting / AW; irrigation; R 'put on (more) water' detail e.g. prevent water becoming limiting factor / not relying on rain / AW; glasshouses / greenhouses; detail e.g. control, light intensity / carbon dioxide concentration / temperature monoculture: detail e.g. easier to harvest; genetic engineering / gene transfer / GM; ignore genetic technology artificial selection / selective breeding; detail e.g. improve, growth / aspect of yield / quality / disease resistance / [max 3] pest resistance; (d) idea that water content of plants varies; [1] (e) idea that energy is lost, along a food chain / between maize and cows; [1] energy loss by animals to max 2 food not eaten; food not, digested / absorbed; A egested (chemical energy) excreted; heat loss:

[max 2]

## First variant Mark Scheme

		2.	
Page 4	Mark Scheme	Syllabus	er
	IGCSE – October/November 2008	0610	03-

(f) (i)  $6O_2$ ; R  $6O^2/6O2$ 

(ii) large surface area / broad / wide; R flat chloroplasts / chlorophyll; leaf mosaic / leaves arranged to avoid shading; leaves, grow at right angles to light / move to follow the sun; cuticle / epidermis, thin / transparent; leaf is thin; palisade cells tightly packed; movement of chloroplasts towards light source; AVP;

(iii) root hair(s);

down water potential gradient / from high to low water potential / soil has <a href="higher">higher</a> water potential / root has <a href="lower">lower</a> water potential; osmosis / across partially permeable membrane;

A semi-permeable / selectively permeable R 'and active uptake'

[3]

[max 2]

(iv) (carbon dioxide) diffuses (from air) / ref to down diffusion gradient; through stoma(ta);

air spaces, between (mesophyll) cells / in leaf; dissolves in water, on / in, cell wall; (diffuses) through, cell wall / membrane;

carbon dioxide from, respiration / mitochondria;

[max 2]

[Total: 19]

Page 5	Mark Scheme	Syllabus	er er
	IGCSE – October/November 2008	0610	800

	D	_	Mark Oak and	The same of the sa
	Page	5	Mark Scheme SIGCSE – October/November 2008	Syllabus er 0610
_			10002 00:000////01/00// 2000	35
Que	stion	3		Mb.
(a)	(i)	less por less faithfilms less faithfilms faithfilms less faith	orotein has  accept converse answers for been rotein / figures compared; at / figures compared; figures compared; A roughage hydrate / figures compared;	Syllabus er 0610  ef [max 2]
	(ii)	less fa so less fibre /	ne answers are about mycoprotein at / 9.2 g compared to 48.6 g / 39.4 g less fat / 5× less fat ges risk of + heart disease / heart attack / blockage of arter A 'clogged' / 'furred' / hardening ignore diabetes 19.5 g compared to 0 g; as risk of, constipation / bowel cancer; A faster transit time / helps peristalsis / easier defecation	ies / obesity ;
(b)	(i)	if no a 98.3 49 + 9	If two marks if correct answer (1.7) is given answer or incorrect answer award one mark for correct act 9.2 + 19.5 + 20.6 = 98.3 98.3 = 1.7 (g) ;;	ddition to get
	(ii)	minera	ot first answer on the line al(s) / named mineral / ions / salt(s) / vitamin(s) / named vium / potassium / sodium / magnesium / iron / phosphate R nitrate / sulphate / micronutrients	
(c)	(i)	lic minera	se / sucrose / lactose / maltose / sugar(s) / molasses / co quor; A carbon source als / mineral salts / vitamin(s); onia / ammonium / amino acids; A nitrogen source	rn steep [max 2]
	(ii)	filter /	separate liquid from solid / retain solids / AW;	[1]
	(iii)	<u>ca</u> rbor	n dioxide; A CO <sub>2</sub>	[1]
(d)	(i)		; A <u>a temperature</u> within range 20 to 30 °C	[1]
	(ii)	heat re	e refs to the paddle eleased / exothermic ; g) respiration / metabolism / fermentation ;	[2]
	(iii)	A low ten	ant, production / growth; a optimum temperature / produce antibiotic as fast as posemperature will slow down, enzyme action / fungal growth emperature will, denature enzymes; <b>R</b> if 'and too low' emperature will kill fungus; <b>R</b> if 'and too low' emperature may breakdown, product / antibiotic / penicilli	;
	(iv)	use a	water jacket;	[1]
				[Total: 19]

Page 6	Mark Scheme	Syllabus	
	IGCSE – October/November 2008	0610	

			Cocheme		2
	Page	6	Mark Scheme	Syllabus	er er
			IGCSE – October/November 2008	0610	ASC.
Que	stion	4			BINE.
(a)		penis <u>ejacu</u>	becomes, firm / erect; inserted into vagina; lation;		max 2]
		spem	n / semen, deposited, in vagina / near cervix;		[max 2]
(b)	(i)	mech	anical / barrier; A physical		[1]
	(ii)		n / sperm, collect / trapped, in condom; <b>A</b> cannot entilisation is not possible / sperm cannot reach egg <i>or</i> c <b>A</b> male gamete for sperm <b>R</b> 'sperm cannot reach	oviduct / AW;	[2]
(c)	(i)	2 fr 3 c	AllV transmitted in, semen / vaginal fluids / body fluids / com infected to, uninfected / AW, during sexual intercondoms, prevent contact between body fluids; <b>A</b> mix no condoms) more unprotected sex / greater chance of	ourse; king of body flui	ids [max 2]
	(ii)	tattoo (trans	ng needles (during drug taking); <b>R</b> unsterilised / used is / body piercing; smission in) blood products / blood transfusion / transpablood to blood contact, e.g. open wounds; a refs to breast milk; across placenta; (blood mixing)	olants ;	[max 2]
	(iii)	antibo phago loss o canno	invades / attacks / kills, lymphocytes / CD4 cells / T c  R white blood cells unqualified  odies, not produced / don't work / not effective; ora  ocytes not as effective; ora  of (existing) immunity;  ot defend against / (more) susceptible to / less resistant  athogen / infection / disease; A ref to opportunistic in	nce to ,	
		F	tight' disease / infection		[max 3]
(d)	(i)	discha (male inflam	/ ulcers, on, penis / genitals; arge (of pus) from, penis / urethra / sex organ(s); e) pain when urinating; nmation of, testes / prostate / urethra / vagina; arge of pus from the vagina;		[max 1]
	(ii)	dama sterili blindr abdor	ot any from (i) if not already given age to, urinary / reproductive, organs; ty / infertility; ness in a baby born to a mother with the disease; minal pain; ace antibodies;		[max 1]
	/:::\	•		et used new)	
	(iii)	use a	ntibiotic(s) / named antibiotic ; A penicillin (although n	ot usea now)	[max 1]
					[Total: 15]

Page 7	Mark Scheme	Syllabus
	IGCSE – October/November 2008	0610

				The state of the s	
	Page	· 7	Mark Scheme	Syllabus	S er
			IGCSE – October/November 2008	0610	Say 1
Que	stion	5			TOMBE
(a)	(i)		ves last longer for walking / ora ; ox) 4 times longer / other use of figures ;		Papa Cambridge [2]
	(ii)	glucos	se <b>and</b> <u>muscle</u> glycogen ;		[1]
	(iii)	fat <b>an</b>	<b>d</b> carbohydrate ;		[1]
	(iv)		d two marks if correct answer (16.6 / 17) is given answer or incorrect answer award one mark for corre	ect working	
			/ 100 <b>OR</b> 5800 / 350 <b>OR</b> average of the two / 16.58 / 16.59 / 16.6 / 17 (kJ per gram) ;; <b>R</b> round	ing down to 16.5	[2]
(b)	(i)	muscl	le, growth / development / repair <b>; A</b> 'make / build up	o, muscle'	[1]
	(ii)	muscl	ld up, energy / glycogen, reserves / stores ; le / liver, glycogen ; erted to fat / stored as fat ;		[2]
(c)	(i)	C <sub>6</sub> H <sub>12</sub>	$O_6 \longrightarrow 2C_3H_6O_3$ (+ energy released)		
			k for glucose + lactic acid formulae correct; k for balanced equation; <b>R</b> if anything else given (C	CO <sub>2</sub> + H <sub>2</sub> O)	[2]
	(ii)	2 sp 3 sp 4 an 5 la 6 re 7 re	hort, time / distance, for sprint <i>or</i> long, time / distance, print needs (lots of) energy quickly / marathon needs period; print oxygen supply not sufficient / oxygen supplied on naerobic does not need oxygen / aerobic needs oxygetic acid, removed after sprint / would build up in mater to muscle, fatigue / cramp / pain; ef to oxygen debt; VP; e.g. fat has higher energy content useful for materials.	s energy over long during marathon; gen; arathon;	[max 4]
	(iii)	glycog correct glucos	gen in liver broken down to glucose; ct ref to <u>glucagon</u> ; <b>R</b> if 'glucagon breaks down glycose from liver enters the blood; <b>R</b> 'excreted into blood hat balances use of glucose; <b>A</b> 'replaces glucose us	gen' d'	[max 2]

[Total: 17]

www.PapaCambridge.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

**International General Certificate of Secondary Education** 

# MARK SCHEME for the October/November 2008 question paper

# 0610 BIOLOGY

0610/32

Paper 32 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

		2.
Page 2	Mark Scheme	Syllabus
	IGCSE – October/November 2008	0610

Cambridge.com ignore absence of feature(s) (a) ignore slime shell: muscular foot; R leg / false foot (soft) unsegmented body; tentacles; mantle / mantle cavity; gills; AVP; e.g. visceral mass R exoskeleton [max 2] (b) species name ignore refs to generic name second name / follows genus name; begins with small letter / all small letters; [max 1] (c) asexual = 0 markssexual / external; involves, gametes / fertilisation; [2] (d) (i) current of water provides (good) source of oxygen; A ref to obtaining oxygen R 'from gills' / 'easy to breathe' low carbon dioxide concentration; A ref to losing carbon dioxide food source: protection / hiding, from predators; blood / mucus (from gills), may be food source; [max 1] (ii) one of the following ignore growth / maturity increase in complexity differentiation / specialisation, of cells / tissues formation of, new structures / organs / tissues / different types of cells A change in, structure / form [1] (e) one mark for named species, two max for details if no species = no marks NB species may be identified in outline of conservation named species; must be an endangered species R whale(s), A rhino(s) if in doubt check IUCN red list <a href="http://www.iucnredlist.org">http://www.iucnredlist.org</a> [1] nature reserve / game park / sanctuary / AW; protection of habitat / stop habitat destruction / fenced area / restore habitat A example: control of, predators / grazers / parasites / disease; provide food supply; prevent hunting / reduce poaching / reduce fishing / AW; A wardens / rangers education (of local population); captive breeding / provide breeding sites; release of captive bred organisms; AVP;; e.g. dehorn rhinos, ban trade [max 2] [Total: 10]

		2.	
Page 3	Mark Scheme	Syllabus	
	IGCSE – October/November 2008	0610	

```
(a)
           weigh the nut / use known mass of nut;
           put 25 cm<sup>3</sup> water into the (boiling) tube;
           (take) start temperature of water;
        4 set nut on fire;
        5 hold nut under boiling tube until it has stopped burning;
        6 reignite nut if it goes out / keep heating water until temperature stops rising;
        7 stir water:
        8 (take) final / maximum, temperature of water; A record temperature rise
        9 repeat with other masses of nut;
                                                                                             [max 5]
(b)
           award two marks if correct answer (2520) is given
           if no answer or incorrect answer award one mark for correct working
           if answer space blank check the table on page 4 of the script
           25 \times 24 \times 4.2
           2520 (J);;
                                                                                             [max 2]
       (i) x-axis labelled 'mass of nut / g';
(c)
           y-axis labelled 'energy / J';
           point plotted in square 2500 – 2600 + line through points;
           ecf from (b) for plotted point, ecf if no value given in (b)
           line must not extend beyond plotted points
                A lines between points, straight line of best fit
                                                                                                  [3]
      (ii) as mass increases, energy increases;
                A energy content directly proportional to mass of nut
                                                                                                  [1]
       (i) (3045 / 0.5 \times 100 =) 609 000 / 6.09 \times 10^{5};
(d)
                                                                                             [max 1]
      (ii) heat / energy, lost to, air / surroundings;
           groundnut not completely burnt / AW;
           some energy lost when setting nut on fire;
           official procedure involves burning in oxygen;
           heat transfer to, needle / boiling tube (not to water);
                R 'no repeats'
                                                                                             [max 2]
(e)
           nitrogen-containing compound absorbed from soil
           nitrate / ammonium (ions);
           dissolved in soil water;
           absorbed by root hairs;
           active transport / diffusion;
           nitrate / ammonium, used to make amino acids (in plant);
           nitrogen fixation in legume
           nitrogen-fixing bacteria / Rhizobium (in/on nodule);
           bacteria in root nodules;
           convert nitrogen (N<sub>2</sub>) to, ammonia / amino acids;
           amino acids / AW, to legume (tissue);
                                                                                             [max 5]
```

[Total: 19]

Page 4	Mark Scheme	Syllabus
	IGCSE – October/November 2008	0610

				32	
	Page	4	Mark Scheme	Syllabus	er er
			IGCSE – October/November 2008	0610	Age .
Que	stion	STAB.			
(a)	(i)	less policies fibre /	protein has accept converse answers for rotein / figures compared; at / figures compared; figures compared; hydrate / figures compared;	r beef	Oabacambhidae com
	(ii)	less fa so less fibre /	ne answers are about mycoprotein at / 9.2 g compared to 48.6 g / 39.4 g less fat / 5× less s risk of + heart disease / heart attack / blockage of a A 'clogged' / 'furred' / hardening ignore diabete 19.5 g compared to 0 g; s risk of, constipation / bowel cancer; A faster transit time / helps peristalsis / easier defer	arteries / obesity ; es	[4]
(b)	(i)	<i>if no a</i> 98.3 49 + 9	I two marks if correct answer (1.7) is given answer or incorrect answer award one mark for correct 0.2 + 19.5 + 20.6 = 98.3 98.3 = 1.7 (g) ;;	ct addition to get	[2]
	(ii)	minera	ot first answer on the line al(s) / named mineral / ions / salt(s) / vitamin(s) / name ium / potassium / sodium / magnesium / iron / phosp R nitrate / sulphate / micronutrients		[1]
(c)	(i)	lic minera	se / sucrose / lactose / maltose / sugar(s) / molasses quor; A carbon source als / mineral salts / vitamin(s); onia / ammonium / amino acids; A nitrogen source	/ corn steep	[max 2]
	(ii)	filter /	separate liquid from solid / retain solids / AW;		[1]
	(iii)	carbo	n dioxide; A CO <sub>2</sub>		[1]
(d)	(i)	24 <u>°C</u>	; A <u>a temperature</u> within range 20 to 30 °C		[1]
	(ii)	heat re	e refs to the paddle eleased / exothermic ; g) respiration / metabolism / fermentation ;		[2]
	(iii)	A low tending high tending	ant, production / growth; coptimum temperature / produce antibiotic as fast as imperature will slow down, enzyme action / fungal grown grature will, denature enzymes; <b>R</b> if 'and too low emperature will kill fungus; <b>R</b> if 'and too low' emperature may breakdown, product / antibiotic / per	owth; v'	[max 2]
	(iv)	use a	water jacket;		[1]

[Total: 19]

			· · ·
Page 5	Mark Scheme	Syllabus	· S er
	IGCSE – October/November 2008	0610	100

				24	
	Page 5		Mark Scheme	Syllabus	· Og Per
			IGCSE – October/November 2008	0610	Par
Que	stion	4			BAMB.
(a)		penis	becomes, firm / erect; inserted into vagina; lation;		[max 2]
			n / semen, deposited, in vagina / near cervix ;		[max 2]
(b)	(i)	mech	anical / barrier; A physical		[1]
	(ii)		n / sperm, collect / trapped, in condom; A cannot entitilisation is not possible / sperm cannot reach egg <i>or</i> cannot reach egg or cannot reach egg or cannot reach egg or cannot reach egg or cannot reach	oviduct / AW;	[2]
(c)	(i)	2 fr 3 c	AIV transmitted in, semen / vaginal fluids / body fluids / rom infected to, uninfected / AW, during sexual intercondoms, prevent contact between body fluids; <b>A</b> mix no condoms) more unprotected sex / greater chance of	ourse; ing of body fluids	[max 2]
	(ii)	tattoo (trans	ng needles (during drug taking); <b>R</b> unsterilised / used s / body piercing; mission in) blood products / blood transfusion / transpablood to blood contact, e.g. open wounds; a refs to breast milk; across placenta; (blood mixing)		[max 2]
	(iii)	antibo phago loss o canno	invades / attacks / kills, lymphocytes / CD4 cells / T c  R white blood cells unqualified  odies, not produced / don't work / not effective; ora  ocytes not as effective; ora  of (existing) immunity;  ot defend against / (more) susceptible to / less resistar  athogen / infection / disease; A ref to opportunistic in	nce to ,	
		R	fight' disease / infection		[max 3]
(d)	(i)	discha (male inflam	/ ulcers, on, penis / genitals; arge (of pus) from, penis / urethra / sex organ(s); ) pain when urinating; nmation of, testes / prostate / urethra / vagina; arge of pus from the vagina;		[max 1]
	(ii)	dama sterilit blindr abdor	ot any from (i) if not already given ge to, urinary / reproductive, organs; ty / infertility; ness in a baby born to a mother with the disease; minal pain; uce antibodies;		[max 1]
	(iii)		ntibiotic(s) / named antibiotic ; <b>A</b> penicillin (although n	ot used now)	[max 1]
	\···/	u	(autough in		[

[Total: 15]

Page 6	Mark Scheme	Syllabus
	IGCSE – October/November 2008	0610

	Page 6		Mark Scheme	Syllabus	er
			IGCSE – October/November 2008	0610	3
Que	stion	5			Par Par Cambridge [2]
a)	(i)	reserv	res last longer for walking / ora ;		Tid
•	• •		ex) 4 times longer / other use of figures;		[2]
	(ii)	glucos	se <b>and</b> muscle glycogen;		[1]
	(iii)	fat <b>an</b>	d carbohydrate ;		[1]
	(iv)		two marks if correct answer (16.6 / 17) is given enswer or incorrect answer award one mark for corre	ect working	
			100 <b>OR</b> 5800 / 350 <b>OR</b> average of the two / 16.58 / 16.59 / 16.6 / 17 (kJ per gram) ;; <b>R</b> round	ing down to 16.5	[2]
<b>o</b> )	(i)	muscle	e, growth / development / repair ; <b>A</b> 'make / build up	, muscle'	[1]
	(ii)		d up, energy / glycogen, reserves / stores;		
			e / liver, glycogen ; rted to fat / stored as fat ;		[2]
c)	(i)	C <sub>6</sub> H <sub>12</sub> C	$O_6 \longrightarrow 2C_3H_6O_3$ (+ energy released)		
			k for glucose + lactic acid formulae correct; k for balanced equation; <b>R</b> if anything else given (C	CO <sub>2</sub> + H <sub>2</sub> O)	[2]
	(ii)		nort, time / distance, for sprint <i>or</i> long, time / distance print needs (lots of) energy quickly / marathon needs period;		
		3 sp	print oxygen supply not sufficient / oxygen supplied	during marathon ;	

ref to oxygen debt;

7

ref to muscle, fatigue / cramp / pain;

AVP; e.g. fat has higher energy content useful for marathon [max 4]

(iii) glycogen in liver broken down to glucose; correct ref to glucagon; R if 'glucagon breaks down glycogen...' glucose from liver enters the blood; R 'excreted into blood' idea that balances use of glucose; A 'replaces glucose used up'

anaerobic does not need oxygen / aerobic needs oxygen; lactic acid, removed after sprint / would build up in marathon;

[Total: 17]

[max 2]