

CANDIDATE NAME

**CENTRE** 

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

dridge con

1 hour 15 minutes

*	
7	
7	
а	
6	
7	
5	
5	
6	
_	
W	

NUMBER					NUMBER			
BIOLOGY							061	10/31
Paper 3 Extended				May	June	2011		

CANDIDATE

Candidates answer on the Question Paper.

No Additional Materials are required.

SUITABLE FOR HEARING IMPAIRED CANDIDATES.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
Total	

This document consists of 18 printed pages and 2 blank pages.



1 Fig. 1.1 shows a section of a villus at two different magnifications.




Fig. 1.1

(a) Label the structures shown in Fig. 1.1.

Write the labels in the boxes in Fig. 1.1.

[3]

(b)	Suggest the role of the muscle tissue shown in the villus in Fig. 1.1.	For ine
		Idde.

Fig. 1.2 shows an experiment to investigate the uptake of glucose by cells of the villi.

- Two leak-proof bags were set up.
- One bag was made from artificial partially permeable membrane (Visking tubing).
- The other bag was made from a piece of small intestine containing living cells, with its inner surface inside the bag.
- The bags were filled with equal volumes of a dilute glucose solution.
- The bags were suspended in the same glucose solution for two hours.
- After two hours, the volumes of the bags were measured and the contents were tested for the concentration of glucose.




Fig. 1.2

Inside the bag made from small intestine the volume and concentration of the glucose solution decreased. There were no changes to the volume and concentration in the Visking tubing bag.

(c)	State conce	<b>and</b> ntratio	explain on in the l	the pag m	process ade from	responsible small intestir	for ne.	the	decrease	in	the	glucose
												[2]

[2]

4 After two hours there was less water in the bag made from small intestine.	
4	
After two hours there was less water in the bag made from small intestine.	For iner's
The volume of water in the bag made from small intestine decreased, but the volume the bag made from Visking tubing did <b>not</b> change. Explain why.	For iner's
	777
[3]	
[o]	

(e) An investigation studied the flow of water into and out of the human alimentary canal. Table 1.1 shows the results.

Table 1.1

water <b>into</b> the a	limentary canal	water <b>out of</b> the alimentary canal			
source of water	volume of water / dm³ per day	method of water loss	volume of water / dm³ per day		
water from diet	2.5	stomach to the blood	0.00		
saliva	1.5	small intestine to the blood	9.00		
gastric juice	2.4	large intestine to the blood	0.85		
bile	0.8	in the faeces	0.15		
pancreatic juice	0.8				
intestinal secretions	2.0				

(i)	Name the part of the alimentary canal that secretes most water in a digestive juic	œ.
		[1]
(ii)	Name the part of the alimentary canal that absorbs most water.	
		[1]

	5 Explain why water is added to food by the secretions shown in Table 1.1.	
iii)	Explain why water is added to food by the secretions shown in Table 1.1.	For iner's
		Tage
		COM
		•
	[3]	
iv)	Explain why it is important that water is absorbed in the alimentary canal.	
	[2]	
	[Total: 17]	i

www.PapaCambridge.com 6 Fig. 2.1 shows part of the nitrogen cycle. 2 nitrogen in the air herbivore dead organic bean plant matter (legume) with root nodules В ammonium ions nitrate ions Fig. 2.1 (a) Name the processes A and B shown in Fig. 2.1. Α В [2] **(b)** Fig. 2.1 shows that legumes have root nodules. Explain why these root nodules are important in the nitrogen cycle.

[4]

	4.
	The state of the s
	7
(c)	Proteins and DNA are important nitrogen-containing compounds in cells.
	Describe the roles of proteins and DNA in cells.
	Proteins and DNA are important nitrogen-containing compounds in cells.  Describe the roles of proteins and DNA in cells.  proteins
	[3]
	DNA
	[2]
(d)	Many inorganic fertilisers contain compounds of nitrogen. If crop plants do not absorb the fertilisers they can be lost from the soil and pollute freshwater ecosystems, such as lakes and rivers.
	Describe how fertilisers may affect freshwater ecosystems.
	[4]

[Total: 15]

3 Fig. 3.1 shows a fetus in the uterus immediately before birth.




Fig. 3.1

(a)	Describe the functions of the amniotic sac and amniotic fluid.
	[4]

(D)	List three functions of the piacenta.
	1.
	2.
	3.
	[3]
(c)	State what happens to structures <b>A</b> and <b>B</b> during birth.
	[2]
(d)	Discuss the advantages <b>and</b> possible disadvantages of breast-feeding.
	[4]

[Total: 13]

www.PapaCambridge.com A healthy kidney controls the excretion of urea and other waste products of meta

After kidney failure there are two possible treatments: dialysis or a kidney transplant.

Fig. 4.1 shows how blood and dialysis fluid move through a dialysis machine.

4

from the blood.




Fig. 4.1

(a)	Describe the changes that occur to the blood as it flows through the dialysis machine from ${\bf A}$ to ${\bf B}$ .
	[2]

(b)	Discuss the advantages of kidney transplants compared with dialysis.
	[3]

For iner's

(c) Two brothers have to make a difficult decision.

One brother, with blood group AB, has kidney failure and is on dialysis.

www.PapaCambridge.com The healthy brother has agreed to donate one of his kidneys to his brother. He has to have a blood test.

Their father has blood group A and their mother has blood group B.

The brothers have a sister who has blood group O.

(i) Explain how this girl has blood group O when her parents have different blood groups. You must use the space below for a genetic diagram to help your answer.

Use the symbols  $\mathbf{I}^{\mathbf{A}}$ ,  $\mathbf{I}^{\mathbf{B}}$  and  $\mathbf{I}^{\mathbf{O}}$  to represent the alleles involved in the inheritance of blood groups.

parenta	l phenotypes	blood group	A >	<	blood gr	oup B	
parenta	l genotypes		>	<			
gamete	S		+	+			
girl's ge girl's ph	enotype nenotype						
							[4]
(ii)	The healthy brot same blood grou	her can only donate p.	the kidney	to his b	rother if the	ey both have	e the
	What is the prob	ability that the healt	hy brother al	lso has	blood grou	p AB?	
							[1]

[Total: 10]

. A APAC CAMBRIDGE COM

Question 5 begins on page 14

(a) Write a balanced equation for photosynthesis using symbols.

	niner's
A.	
0	

[3]

Plants that live in water are called hydrophytes.

5

Fig. 5.1 shows a cross-section of a leaf of the hydrophyte, *Nuphar lutea*. The leaves of *N. lutea* float on the surface of water.




Fig. 5.1

**(b)** Complete Table 5.1 by describing the function of each feature. The function for feature **A** has already been completed.

	15 5.1 by describing the function of each feature. feature A has already been completed.  Table 5.1  function	For iner's
feature	function	OH
A	transparent to allow light to penetrate into the leaf	
В		'
С		
D		

		[3]
(c)	State <b>and</b> explain <b>one</b> way in which the leaves of <i>N. lutea</i> are adapted to their environment.	
		[2]

(d) A student investigated how magnesium affects the growth of duckweed, Sp polyrhiza.

ned a

He prepared dishes each containing 30 plants of *S. polyrhiza*. Each dish contained a growth medium with different concentrations of a magnesium salt.

Fig. 5.2 shows one of the dishes.




Fig. 5.2

After 33 days, the student counted the number of plants in each dish and recorded their appearance. The results are shown in Table 5.2.


Table 5.2

concentration of magnesium salt / mg per dm <sup>3</sup>	number of plants after 33 days	appearance of leaves after 33 days
0.05	27	yellow with some green patches
0.10	64	green with yellow spots
0.15	92	green with yellow spots
0.20	105	green
0.25	109	green

	17
	17
(i)	Describe the effects of <b>decreasing</b> the concentration of magnesium salt growth of <i>S. polyrhiza</i> .
	[3]
(ii)	Explain how magnesium deficiency affects the growth and appearance of this plant.
	[3]
	[Total: 14]

Fig. 6.1 shows three different insects. 6







Vespula rufa insect 2




Callicera rufa insect 3

Fig. 6.1

	(a	) Insects 1	and 2 are more close	ly related to each	other than to insect 3
--	----	-------------	----------------------	--------------------	------------------------

(i)	Explain how the binomial names indicate that insects 1 and 2 are more closely related.
	[2]
(ii)	Explain how the appearance of the three insects suggests that insects 1 and 2 are more closely related.
	[2]

*Vespula flavopilosa* gives a painful sting. The insect shown in Fig. 6.2 is very similar in appearance to *Vespula flavopilosa* but does not give a sting.





Chrysotoxum cautum

Fig. 6.2

(b)	Chrysotoxum cautum is very similar in appearance to Vespula flavopilosa. Explain how this is an advantage.
	[2]
	[2]
(c)	It is thought that <i>Chrysotoxum cautum</i> evolved from an insect that did not have any stripes.
	Suggest how these insects became striped.
	[5]

[Total: 11]

20

## **BLANK PAGE**

www.PapaCambridge.com

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.