

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Original Com

·	
~	
* 9	
2	
4	
4	
4	
0	
_	
7	
ū	
œ	

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

BIOLOGY 0610/61

Paper 6 Alternative to Practical

May/June 2011

1 hour

Candidates answer on the Question Paper

Additional Materials: ruler

SUITABLE FOR HEARING IMPAIRED CANDIDATES.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
Total	

This document consists of 10 printed pages and 2 blank pages.



2

BLANK PAGE

www.PapaCambridge.com

www.papaCambridge.com Students investigated samples of amylase from 100 goats. 100 small filter pape 1 were each soaked in a different sample of goat amylase. The students tested the activity these amylase samples using plain paper. Plain paper contains starch.

A circle of plain paper was placed into a Petri dish as shown in Fig. 1.1. Iodine solution was used to stain the starch in the plain paper.

(a) When iodine solution reacts with the starch in the plain paper, what colour would you see?

[1]




Fig. 1.1

Ten amylase soaked filter paper discs were placed into one of the Petri dishes as shown in Fig. 1.1.

Ten Petri dishes were set up as in Fig. 1.1.

The students lifted the filter paper discs at one-minute intervals and recorded the number of areas where there had been a reaction.

(b) How would the students know that a reaction had taken place?

[1]

www.PapaCambridge.com If a reaction had not taken place, the students replaced the disc of filter paper for minute. This procedure was repeated for five minutes.

Their results are recorded in Table 1.1.

Table 1.1

time / minutes	number of new areas where there had been a reaction	total number of areas where there had been a reaction
1	14	14
2	28	42
3	18	60
4	12	
5	6	

(c) (i) Complete Table 1.1 by calculating the total number of areas where there had been a reaction after 4 and 5 minutes.

Write your answers in the spaces in Table 1.1.

Show your working in the space below.

www.PapaCambridge.com 5 (ii) Plot the data from the first two columns in Table 1.1, to show the difference the activity of amylase. [5] (iii) Suggest two reasons for the differences in amylase activity of the samples. (d) Suggest three ways in which you could improve this investigation.

[Total: 14]

2 Fig. 2.1 is a photograph of a dandelion fruit.



Fig. 2.1

(a) Make a large drawing of the fruit in the space below.

Add labels to show:

- where the fruit was attached to the plant,
- the position of the seed.

For miner's

(b)	(i)	Measure the length of the fruit in Fig. 2.1 and draw a straight line next drawing to show this length.	
		length of fruit in Fig. 2.1	1
		length of fruit in your drawing [2]	
	(ii)	Calculate the magnification of your drawing.	
		Show your working.	

magnification _____ [2]

(c) Fig. 2.2 shows a fruit which has been kept in a dry environment for one day.

Fig. 2.3 shows a fruit which has been kept in a **damp** environment for one day.






Fig. 2.2

Fig. 2.3

(i) Complete the table below to show one visible difference between the two dandelion fruits.

feature	dry fruit shown in Fig. 2.2	damp fruit shown in Fig. 2.3


1	/ii\	Suggest	and eval	ain how	changing	weather	conditions	would:
١	(11)	Suggesi	and expi	aiii iiow	Changing	weamer	COHUILIONS	would.

help disperse the fruits away from the parent plant,

www.PapaCambridge.com allow them to germinate in a new habitat.

[Total: 16]

3 Fig. 3.1 shows sections through ginger (*Zingiber officinale*) and lotus (*Nelumbo na* stems.



ginger

lotus

Fig. 3.1

(a)	(i)	State one visible similarity between the two stems.	
			[1]

(ii) Complete Table 3.1 to show three visible differences between the two stems.

Table 3.1

	stem		
difference	ginger	lotus	
1			
2			
3			

(b)	Lotus plants live in water. Suggest and explain an adaptation of the lotus stem to its water habitat.
	Suggest and explain an adaptation of the lotus stem to its water habitat.
	[2]
(c)	The cells of lotus roots contain starch grains.
	Describe how you would prepare a microscope slide of the cells of a lotus stem to show the starch grains.
	[4]
	[Total: 10]

For iner's 12

BLANK PAGE

www.PapaCambridge.com

Copyright Acknowledgements:

Question 2a Figure 2.1

 $@ \ dandelion\ taraxacum\ officinale\ studio;\ Dirk\ v.\ Mallinckrodt\ /\ Alamy.$

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.