



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Origine: Com

		_
		=
		=
		-
		=
		=
		-
		=
		=
_		=
		=
		≡
=		=
		-
		≡
_	_	÷
		-
		=
_		=
		=
=		=
		=
		≡

0

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

Biology 0610/53

Paper 5 Practical Test

October/November 2011

1 hour 15 mins

Candidates answer on the Question Paper

Additional Materials: As listed in the Confidential Instructions

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer both questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use		
1		
2		
Total		

This document consists of 8 printed pages.



- 1 You are provided with part of a fruit labelled Y1.
 - (a) Make a large, labelled diagram of the fruit to show
 - the arrangement of the seeds,
 - the thickness of the fruit wall.

Anno Salai Camp For iner's

•	Remove	nnα	haas
•	Remove	OHE	Seeu

	the state of the s	
	3 M. Day	
•	Remove one seed.	1
Des	scribe the external appearance of this seed.	500
		,
	[2]	
(i)	Describe how you could carry out food tests on the internal structure of the seed to show if the food material stored by the seed contained any of the following.	
	fat	
	starch	
	[4]	
•	Remove three more seeds. Remove the testa (seed coat) from each seed.	
(ii)	Test the internal structure of the seeds for fat and starch. Record your observations and conclusion in Table 1.1.	
	(i)	Remove one seed. Describe the external appearance of this seed. [2] (i) Describe how you could carry out food tests on the internal structure of the seed to show if the food material stored by the seed contained any of the following. fat starch [4] Remove three more seeds. Remove the testa (seed coat) from each seed.

Table 1.1

test	initial observation	final observation	conclusion
fat			
starch			

[4]

Fig. 1.1 shows a seedling which has grown from a seed taken from fruit **Y1**.




Fig. 1.1

(d)	(i)	Complete the labelling of the seedling on Fig. 1.1. The testa of this seedling has been labelled for you.	[2]
((ii)	Describe how you would germinate these seeds. Include the environmental conditions required.	
			••••
			••••
			[3]

[Total: 20]

For iner's

www.PapaCambridge.com 2 You are provided with two pieces of potato. These are long thin strips which will be 'chips'.

The chips were cut to measure 60 mm in length.

One chip is in a concentrated salt (sodium chloride) solution, labelled **salt solution**.

The other chip is in distilled water, labelled **distilled water**.

- Remove the chip from the salt solution.
- Carefully blot it dry using a paper towel.
- Place the chip on the black card.

(a)	(i)	Measure the length of this chip and record it below. Record any change in length from the original 60 mm.			
		length			
		change	[2]		
	(ii)	Describe the appearance and texture of this chip.			
			[2]		
•	Car	move the other chip from the distilled water. efully blot it dry using a paper towel. ce the chip on the black card.			
(b)	(i)	Measure the length of this chip and record it below. Record any change in length from the original 60 mm.			
		length			
		change	[2]		
	(ii)	Describe the appearance and texture of this chip.			
			[2]		

>	iner's
(1/2
•	50
	.60
	17

(c)	Explain the changes that you have observed in these two chips.
	[4]

A similar investigation was carried out by a group of students.

They measured the masses of five chips before putting each chip into a different concentration of sucrose solution.

The chips were left in the solutions for two hours.

After two hours each chip was removed from the sucrose solution and its mass measured.

The results are shown in Table 2.1.


Table 2.1

concentration of sucrose solution /g dm ⁻³	mass at start / g	mass after two hours / g	difference in mass / g	percentage change
0.0	1.36	1.49	+0.13	9.56
35.0	1.41	1.48	+0.07	4.96
70.0	1.46	1.47	+0.01	0.68
175.0	1.47	1.38	-0.09	-6.12
270.0	1.45	1.31	-0.14	

(d) (i) Complete Table 2.1 by calculating the percentage change in mass for the concentrated solution. Show your working. Write your answer in Table 2.1.

(ii)	Suggest why it is necessary to calculate the percentage change in mass who comparing the chips.	[1] nen
		[1]

(iii) Plot a graph to show the percentage change in mass against the concentration of sucrose solution. Use the grid and axes provided.



% decrease in mass

%

increase in mass

(ii)

(e)	(i)	Use your graph to find the concentration of sucrose solution the chip would stay the same.		r ner'
			a.dm ⁻³ [1]	0

	5 1.7				
Explain why the mass would stay the	ain why the mass would stay the same.				
	[1]				
	[Total: 20]				

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.