


This document consists of 19 printed pages and 1 blank page.



1 Animals without backbones are classified into a number of groups.

Draw **one** line from each of the named groups to its description.




[Total: 4]

| (a) (i | 3 State what is meant by the term <i>excretion</i> . |
|--------|--|
| | |
| (ii | [2] Name the main substance that is excreted in expired air. |
| | [1] |
| (iii |) Urine contains water. Name two other excretory products found in the urine of a healthy person. |
| | and[1] |
| | |
| | $\begin{array}{c} key \\ \rightarrow \text{ direction of } \\ blood flow \end{array}$ |
| | |
| Ν | |
| N A | $ \begin{array}{c} & & \\ & & \\ & & \\ & & \\ & & \\ & & $ |

(c) In the digestive system, proteins are digested into amino acids.

| the second second | |
|--|------|
| 4 | |
| In the digestive system, proteins are digested into amino acids. | For |
| 4 In the digestive system, proteins are digested into amino acids. Describe what happens to any of these amino acids that are in excess, and how the breakdown product is removed from the body. | dec. |
| | OTH |
| | |
| | |
| | |
| | |
| | |
| | |
| [4] | |
| [Total: 10] | |



www.papacambridge.com Table 4.1 shows the percentage of each of the gases present in the atmosphere 4 expired air.

| gas | % of atmospheric air | % of expired air |
|----------------|----------------------|------------------|
| carbon dioxide | 0.04 | 4.00 |
| oxygen | 21.00 | 16.00 |
| x | 78.00 | 78.00 |
| other gases | 0.96 | 2.00 |

Table 4.1

(a) Identify gas X.

[1]

(b) Fig. 4.1 shows the volume of air exchanged during each breath at rest and during vigorous exercise.




Fig. 4.1

(i) State the volume of air inhaled in each breath at rest.

_____dm³ [1]

| | 4742 | |
|---------|--|---------------|
| | 7 State how many breaths are taken in one minute at rest. Calculate the volume of air exchanged in one minute at rest. | |
| (ii) | State how many breaths are taken in one minute at rest. | =or iner's |
| () | | 0 |
| (iii) | Calculate the volume of air exchanged in one minute at rest. | CON |
| | | |
| | dm ³ [1] | |
| (iv) | Using information from Table 4.1, calculate the volume of oxygen absorbed in one minute at rest. | |
| | Show your working. | |
| | | |
| | dm ³ [2] | |
| (c) (i) | Describe what happens to both the rate and depth of breathing during vigorous | |
| | exercise. | |
| | [1] | |
| (ii) | Suggest why the changes in the rate and depth of breathing are important for the | |
| | person doing exercise. | |
| | | |
| | | |
| | [2] | |
| (iii) | Suggest why the person's heart rate also changes during exercise. | |
| | | |
| | | |
| | | |
| | | |
| | [3] | |
| | [Total: 12] | |





Fig. 5.1

(a) (i) Explain why the whole food web depends on the producers such as the grass and trees.


| | | [3] |
|-------|--|-----|
| (ii) | Name two herbivores in this food web. | |
| | 1 | |
| | 2 | [1] |
| (iii) | State the trophic level of the frog. | |
| | | [1] |

5 Fig. 5.1 shows a food web that is part of an ecosystem in the Amazon rainforest.

8



6 Fig. 6.1 shows a human fetus developing inside a uterus.






| (a) (i) | Name the structures labelled S and T . |
|---------|---|
| | S |
| | T[1] |
| (ii) | Explain the function of the placenta in the healthy development of the fetus. |
| | |
| | |
| | |
| | |
| | |
| | [3] |


www.papacambridge.com

(iii) The blood supply of the mother and of the fetus are kept separate from each at the placenta.

| 4247 | |
|---|---------------|
| 11 2.02 | |
| The blood supply of the mother and of the fetus are kept separate from each at the placenta. | For iner's |
| 11 The blood supply of the mother and of the fetus are kept separate from each other at the placenta. Suggest and explain two reasons why these two blood systems must not be joined to each other. | 0e.co. |
| 1 | 133 |
| | 1 |
| | - |
| 2 | |
| | |
| | |
| [4] | |










(a) Name the processes that are happening at points 1, 2 and 3 in the water cycle.
1
2
3
(b) On mountains, rainwater drains over the surface and sinks into the soil.
Explain why the soil on mountainsides may be poor for agriculture.

www.papaCambridge.com



(b) Measurements were made of the mass of water taken in and lost by a plant even hours for 24 hours.




Fig. 8.2 is a graph showing the mass of water lost from the plant by transpiration.

(i) Use the graph, Fig. 8.2, to state the time when the mass of water lost was greatest.

[1]

| shows the mass of wa ne data has been plotte | ter taken in by the plant every two hours. ed in Fig. 8.3. | For iner's |
|---|---|------------------------|
| | Table 8.1 | stidge |
| time of day | mass of water taken in by plant / g | hunn Papacambridge.com |
| 6 am | plotted | |
| 8 am | plotted | |
| 10 am | 22 | |
| 12 noon | 40 | |
| 2 pm | 50 | |
| 4 pm | 44 | |
| 6 pm | 30 | |
| 8 pm | 10 | |
| 10 pm | plotted | |
| 12 midnight | plotted | |
| 2 am | plotted | |
| 4 am | plotted | |
| 6 am | plotted | |




Fig. 8.3 shows the mass of water lost and the mass of water taken in by the plant du same period.

(iii) State the period of time during which water taken in was less than water lost.

| | | [1] |
|------|---|-----|
| (iv) | Describe the state of the stomata between 6 am and 2 pm. | |
| | | [1] |
| (v) | Suggest one factor that caused the state in (b)(iv) . | |
| | | [1] |

| | 18 XMM, D 25 | |
|------|---|---------------|
| (vi) | Name and explain one factor, other than your answer to (b)(v) , that might in the loss of water from a leaf during the day. | For bridge |
| | | C.Com |
| | | |
| | | |
| | | |
| | [3] | |
| | [Total: 13] | |

www.papacambridge.com Table 9.1 shows the percentage of the main types of foods in the diet of two teenage 9 One girl lives in Great Britain and the other girl in sub-Saharan Africa.

| Table | 9.1 |
|-------|-----|
|-------|-----|

| food type | girl in Great Britain % of diet | girl in sub-Saharan Africa % of diet |
|----------------------|------------------------------------|---|
| cereals | 15.0 | 75.0 |
| fruit and vegetables | 35.0 | 15.0 |
| milk and cheese | 15.0 | 7.5 |
| eggs, fish and meat | 30.0 | 2.5 |
| sweets and sugar | 5.0 | 0.0 |

(a) Compare the percentage of foods rich in fats in the two diets.

[1]

(b) Suggest how the lack of sweets and sugar in the diet of the African girl might benefit her health.

[2]

(c) The diet of the African girl contains much less protein than that of the British girl. Suggest and explain one way in which a diet containing little protein might affect her physical development.

[2] [Total: 5]



BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of