

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

Original Control

October/November 2012

1 hour

| *        |  |
|----------|--|
| Ν        |  |
| 6        |  |
| W        |  |
| W        |  |
| ∞        |  |
| _        |  |
| ū        |  |
| 2        |  |
| 2        |  |
| <u>~</u> |  |
| *        |  |

| BIOLOGY          |                     |  | 06 | 10/61 |
|------------------|---------------------|--|----|-------|
| CENTRE<br>NUMBER | CANDIDATE<br>NUMBER |  |    |       |

Candidates answer on the Question Paper

No Additional Materials are required.

Paper 6 Alternative to Practical

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

| For Examiner's Use |  |  |  |  |
|--------------------|--|--|--|--|
| 1                  |  |  |  |  |
| 2                  |  |  |  |  |
| 3                  |  |  |  |  |
| Total              |  |  |  |  |

This document consists of 13 printed pages and 3 blank pages.



W1 and the form iner's tration

Some students compared the metabolism of two yeast mixtures in test-tubes **W1** and using the apparatus shown in Fig. 1.1. Both mixtures contained the same concentration sucrose.




Fig. 1.1

The apparatus was left for two minutes. After this period, the number of gas bubbles released from the delivery tube was counted for two minutes. This number was recorded as **trial 1** in Table 1.1.

The yeast mixture was shaken and the number of bubbles was recorded for two more minutes as **trial 2**. This was repeated for **trial 3**.

The whole procedure was then repeated using test-tube **W2**.

The results for all three trials for test-tube **W2** were recorded in Table 1.1.

Table 1.1

| yeast mixture | number of bubbles of gas released in two minutes |         |         |  |  |  |  |
|---------------|--|---------|---------|--|--|--|--|
| yeast mixture | trial 1  | trial 2 | trial 3 |  |  |  |  |
| W1            | 5  | 3       | 2       |  |  |  |  |
| W2            | 20   | 15      | 10      |  |  |  |  |

- (a) Gas bubbles are produced in this experiment.
  - (i) State which metabolic process is being carried out by the yeast cells to produce this gas.

[1]

(ii) Name this gas. [1]

|     | (iii) | Describe a test for this gas and the result that you would expect.                           |
|-----|-------|--|
|     |       |  |
|     |       |  |
|     |       | [2]  |
| 'b) | Suc   | gest why the test-tubes <b>W1</b> and <b>W2</b> were placed in a beaker of warm water during |
| .~, |       | experiment.  |
|     |       |  |
|     |       |  |
|     |       | [2]  |
| (c) |       | scribe <b>and</b> explain any differences observed in the number of bubbles of gas eased.    |
|     |       |  |
|     |       |  |
|     |       |  |
|     |       |  |
|     |       | [3]  |

For iner's

| (d) | State <b>two</b> source<br>Suggest how to | ces of error in the <b>method</b> of this investigation.  o improve the method to reduce <b>each</b> source of error. |
|-----|---|---|
|     | source of error                           |   |
|     | improvement                               |   |
|     |   |   |
|     | source of error                           | ,   |
|     | improvement                               |   |
|     |   | [4]   |
|     |   | [Total: 13]   |

For iner's

www.PapaCambridge.com

Question 2 begins on page 6.

Fig. 2.1 shows the upper surface of two leaves, W3 and W4. 2




Fig. 2.1

(a) Make a large, labelled drawing of leaf W3.

www.PapaCambridge.com

(b) Carefully observe leaf W3 and leaf W4 in Fig. 2.1.

|      | my  |        |
|------|---|--------|
|      | 7   |        |
| Car  | refully observe leaf <b>W3</b> and leaf <b>W4</b> in Fig. 2.1.  | For    |
| Des  | refully observe leaf <b>W3</b> and leaf <b>W4</b> in Fig. 2.1. scribe <b>one similarity</b> and <b>two differences</b> that you can see. Do <b>not</b> include size or comparison. similarity | Dridge |
| (i)  | similarity  | .6     |
|      |   | `      |
|      |   | 1]     |
| (ii) | differences   |        |
|      | 1   |        |
|      |   |        |
|      | 2   |        |
|      |   | 2]     |




Fig. 2.2

- (c) (i) On Fig. 2.2, draw a line to label a photosynthetic cell in the palisade layer. [1]
  - (ii) Draw arrows on Fig. 2.2 to show the pathway that carbon dioxide gas must take to reach the photosynthetic cell labelled in (c)(i) from the air outside the leaf. [2]

|     |   | www.PattaCambi   |
|-----|---|--|
|     | 9   | 1.0  |
| (d) | Measure the length, from <b>A</b> to <b>B</b> , of cell <b>Y</b> on Fig. 2.2. | TO COL   |
|     | Record your measurement.  | The state of the s |
|     | length from <b>A</b> to <b>B</b> mm   |  |
|     | Calculate the actual length of cell <b>Y</b> .                                |  |
|     | Show your working.  |  |
|     |   |  |
|     |   |  |
|     |   |  |
|     |   |  |
|     |   |  |
|     |   |  |
|     | actual length of cell <b>Y</b> mm   | [3]  |

When leaves die, they fall from the tree and are eventually decomposed.

www.PapaCambridge.com Some students investigated the decomposition of samples of leaves. They made drawing and weighed the samples at intervals over a period of two years.


Table 2.1 shows the results of this investigation.

Table 2.1

| time / months | mass of leaves in sample / g | appearance of one leaf in the sample. |
|---------------|------------------------------|---------------------------------------|
| 0             | 42.5                         |                                       |
| 6             | 46.0                         |                                       |
| 12            | 32.5                         |                                       |
| 18            | 16.0                         |                                       |
| 24            | 7.5                          |                                       |

| the leaves during the two | of the | earance | ın a | changes | the | explain | and | Describe<br>years. | (i) | (e) |
|---------------------------|--------|---------|------|---------|-----|---------|-----|--------------------|-----|-----|
|                           |        |         |      |         |     |         |     |                    |     |     |
|                           |        |         |      |         |     |         |     |                    |     |     |
|                           |        |         |      |         |     |         |     |                    |     |     |
|                           |        |         |      |         |     |         |     |                    |     |     |
|                           |        |         |      |         |     |         |     |                    |     |     |
| [3]                       |        |         |      |         |     |         |     |                    |     |     |

| (ii) | Use the measurements from Table 2.1 to plot a graph to show how the mass leaf samples change with time. | For iner's  |
|------|---|-------------|
|      | lear samples change with time.  | TOTAL TOTAL |




|       |   | [4]  |
|-------|---|------|
| (iii) | Describe the results for the change in mass shown on the graph. |      |
|       |   |      |
|       |   |      |
|       |   |      |
|       |   | •••• |
|       |   |      |
|       |   |      |
|       |   | [3]  |
|       |   | [3   |

[Total: 23]

Fig. 3.1

Fig. 3.2 shows the external features of six other animals.



(a) Give the letters of **two** animals that belong to the same group as the invertebrate shown in Fig. 3.1.

| 1 |     |
|---|-----|
| 2 | [2] |

AMANA BABACAIN For iner's

| (b) | Desc | ribe <b>two</b> similarities, <b>visible</b> in Fig. 3.2, between animal <b>B</b> and animal <b>F</b> . | S         | ann |
|-----|------|---|-----------|-----|
|     | 1    |   |           | Tig |
|     | 2    |   |           |     |
|     |      |   | [2        | 2]  |
|     |      |   | [Total: 4 | 4]  |

**BLANK PAGE** 

www.PapaCambridge.com

**BLANK PAGE** 

www.PapaCambridge.com

16

## **BLANK PAGE**

www.papaCambridge.com

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.