| | | s a hormone produced to control blood glucose levels. Diabetics do not have a ability to control these levels. |
|-----|-------|---|
| (a) | Def | ine the term hormone. |
| | | [2] |
| (b) | | n reference to the pancreas and the liver, describe the role of insulin in controlling od glucose levels. |
| | | |
| | | |
| | | |
| | | [4] |
| (c) | : | Insulin is a protein. Diabetics can control their blood glucose levels artificially by injecting insulin. Many medicines are swallowed as tablets. |
| | Exp | lain what would happen to the insulin in the stomach if it was swallowed as a tablet. |
| | | |
| | | [2] |
| (d) | | alternative treatment to injecting insulin is being developed. The insulin is inhaled the lungs as a spray. It is then absorbed into the bloodstream. |
| | (i) | Suggest the path the spray would take from the mouth to enter the alveoli. |
| | | [3] |
| | (ii) | |
| | | [1] |
| | (iii) | State three features of the alveoli that might help the insulin to pass into the blood stream efficiently. |
| | | 1 |
| | | 2 |
| | | [Total: 15] |
| | | |
| | | |

1.

2 Fig. 2.1 shows the blood supply for the liver of a mammal.




Fig. 2.1

(a) Blood from organ X is carried to the liver by blood vessel Y.

Name

(i) organ X,

______[1]

(ii) blood vessel Y.

_____[1]

Liver cells absorb glucose and amino acids from the blood and help to regulate the concentrations of these substances in the blood.

(c) Explain how liver cells help to regulate the concentration of glucose in the blood in response to hormones from the pancreas in each of the following situations.

Blood glucose concentration is higher than normal.

Blood glucose concentration is lower than normal.

(d) Describe what happens to amino acids inside liver cells.

3. Fig. 5.1 shows a capillary inside a tissue.




Fig. 5.1

| (a) | (i) | State how oxygen passes from the capillary into cell Q and describe the function this gas in a cell. | of |
|-----|-------|---|-----|
| | | | |
| | | | [2] |
| | (ii) | Name two substances required by cells, other than oxygen , that pass from the blood to the tissue fluid at ${\bf R}$. | 1e |
| | | 1. | |
| | | 2. | [1] |
| | (iii) | Name two substances $produced$ by $cells$ that pass from the tissue fluid to the blood at ${\bf S}$. | ne |
| | | 1. | |
| | | 2[| [1] |
| (b) | ada | h reference to Fig. 5.1, describe and explain two ways in which capillaries and apted to their function. | |
| | | | |
| | | | [4] |
| (c) | Tiss | sue fluid drains into vessel P at T and eventually returns to the blood. | |
| | (i) | Name the type of vessel labelled P. | |
| | | | [1] |
| | (ii) | Explain how fluid passes along these vessels. | |
| | | | |
| | | | [1] |
| | | [Total: 1 | 0] |

Fig. 1.1 shows a section of a villus at two different magnifications.




Fig. 1.1

(a) Label the structures shown in Fig. 1.1.

Write the labels in the boxes in Fig. 1.1.

[3]

(b) Suggest the role of the muscle tissue shown in the villus in Fig. 1.1.

.....

Fig. 1.2 shows an experiment to investigate the uptake of glucose by cells of the villi.

- Two leak-proof bags were set up.
- One bag was made from artificial partially permeable membrane (Visking tubing). The other bag was made from a piece of small intestine containing living cells, with its inner surface inside the bag.
- The bags were filled with equal volumes of a dilute glucose solution.
- The bags were suspended in the same glucose solution for two hours.
- After two hours, the volumes of the bags were measured and the contents were tested for the concentration of glucose.




Fig. 1.2

Inside the bag made from small intestine the volume and concentration of the glucose solution decreased. There were no changes to the volume and concentration in the Visking tubing bag.

(c) State and explain the process responsible for the decrease in the glucose concentration in the bag made from small intestine.


| (d) | After two hours there was less water in the bag made from small intestine. | | | | | | | |
|-----|--|----------------------------------|------------------------------|----------------------------------|--|--|--|--|
| | The volume of water in the bag made from small intestine decreased, but the volume in the bag made from Visking tubing did not change. Explain why. | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | [3] | | | | |
| (e) | An investigation studi Table 1.1 shows the r | | nto and out of the hur | man alimentary canal. | | | | |
| | | Table 1.1 | 1 | | | | | |
| | water into the a | limentary canal | water out of the | alimentary canal | | | | |
| | source of water | volume of water / dm³ per day | method of water loss | volume of water / dm³ per day | | | | |
| | water from diet | 2.5 | stomach to the blood | 0.00 | | | | |
| | saliva | 1.5 | small intestine to the blood | 9.00 | | | | |
| | gastric juice | 2.4 | large intestine to the blood | 0.85 | | | | |
| | bile | 0.8 | in the faeces | 0.15 | | | | |
| | pancreatic juice | 0.8 | | | | | | |
| | intestinal secretions | 2.0 | | | | | | |
| | (i) Name the part of | the alimentary canal t | hat secretes most wat | er in a digestive juice. | | | | |
| | | | | | | | | |
| | (ii) Name the part of | | | | | | | |
| | | | | [1] | | | | |
| | (iii) Explain why wate | | | | | | | |
| | (iii) Explain why water | . Is added to lood by | and decircularis shown i | Trable III. | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | [3] | | | | |
| | (iv) Explain why it is i | mportant that water is | absorbed in the alime | entary canal. | | | | |
| | | | | | | | | |
| | | | | | | | | |

[2]

[Total: 17]

Fig. 3.1 shows a fetus in the uterus immediately before birth.

5.



| | Fig. 3.1 |
|-----|--|
| (a) | Describe the functions of the amniotic sac and amniotic fluid. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | [4] |
| (b) | List three functions of the placenta. |
| | 1 |
| | |
| | 2 |
| | |
| | 3 |
| | [3] |
| (c) | State what happens to structures A and B during birth. |
| | |
| | |
| | |
| | [2] |
| (d) | Discuss the advantages and possible disadvantages of breast-feeding. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

 Male and female sex hormones control the development of secondary sexual characteristics.

Table 3.1

| sex hormones | | testosterone | oestrogen |
|------------------|---|--------------|-----------|
| | | | |
| | | | |
| secondary sexual | 1 | | |
| characteristics | 2 | | |

(a) Complete Table 3.1.

Write your answers in the boxes in Table 3.1.

[3]

(b) Some women do not release eggs. The hormone FSH is used in fertility treatment for such women.

Name the organs in the female body responsible for the following:

(i) production of FSH,

______[1

(ii) release of eggs.

______[1]

7. (a) Fig. 1.1 is a diagram of the human digestive system.




Fig. 1.1

Use the letters from Fig. 1.1 to complete Table 1.1 to give the part of the human digestive system that is identified by each function.

Write one letter only in each box. You may use the same letter more than once. There are some letters that you will not use. The first one has been done for you.

Table 1.1

| function | letter |
|--|--------|
| peristalsis | В |
| protein digestion | |
| insulin production | |
| deamination | |
| partially digested food is mixed with bile | |
| most water is reabsorbed | |

The human diet provides nutrients for the synthesis of biological molecules that make up cells, cell products and tissues.

(b) (i) Complete Table 1.2 to show the nutrients that are absorbed from food to synthesise the large molecules listed.


Table 1.2

| large molecules | nutrients absorbed |
|-----------------|--------------------|
| protein | |
| glycogen | |
| fat | |

(ii) Mineral ions are required in the human diet in small quantities. State the mineral ion required for each process: making bone making haemoglobin. (iii) State another type of nutrient required in the human diet in small quantities. ______[1]

- 8. Fig. 1.1 A shows a cell from the lining of the alimentary canal.
 - Fig. 1.1 B shows a cell from the lining of a kidney tubule.

Both cells absorb substances into the blood.




| (a) | Name the structures labelled C on the cells in Fig. 1.1. | |
|-----|--|-----|
| | | [1] |
| (b) | List three substances that are absorbed by both cells shown in Fig. 1.1. | |
| | 1 | |
| | 2 | |
| | 3 | [3] |
| (c) | Explain how both cells shown in Fig. 1.1 are adapted for absorption of substances in the blood. | nto |
| | | |
| | | |
| | | |
| | | |
| | | [2] |

(d) Name the part of the alimentary canal that is lined by the cells shown in Fig. 1.1 A.

[Total: 7]

[3]

Fig. 4.1 shows a vertical section of a human heart.



Fia. 4.1

(a) Identify the blood vessels labelled J to M.

| J | |
|---|------|
| ĸ | |
| L | |
| м | [4] |

(b) Sensors that detect changes in blood pressure were placed into the blood vessels surrounding the heart. Recordings were taken at the times when the ventricles contracted and when they relaxed.

The blood pressures recorded are shown in Table 4.1.

Table 4.1

| blood vessel | blood pressure / kPa | | |
|--------------|-------------------------------|------------------------------|--|
| blood vessel | contraction of the ventricles | relaxation of the ventricles | |
| J | 16.0 | 10.0 | |
| к | 0.3 | 0.3 | |
| L | 0.3 | 0.3 | |
| м | 2.0 | 0.5 | |

- M 2.0 0.5

 (i) Explain why the pressure in blood vessel J is greater than the pressure in blood vessel M. [2]

 (ii) Explain why the pressure in blood vessels K and L is much less than the pressure in blood vessels J and M. [2]

 (c) Explain how the valves at N and O maintain one-way flow of blood through the heart. [2]

 (d) Other than in the heart, state where valves similar to those at O are found in the circulatory system.
- (d) Other than in the heart, state where valves similar to those at O are found in the circulatory system.

 [1]

10. Fig. 5.1 shows the human male reproductive system and part of the urinary system.




Fig. 5.1

(a) Complete Table 5.1 by identifying the structure in the male reproductive system shown in Fig. 5.1 that carries out each of the functions listed.

Write one letter only in each box. You may use the same letter more than once. There are some letters that you will not use. The first one has been done for you.


Table 5.1

| function | structure |
|------------------------------|-----------|
| stores urine | A |
| produces gametes | |
| produces seminal fluid | |
| moves gametes by peristalsis | |
| produces testosterone | |

| | | | [4] |
|-----|------|---|-----|
| (b) | Des | scribe how human male gametes differ from human female gametes. | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | [4] |
| (c) | Son | ne women have difficulty becoming pregnant. They can be helped by taking fertiligs. They can also be helped by artificial insemination. | ity |
| | (i) | Describe how fertility drugs help women to become pregnant. | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | [3] |
| | (ii) | Describe how artificial insemination is carried out. | |
| | | | |
| | | | |
| | | | |
| | | | [2] |

[Total: 13]

Fig. 4.1 shows the liver, its blood supply and some other organs. The blood vessels are labelled **P** to **R**.



(a) A person eats a meal containing protein and carbohydrate.

Complete Table 4.1 to show the blood vessel that has the **highest** concentration of glucose, oxygen and urea as this meal is absorbed.

Use the letter, P, Q or R to identify each blood vessel.

Table 4.1

| substance transported by blood | letter of blood vessel in Fig. 4.1 |
|-----------------------------------|------------------------------------|
| glucose | |
| oxygen | |
| urea | |

Write the letters for the blood vessels with the **highest** concentration of each substance in the spaces on Table 4.1. [3]

(b) Amino acids are absorbed from the small intestine and transported to the liver.

Describe how the liver is involved in the metabolism of amino acids.

[3] (c) Describe the effects on the liver of the following. (i) insulin released from the pancreas

[2] adrenaline released from the adrenal glands

(iii) excessive long-term consumption of alcohol

| (d) | Cholesterol can accumulate in the gall bladder to form gall stones. These gall stones may stop bile flowing from the liver through the bile duct and into the duodenum. Explain the possible effect of gall stones on the digestion of fat. |
|-----|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | [4] |
| | [Total: 16] |
| | egg cell is the female gamete. Fig. 5.1 shows an ovum at the time of ovulation. The m is surrounded by a 'jelly coat' and many follicle cells. |
| | 'jelly coat' egg cell |
| | follicle cells |
| | 0.14 mm |
| | Fig. 5.1 |
| | _ |
| (a) | Calculate the magnification of the egg cell as shown in Fig. 5.1. |
| | Show your working and express your answer to the nearest whole number. |
| | |
| | answer = [2] |
| | answer =[2] |
| (b) | State three ways in which the structure of an egg cell, as shown in Fig. 5.1, differs from the structure of a sperm cell. |
| | 1 |
| | 2 |
| | 3 [3] |
| | 3[3] |
| (c) | Meiosis is involved in the production of male and female gametes. |
| . , | Explain why it is important that meiosis occurs during the production of gametes. |
| | explain why it is important that melosis occurs during the production of gametes. |
| | |
| | |
| | |
| | |
| | |
| | [2] |
| Son | ne women are unable to become pregnant because they or their partner are infertile. |
| | Suggest one reason why a man may be infertile and one reason why a woman may be infertile. |
| | man |
| | |
| | |
| | |
| | woman |
| | woman |

12.

One way to treat infertility in a woman is to use artificial insemination (AI) using her partner's sperm.

The stages involved in Al are as follows.

- If the doctor decides that AI is suitable, the woman will be given a course of a fertility drug at an appropriate stage of her menstrual cycle.
- 2. 3. 4. After two weeks, ultrasound is used to find out when the woman is likely to ovulate.

(e)

(f)

(g)

- Sperm are collected from the man.
 The sperm are placed into the uterus of the woman near the time of ovulation.
 The woman is given an injection of a hormone to encourage the corpus luteum in the ovary to secrete progesterone.

| Explain why the sperm must be placed in the uterus near the time of ovulation. |
|--|
| |
| |
| |
| |
| |
| |
| [3] |
| Explain why it is important that progesterone is secreted after ovulation. |
| |
| |
| |
| |
| |
| |
| [3] |
| The success rate of AI is about 16%. |
| Suggest how the success rate of AI is calculated. |

[2]

13. (a) Fig. 1.1 shows the human head, neck and thorax.




Fig. 1.1

Complete Table 1.1 by writing one letter from Fig. 1.1 to identify the named structures. The first one has been done for you.

Table 1.1

| structure | letter from Fig. 1.1 |
|--------------------|----------------------|
| left lung | D |
| bronchus | |
| diaphragm | |
| intercostal muscle | |
| rib | |
| trachea | |

[Total: 17]

The kidneys remove metabolic waste from the liquid part of the blood. 14. Name: (i) the liquid part of the blood; [1] (ii) the process that involves removing metabolic waste from the body. ______[1] Fig. 1.1 shows a kidney tubule and its associated blood vessels. Fig. 1.1 (b) Describe the functions of the regions labelled A and B. [4] Table 1.1 shows the concentrations of some substances in the blood at X, the fluid at Y and Table 1.1 concentration / g per 100 cm3 substance blood at X fluid at Y urine at Z 0.1 0.1 glucose 0.0 7 o o protein sodium ions 0.35 0.35 0.5 0.03 0.03 2.0 urea (c) Name the substance shown in Table 1.1 that: (i) has molecules that are too large to pass through the walls of capillaries; (ii) is all reabsorbed in the kidney;

(d) Explain why the concentrations of sodium ions and urea are greater at Z than at Y.

(iii) is a metabolic waste product.

(e) People who have acute kidney failure are given dialysis treatment.

In dialysis machines, the blood flows through narrow tubes made from partially permeable membranes, surrounded by dialysis fluid.

(i) Dialysis fluid contains sodium ions.

Use the information in Table 1.1 to suggest the concentration of sodium ions that should be in the fluid and give a reason for your answer.

| concentration | g per 100 cm ³ | 3 |
|---------------|-------------------------------|----|
| reason | | |
| | | |
| | | 21 |

(ii) State two components of blood that are not in dialysis fluid.

| 1 | |
|---|-----|
| 2 | [2] |

(f) Heparin is added to the blood before it returns to the body from the dialysis machine. Heparin prevents a person's blood from clotting.

| Describe the process of blood clotting. | |
|---|--|
| | ······································ |
| | |
| | ······································ |
| | |
| | |
| | [3] |
| | |

[Total: 18]

15. The alimentary canal is adapted for chemical and mechanical digestion.

| (a) | Explain | how cl | hemical | digestion | differs | from | mech | anical | digestion | - |
|-----|---------|--------|---------|-----------|---------|------|------|--------|-----------|---|
|-----|---------|--------|---------|-----------|---------|------|------|--------|-----------|---|

| | |
|------|------|------|------|------|------|------|------|------|------|------|------|-----|
| | | | | | | | | | | | | |
| | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | |
| | | | | | | | | | | | | |
| | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | |
| | | | | | | | | | | | | [3] |
| | [O] |

Fig. 5.1 is a diagram of the human alimentary canal.




Fig. 5.1

(b) Table 5.1 shows four functions of the alimentary canal.

Complete the table by:

- naming the part of the system that carries out each of the functions;
- using the letters from Fig. 5.1 to identify the part of the system named.

One row has been completed for you.

Table 5.1

| function | name of part | letter from Fig. 5.1 |
|---|--------------|----------------------|
| produces bile | liver | J |
| most soluble food is absorbed into the blood | | |
| indigestible food is egested | | |
| hydrochloric acid is produced | | |
| protease, lipase and amylase are produced | | |

[4]

(c) Some people develop gallstones, made of cholesterol, that accumulate in the gall bladder and the bile duct. Gallstones block the flow of bile.

Explain how gallstones can affect the digestion of fat.

| | | | |
|------|------|------|-----|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | [3] |
| | | | |

(d) Cholesterol can also accumulate in the walls of the coronary arteries.

Explain the effects that this might have.

[3]

[Total: 13]

16. Fig. 3.1 shows a diagram of a cell from the pancreas that secretes the hormone, insulin.




Fig. 3.1

(a) State one function of each of the parts of the cell labelled A, B and C.

A

В

c

(b) Glucose in the blood is absorbed by liver cells and muscle cells. These cells convert glucose to glycogen for storage.

Explain why glucose needs to be converted to glycogen for storage rather than remaining dissolved in the blood.

| | Glu | cagon stimulates liver cells, but has no effect on muscle cells. | |
|-----|------|---|---------|
| | (i) | State the effect that glucagon has on liver cells. | |
| | | | [1] |
| | (ii) | State how hormones, such as glucagon and insulin, travel around the body. | |
| | | | |
| | | | [1] |
| (d) | | mone Growth Promotants (HGPs) are hormones. HGPs are used to improve the duction of food from animals. | he |
| | | ny of these HGPs are hormones that are secreted naturally by the gonads (ovarient testes). | es |
| | Nar | me two hormones that are secreted by the gonads. | |
| | 1 | | |
| | 2 . | | [2] |
| (e) | | hormones are given to cattle by placing implants behind the ears. These releast hormones slowly during the animal's life time. | se |
| | The | advantages of using HGPs in meat production are: | |
| | : | more meat is produced per animal; a 15 to 30% increase in growth rate; a 5 to 15% improvement in conversion of feed into meat; a decrease in greenhouse emissions from cattle. | |
| | Sug | gest: | |
| | (i) | the advantages of an increase in the conversion of feed into meat for the farmer; | |
| | | | |
| | | | |
| | | | |
| | | | [2] |
| | (ii) | how the use of HGPs leads to a decrease in greenhouse emissions from cattle. | |
| | | | |
| | | | |
| | | | |
| | | | [2] |
| (f) | HG | Ps are used in animal production systems in North America and Australia. | |
| | | European Union (EU) has banned the use of HGPs and the import of meat frontries where the hormones are used. | om |
| | Sug | ggest reasons for the ban on the use of HGPs in the EU. | |
| | | | |
| | | | |
| | | | |
| | | ······· | |
| | | | [2] |

(c) Other cells in the pancreas secrete the hormone glucagon.

Fig. 4.1 shows a cross section of a blood vessel as seen with an electron microscope.



| | Fig. 4.1 | | | | |
|-----|----------|---|--|--|--|
| (a) | Na | ame: | | | |
| | (i) | cell X; | | | |
| | (ii) | liquid Y; | | | |
| | (iii) | [1] the type of blood vessel shown in Fig. 4.1. | | | |
| | | [1] | | | |
| (b) | Sta | te three substances that move across the wall of the blood vessel at Z. | | | |
| | 1 | | | | |
| | 2 | | | | |
| | 3 | [3] | | | |
| | (ii) | Explain why it is necessary for the blood supply to muscles to increase during exercise. | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | [5] | | | |
| | (iii) | The volume of blood to different organs varies as shown in Table 4.1. | | | |
| | | During exercise, blood flow to the skin increases and to the kidneys decreases. | | | |
| | | Describe the changes that occur in blood vessels to cause blood flow to increase and to decrease. | | | |
| | | increase blood flow | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | decrease blood flow | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | [4] | | | |

[Total: 16]

| -, | Describe what happens after pollination that results in fertilisation in flowering pla |
|------------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| b) | Fig. 5.1 shows a fetus developing inside the uterus. |
| | uterus |
| | placenta |
| | umbilical cord back bone |
| | amniotic fluid |
| | amniotic sac |
| | cervix |
| | |
| | Fig. 5.1 |
| | |
| | Fig. 5.1 Describe how the structures named in Fig. 5.1 provide the following needs fetus. |
| | Describe how the structures named in Fig. 5.1 provide the following needs |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. protection |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. protection |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. protection |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. protection |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. protection constant temperature |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. protection constant temperature |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. protection constant temperature |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. protection constant temperature |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. protection constant temperature |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. protection constant temperature |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. protection constant temperature |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. protection constant temperature nutrients |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. protection constant temperature nutrients |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. protection constant temperature nutrients |
| | Describe how the structures named in Fig. 5.1 provide the following needs fetus. protection constant temperature nutrients |

[Total: 11]

| (a) | Define the term respiration. | | |
|-----|------------------------------|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | (a) | | |

(b) A rowing machine is a piece of apparatus that is used in many fitness centres.

Fig. 4.1 shows a man training on a rowing machine. The man in the photograph has his arms extended during the rowing stroke as shown in Fig. 4.2.




Fig. 4.1 Fig. 4.2

Use Fig. 4.2 to describe how the hand is moved closer to the chest during the rowing stroke.

 Fig. 2.1 shows the changes in a human ovary during the first part of the menstrual cycle and after the fertilisation of an egg.




Fig. 2.1

(a) (i) Name:

organ A

process B

cell C.

(ii) Name the hormone that promotes:

the growth of the follicle

process B.

| | (iii) | Explain how a sperm cell is adapted for its functions. |
|--------|-------|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | [3] |
| (b) | Exp | lain the advantages of sexual reproduction to an animal species. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | [Total: 13] |
| 21. (a |) De | escribe how food is moved along the small intestine. |
| | | |
| | | |
| | | [2] |
| Œ | | e small intestine is lined by many villi. |
| ,- | | g. 5.1 shows a longitudinal section of a villus. |
| | | g. 5.2 shows a cross-section of the same villus at V – W . |
| | | ne diagrams are not drawn to the same scale. |
| | | P \ |
| | | |
| | | |
| | | w w |
| ., | | |
| v | | |
| | | R |
| | | |
| | | |
| | < | |
| | | MMM microvilli |
| | | s cell T |
| | | Fig. 5.1 Fig. 5.2 |
| | (i) | Name structures P, Q, and R. |
| | | P |
| | | Q |
| | | R[3] |
| | (ii) | The blood that flows from S enters a vein. |
| | | Name the vein that transports blood away from the small intestine. |

| (iii) | Cell T is an example of the cells that form the surface of the villi. |
|-------|--|
| | Explain why there are many microvilli on cell T. |
| | |
| | |
| | |
| | |
| | [2] |
| (iv) | Some of the cells on the surface of the villi secrete mucus for protection. |
| | Suggest what the villi need to be protected against. |
| | |
| | |
| | |
| | [2] |
| | [Total: 10] |

22. Fig. 5.1 shows a cross-section of a kidney.



Fig. 5.1

| (a) | Name the structures labelled, E , F and G as shown in Fig. 5.1. | |
|-----|--|-----|
| | E | |
| | F | |
| | G | 31 |
| (b) | Explain the function of the renal capsule in the kidney. | .J] |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | [3] |
| (c) | Glucose is reabsorbed, back into the blood, by active transport. | |
| | Define active transport. | |
| | | |
| | | |
| | | |
| | | |
| | | [2] |
| (d) | Give one example, other than glucose, of a substance that is reabsorbed into the blood from the renal tubule. | om |
| | | [1] |
| (e) | Dialysis is a treatment for kidney disease. | |

Fig. 5.2 shows a dialysis machine.




Fig. 5.2

(i) The composition of the dialysis fluid changes as it passes through the dialysis machine. Complete Table 5.1 using the words 'low', 'high', 'same' or 'none' to show how the concentration of each substance changes in the dialysis fluid.

The last one has been done for you.

Table 5.1

| | concentration of substance in: | | |
|-----------|--------------------------------|---------------------|----------------------|
| substance | blood before dialysis | used dialysis fluid | fresh dialysis fluid |
| glucose | normal | | |
| salts | high | | |
| urea | high | | |
| toxins | high | high | low |
| | | | |

| | (ii) | i) Explain how a dialysis machine filters blood. | |
|------------|------------|--|-----------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | [4] |
| (f) | Ki | didney transplants are the most common organ transplants. | |
| | De | Describe the advantages of a kidney transplant compared with dialysis. | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | [3] |
| (g) | Be tis: | efore a kidney is transplanted, it is important to match the tissue type of the donor v ssue type of the recipient. | with the |
| | Sta | tate why this is necessary. | |
| | | | |
| | | | [1] |
| •• | | | otal: 20] |
| 23. | Man | mmals have a double circulation system. | |
| | (a) | Explain what is meant by a double circulation system. | |
| | | | |
| | | | |
| | | | [1] |
| | (b) | Table 5.1 shows some of the main organs in a mammal and the vessels that deliver ble | has boo |

Table 5.1

take it away.

Complete the table.

| organ | blood vessel | | |
|--------|--------------------|------------------|--|
| | delivers blood | takes blood away | |
| heart | 1 | 1 aorta | |
| | 2 vein | 2 artery | |
| lungs | pulmonary artery | | |
| liver | 1 hepatic artery 2 | hepatic vein | |
| kidney | artery | vein | |

(c) Table 5.2 shows the blood pressure in the different blood vessels that supply and drain a muscle in the leg.

Table 5.2

| blood vessel | mean blood pressure/kPa |
|------------------------------|-------------------------|
| aorta | 13 |
| femoral artery | 12 |
| distributing/muscular artery | 9 |
| arteriole in muscle | 6 |
| capillary in muscle | 4–1.3 |
| venule in muscle | 1.1 |
| femoral vein | < 1.0 |

| (i) | The table shows that the mean blood pressure decreases from 13 kPa in the aorta to 6 kPa in the arterioles. |
|-----|---|
| | Explain why blood pressure must decrease in the arterioles before entering the capillaries. |
| | |
| | |
| | |
| | |
| | [2] |
| ii) | Explain how blood returns to the heart in the femoral vein against the pull of gravity. |
| | |
| | |
| | |
| | |
| | |
| | |

(d) Fig. 5.1 shows a section across part of an artery.




Fig. 5.1

| With reference to Fig. 5.1, explain how the structure of an artery is r | |
|---|-----|
| | |
| | |
| | |
| | |
| | |
| | |
| | [3] |




Fig. 3.1

| (a) | Stat | e the function of red blood cells. |
|-----|------|---|
| | | |
| | | |
| | | [1] |
| (b) | The | re is a nucleus present in each of the red blood cells of the bird, as shown in Fig. 3.1. |
| | (i) | State the function of a nucleus. |
| | | |
| | | |
| | | [1] |
| | (ii) | Human red blood cells do not contain a nucleus. |
| | | State an advantage of this. |
| | | |
| | | |
| | | |

Red blood cells from humans were placed into three test-tubes. Each test-tube contained a salt solution of a different concentration. A sample was taken from each test-tube and viewed using a microscope. The results are shown in Fig. 3.2.




Fig. 3.2

(c) (i) Describe the appearance of the red blood cells in the 0.15 mol dm⁻³ salt solution and the red blood cells in the 0.20 mol dm⁻³ salt solution.

0.15 mol dm⁻³

0.20 mol dm⁻³

(ii) The red blood cells in the 0.10 mol dm⁻³ salt solution burst.

Explain why the red blood cells burst.

[2]

(iii) Suggest why a plant cell in 0.10 mol dm⁻³ salt solution would not burst.

| (d) | Son | ne people in accidents lose a lot of blood. Doctors give patients fluid to replace lost blood. |
|------|------|--|
| | (i) | Use the information in Fig. 3.2 to predict and explain the concentration of fluid replacement given to patients who have lost blood. |
| | | prediction |
| | | explanation |
| | | |
| | | [2] |
| | (ii) | Describe the process of blood clotting. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | [2] |
| | | [3] [Total: 14] |
| Fig. | 4.1 | shows part of the human gas exchange system. |
| | | K L |
| | | Fig. 4.1 |
| (a) | (i) | Name structure K. |
| | | [1] |
| | (ii) | Ciliated cells and goblet cells line structure L. |
| | | Explain the function of these cells in structure L. |
| | | |
| | | |
| | | *************************************** |
| | | |
| | | |
| | | [3] |

25.

| (b) | Gas | exchange occurs at the alveoli. |
|-----|-------|---|
| | (i) | Describe how oxygen molecules move from the alveoli into the blood. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | [3] |
| | (ii) | During inspiration, air moves from the atmosphere into the lungs. |
| | | Describe the mechanism of inspiration. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | [4] |
| | (iii) | Name one gas that is found in a higher concentration in expired air than in inspired air. |
| | | [1] |
| (c) | Tob | acco smoke affects the gas exchange system. |
| | | ne two components of tobacco smoke and describe their effect on the gas exchange tem. |
| | con | ponent 1 |
| | effe | ct |
| | | |
| | | |
| | con | ponent 2 |
| | effe | ct |
| | | |
| | | [43] |
| | | [4] |

[Total: 16]

(a) Fig. 5.1 shows some of the events (S to Y) between fertilisation and birth.

| s | development of the heart | | |
|---|---|--|--|
| т | placenta forms | | |
| U | ormones are released by mother to start contractions | | |
| v | mplantation of the embryo in the lining of the uterus | | |
| w | embryo forms into a ball of eight cells | | |
| × | development of sex organs | | |
| Y | fertilised ovum divides into two cells by mitosis | | |

Fig. 5.1

(i) Put the events into the correct sequence. Two have been done for you.

| Y | | | | x | |
|---|--|--|--|---|--|
|---|--|--|--|---|--|

Fig. 5.2 shows a developing fetus and part of the reproductive system of the mother.




Fig. 5.2

Table 5.1 shows some functions and names of parts of the developing fetus and pregnant mother. (ii)

Complete the table. One row has been done for you.

Table 5.1

| letter from Fig. 5.2 | name | function during pregnancy |
|----------------------|----------------|--|
| P | amniotic sac | encloses the amniotic fluid |
| | | attaches the placenta to the fetus |
| | amniotic fluid | |
| | | contracts to push the baby through the birth canal |
| | placenta | |
| | | widens during labour to allow the head of the baby to pass |

(b) Fig. 4.1 is a vertical section of the kidney.



Fig. 4.1

Table 4.1 shows the functions of parts of the kidney.

Complete the table by:

naming the part of the kidney that carries out each function using letters from Fig. 4.1 to identify the part of the kidney named.

One row has been completed for you.

Table 4.1

| function | name of part | letter from Fig. 4.1 |
|---|--------------|----------------------|
| blood is filtered | | |
| concentration of urine is determined | medulla | L |
| urine flows to the bladder | | |
| blood is carried into the kidney | | |
| blood flows out of the kidney | | |

[5]

[2]

People with kidney disease are often treated in renal dialysis clinics. Their blood passes through tubes lined with a special membrane for about three hours. State two waste substances that are removed from the blood by dialysis. [2] Kidney patients may be given a kidney transplant. State **one** advantage and **one** disadvantage of kidney transplants compared with dialysis. aii [Total: 15] The menstrual cycle involves monthly changes in the ovary and the uterus. (a) Fig. 5.1 shows the sequence of changes within the ovary that occur during the menstrual cycle. Fig. 5.1 Name structures R and S. [2] State the name of the process that is occurring at T.[1] The ovary secretes hormones that control the growth and maintenance of the lining of the uterus. Name the hormone that stimulates: the growth of the lining of the uterus during the first half of the menstrual cycle[1] the maintenance of the lining of the uterus during the second half of the menstrual cycle.[1] Fig. 5.2 is an electron micrograph showing a sperm cell on the surface of an egg cell. Fig. 5.2 State three ways in which a sperm cell differs from an egg cell. Human body cells have 46 chromosomes. Human egg and sperm cells have 23 chromosomes each. aii What term is used to describe the number of chromosomes in a gamete, such as an egg cell or a sperm cell? (iii) State the organ in which fertilisation occurs in humans.

| (IV) | uterus. | | J | |
|------|---------|------|---|------|
| | | | | |
| | | | | |
| | | | | [41 |

 A healthy kidney controls the excretion of urea and other waste products of metabolism from the blood.

After kidney failure there are two possible treatments: dialysis or a kidney transplant.

Fig. 4.1 shows how blood and dialysis fluid move through a dialysis machine.




Fig. 4.1

| (a) | from A to B . |
|-----|--|
| | |
| | |
| | |
| | [2] |
| | [2] |
| (b) | Discuss the advantages of kidney transplants compared with dialysis. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |




Fig. 3.1

(a) (i) What is the name given to the release of eggs from the ovary?

[1]
(ii) Sperm cells and egg cells are haploid. State the meaning of the term haploid.

[1]
(b) Complete the table to compare egg cells with sperm cells.

| feature | egg cells | sperm cells |
|--------------------|-----------|-------------|
| site of production | | |
| relative size | | |
| numbers produced | | |
| mobility | | |

[4]

- (c) Three hormones that control the menstrual cycle are:
 - follicle stimulating hormone (FSH)
 - luteinising hormone (LH)oestrogen.
 - (i) Name the site of production and release of oestrogen.

| ribe the role o | of oestrogen | in controllin | g the menst | trual cycle. | |
|-----------------|-----------------|----------------------------|--|--|--|
| | | | | | |
| | | | | *************************************** | ••••• |
| | ribe the role o | ribe the role of oestrogen | ribe the role of oestrogen in controllin | ribe the role of oestrogen in controlling the mens | ribe the role of oestrogen in controlling the menstrual cycle. |

[1]

[2]

(d) Artificial insemination is sometimes used as a treatment for female infertility.

| Outline now artificial insemination is carried out in numans. | |
|---|-----|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | [2] |
| | |

- 29. Over-consumption of alcohol is a problem in some countries.
 - (a) (i) State two long term effects on the body of drinking too much alcohol.



Some alcohol producers have started to promote 'responsible drinking'. Fig. 2.1 shows the label on a bottle of beer.




Fig. 2.1

(ii) Using information from this label, calculate the volume of beer which would provide the recommended daily maximum alcohol intake for a responsible male drinker.

..... cm³ [1]

(b) Unlike most food nutrients, alcohol does not need to be digested. Instead, it is readily absorbed into the blood from, for example, the stomach.

(i) Explain why most food nutrients do need to be digested.

[2]

(ii) State the main site of absorption of most products of digestion.

______[1]

(iii) Name one product of digestion which is not absorbed directly into the blood stream.

______[1]

30. To stay healthy we need a balanced diet.

(a) Define the term balanced diet.

Protein is one nutrient present in a balanced diet. The body cannot store protein, so any excess amino acids are broken down in the process of deamination, as shown in Fig. 5.1.




Fig. 5.1

(b) (i) Name the organ where deamination takes place.

_____[1]

(ii) Compound X is used as an energy source in respiration.

Suggest the name of compound X.

[1]

(iii) State the type of respiration shown in Fig. 5.1.

Explain your answer.

type of respiration


explanation

[2]

(c) The urea produced is transported to the kidney, where it is excreted.

Describe how urea is transported in the blood to the kidney.

Fig. 5.2 shows a kidney tubule (nephron) and its associated blood vessels.



(d) Complete the table by naming the parts labelled A to D and stating one function for each.

| | name of part | function |
|---|--------------|----------|
| A | | |
| В | | |
| С | | |
| D | | |

[8]

- (e) The volume of blood filtered by the kidneys is 1.18 dm3 min-1.
 - (i) Calculate the total volume of blood filtered in 24 hours.

Show your working.


volume = _____[2]

(ii) If the total volume of urine produced in 24 hours is 1.7 dm³, calculate the percentage volume of the filtered blood excreted as urine in 24 hours.

Show your working.

% volume = _____[2]

[Total: 20]



| | | Fig. 5.1 |
|-----|-------|--|
| (a) | (i) | Name the process of cell division that results in the formation of sperm cells. |
| | | |
| | (ii) | State one way in which the sperm cell is different from cells in the developing fetus |
| | | |
| | (iii) | State the term used to describe the fertilised egg cell. |
| | | [1] |
| | (iv) | Explain what determines that a fertilised egg cell develops into a girl rather than a boy. |
| | | |
| | | [1] |
| (b) | Sta | te where each of the following is produced. |
| | (i) | the egg cell |
| | (ii) | the fertilised egg |
| | (iii) | the fetus |
| (c) | The | e fetus is surrounded by amniotic fluid and an amniotic sac. |
| | | te their functions. |
| | | |
| | amı | niotic fluid |
| | | |
| | amı | niotic sac |
| | | [2] |
| | | |
| (d) | (i) | Outline the role of the placenta in the development of the fetus. |
| | | |
| | | |
| | | |
| | | |
| | | [4 |
| | | |
| | (ii) | Describe the role of the placenta in maintaining pregnancy. |
| | | |
| | | |
| | | [2] |
| | | [Total: 15] |

| 32. | Experts predict that 75% of the British population will be obese in 8 years time. is blamed on the popularity of 'junk food'. This sort of diet is unbalanced. | The problem |
|-----|--|-------------|
| | is blamed on the popularity of junk food. This sort of diet is unbalanced. | |

(a) Define the term balanced diet.

| [2] | |
|-----|--|

A human diet consists of:

carbohydrates fats fibre minerals proteins vitamins water.

- (b) Underline two foodstuffs from the list above that, when eaten in excess, would be most likely to lead to obesity.
 [2]
- (c) Fig. 2.1 shows a chart to find a person's ideal mass.




Fig. 2.1

The following data was collected for three students, X, Y and Z.

| student | mass/kg | height/m |
|---------|---------|----------|
| x | 50.8 | 1.55 |
| Y | 63.8 | 1.85 |
| z | 114.3 | 1.65 |

(i) Identify the student who is

1. obese;

2. of low mass;

3. of ideal mass.

(ii) Suggest two health problems that could be caused by obesity.

1.

2.[2]

(d) Large food molecules are made up of smaller units. Some of these smaller units are listed below.

amino acids fatty acids glycerol simple sugars

Name the units that make up

1. starch;

2. fats;

3. protein.

(e) Large food molecules are broken down to form smaller molecules in the digestive system.

(i) Name the type of chemical that speeds up digestion.

.....[1]

(ii) Explain why large molecules need to be broken down into small molecules in the digestive system.

.....[2]

[Total : 16]

[3]

Table 3.1

| water gain / cm | 3 | water loss | s/cm ³ |
|--------------------|------|-------------|-------------------|
| drink | 1650 | urine | 1500 |
| food | 800 | faeces | 100 |
| water released in | | expired air | 400 |
| chemical reactions | 350 | sweat | |
| total | 2800 | total | 2800 |

(a) Complete the table by calculating the volume of sweat lost by the student.

Show your working in the space below.

| | [| 1] | | | |
|-----|--|--------|--|--|--|
| (b) | Name the organ responsible for | | | | |
| | 1. excreting water in expired air; | | | | |
| | 2. releasing water by sweating; | | | | |
| | 3. forming urine; | | | | |
| | reabsorbing water from undigested food to form faeces | 4] | | | |
| (c) | On a hot day the student still took in 2800 cm ³ of water. | | | | |
| | (i) Suggest and explain what would happen to the volume of sweat and uring produced. | е | | | |
| | sweat | | | | |
| | | | | | |
| | [2 | 2] | | | |
| | urine | | | | |
| | | | | | |
| | [z | 2] | | | |
| | The volume of water gained and lost by the student is balanced. | | | | |
| | (ii) Name the term used for the maintenance of a constant internal environment. | | | | |
| | | 1] | | | |
| (d) | Use words from the list below to complete the paragraph. | | | | |
| | excretion glucose glycogen insulin liver oestrogen | | | | |
| | pancreas secretion starch stomach sucrose | | | | |
| | The blood stream transports a sugar called | | | | |
| | The blood sugar level has to be kept constant in the body. | | | | |
| | If this level falls below normal, a hormone called glucagon is released into the blood l | by | | | |
| | an endocrine organ called the | | | | |
| | The release of a substance from a gland is called | | | | |
| | Glucagon promotes the breakdown of to increase the blood sugar level. | | | | |
| | If the blood sugar level gets too high, the endocrine organ secretes another hormon | ıе | | | |
| | called into the blood. | | | | |
| | This hormone promotes the removal of sugar from the blood and its conversion | to | | | |
| | glycogen in the | 6] | | | |

[Total : 16]




Fig. 3.1

(a) Complete the table by identifying parts A, B and C and describing their roles in breathing in.

| part | name | role in breathing in |
|------|------|----------------------|
| A | | |
| В | | |
| С | | |
| | | |

Fig. 3.2 shows some cells from the lining of the bronchus.




Fig. 3.2

(ii) Explain how these cells help to keep the bronchus free from dust and bacteria.


[4]

(iii) Describe how the actions of these cells would be affected by one named compound of tobacco smoke.

[2]

[Total: 12]

35. Fig. 1.1 shows an incomplete diagram of the female urinary system.



| | · | |
|-----|--|----|
| | Fig. 1.1 | |
| (a) | On Fig. 1.1, draw and label the following parts: | |
| | renal artery, urethra and ureter. | 4] |
| (b) | Name three components that are present in the urine of a healthy person. | |
| | 1 | |
| | 2 | |
| | 3 | 3] |
| (c) | If the kidneys fail, the patient may be put on a kidney machine. | |
| | Explain how a kidney machine works. | |
| | | |
| | | |
| | | |
| | | |
| | | 41 |
| (d) | The kidneys are part of the body's homeostatic mechanism. | - |
| . , | (i) Define homeostasis. | |
| | | |
| | | |
| | | 21 |
| | (ii) Outline the role of the kidneys in homeostasis. | _, |
| | (, | |
| | | |
| | | |
| | | -1 |
| | (iii) Name another organ of the body also involved with homeostasis and outline i role. | ts |
| | name of organ | |
| | role | |
| | | |
| | | 31 |