F. Data Cambridge

# International General Certificate of Secondary Education CAMBRIDGE INTERNATIONAL EXAMINATIONS

**CHEMISTRY** 

0620/1

PAPER 1 Multiple Choice

**OCTOBER/NOVEMBER SESSION 2002** 

45 minutes

Additional materials:

Multiple Choice answer sheet
Soft clean eraser
Soft pencil (type B or HB is recommended)

TIME 45 minutes

#### **INSTRUCTIONS TO CANDIDATES**

Do not open this booklet until you are told to do so.

Write your name, Centre number and candidate number on the answer sheet in the spaces provided unless this has already been done for you.

There are **forty** questions in this paper. Answer **all** questions. For each question, there are four possible answers, **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in **soft pencil** on the separate answer sheet.

Read very carefully the instructions on the answer sheet.

#### INFORMATION FOR CANDIDATES

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.


1 Heating a liquid causes it to become a vapour.

What happens to the molecules of the liquid during this process?

	the molecules become bigger	the molecules move further apart
Α	✓	✓
В	✓	×
С	×	✓
D	×	×


2 Some sugar is dissolved in water.

Which diagram shows how the particles are arranged in the solution?




- **3** Which stages occur in distillation?
  - **A** condensation then evaporation
  - **B** condensation then filtration
  - **C** evaporation then condensation
  - **D** filtration then evaporation

Some paraffin is contaminated with soot (carbon). The soot is removed as shown. 4



Which method is used to remove the soot?


- Α cracking
- В crystallisation
- C diffusion
- D filtration
- 5 The diagrams show the nuclei of four different atoms.



Which two atoms are isotopes of each other?

- Q and R
- Q and T В
- C R and S
- D S and T
- Which atom has twice as many neutrons as protons? 6
  - ¹H
- <sup>3</sup>H
- <sup>4</sup>He

- 7 Which change takes place when an atom becomes a positive ion?
  - Α An electron is added.
  - В An electron is removed.
  - C A proton is added.
  - D A proton is removed.
- 8 The diagram shows an electric circuit.



For which two substances at X and Y does the bulb light up?

	x	Y
Α	copper	graphite
В	copper	poly(ethene)
С	rubber	graphite
D	rubber	poly(ethene)

One method of producing carbon dioxide is to react calcium carbonate with dilute hydrochloric 9 acid.

What is the balanced chemical equation for the reaction?

**A** 
$$CaCO_3$$
 +  $HCl \rightarrow CaO + CO_2 + HCl$ 


$$\mathbf{C} \quad \mathsf{CaCO}_3 \qquad + \ \mathsf{4HC}l \ \longrightarrow \ \mathsf{CaC}l_4 \ + \ \mathsf{CO}_2 \ + \ \mathsf{H}_2 \ + \ \mathsf{H}_2\mathsf{O}$$

$$\mathbf{D} \quad \mathrm{Ca(HCO_3)_2} \ + \ \mathrm{HC}l \ \longrightarrow \ \mathrm{CaC}l \ + 2\mathrm{CO_2} \ + \ \mathrm{H_2O}$$


10 A gas has the molecular formula NOC1.

Which diagram could show molecules of the pure gas NOC1?


Α




В



C



D






11 Butenedioic acid has the structure shown.

What is the molecular formula of butenedioic acid?

- CHO


12 The diagram represents the electrolysis of brine (aqueous sodium chloride).



What are products **X** and **Y**?

	Х	Υ
Α	hydrogen	aqueous sodium hydroxide
В	hydrogen	hydrochloric acid
С	oxygen	aqueous sodium hydroxide
D	oxygen	hydrochloric acid


13 Copper wires in an electricity cable are covered in plastic.



Why is plastic used?

- Α It is an insulator.
- В It is a polymer.
- C It is hard.

14 A piece of magnesium is dropped into a test-tube containing dilute hydrochloric acid.




Why does the test-tube become warm?


- Α Hydrogen is produced.
- В The magnesium neutralises the acid.
- C The reaction is endothermic.
- D The reaction is exothermic.
- 15 An explosion in a coal mine was caused by the ignition of a mixture of methane and air.

Why did the mixture explode?

- Α The heat absorbed by burning decreased the rate of burning.
- В The heat absorbed by burning increased the rate of burning.
- C The heat liberated by burning decreased the rate of burning.
- D The heat liberated by burning increased the rate of burning.

16 The diagram shows an experiment to compare the speed of reaction when limesto added to acid.





In which test-tube is the reaction most rapid?

17 Which properties does a transition element have?

	density	melting point
Α	high	high
В	high	low
С	low	high
D	low	low

18 Which metals can be obtained by heating their oxides with carbon?

	copper	iron	magnesium
Α	Х	✓	✓
В	✓	✓	×
С	Х	×	✓
D	✓	×	×

**19** Aqueous lead(II) nitrate is added to a solution containing iodide ions. Lead(II) iodide is formed.

Which type of reaction takes place?

- **A** neutralisation
- **B** oxidation
- **C** precipitation

- 20 Which element reacts with dilute sulphuric acid to produce hydrogen?
  - A carbon
  - **B** chlorine
  - C copper
  - **D** zinc
- 21 For which pH change is there the largest increase in acidity?

	initial pH	final pH
Α	1	3
В	2	6
С	3	1
D	6	2

22 Which statement about the electrical conductivity of non-metals and the charge on their ions is correct?

	electrical conductivity	charge on ions
Α	good	positive
В	good	negative
С	poor	positive
D	poor	negative

23 The corrosion of iron and its extraction from hematite are important processes.

Which terms describe the corrosion of iron and its extraction from hematite?

	corrosion	extraction
Α	oxidation	oxidation
В	oxidation	reduction
С	reduction	oxidation
D	reduction	reduction


of potass. Pada Cannoning Conn

24 A few drops of aqueous bromine are added to separate aqueous solutions of potassium potassium bromide and potassium iodide.

Which solutions do **not** remove the colour of the bromine?

- A KBr and KCl only
- **B** KBr and KI only
- **C** KCl and KI only
- **D** KBr, KC*l* and KI
- 25 Which metal produces a solution of a metal hydroxide when added to water?
  - A calcium
  - **B** copper
  - **C** iron
  - **D** zinc
- 26 A highly reactive metal is likely to
  - A form negative ions,
  - B occur naturally as an element,
  - **C** occur only as an oxide,
  - **D** oxidise rapidly in air.

**27** The diagram shows the manufacture of steel.



What could gas X be?


- A carbon dioxide
- **B** chlorine
- C hydrogen
- **D** oxygen
- **28** A student writes the following statements.
  - 1 Aluminium is used in the manufacture of aircraft bodies.
  - 2 Aluminium is used to make stainless steel.
  - 3 Mild steel is used in the manufacture of car bodies.

Which statements are correct?

- A 1 and 2 only
- B 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3
- 29 Which substance is used in the purification of water?
  - A calcium sulphate
  - **B** carbon dioxide
  - **C** chlorine
  - **D** sodium chloride

www.PapaCambridge.com

- 30 Which pollutant, found in car exhaust fumes, does not come from the fuel?
  - A carbon monoxide
  - **B** hydrocarbons
  - C lead compounds
  - D nitrogen oxides
- 31 Which place on the map is most likely to be producing large quantities of sulphur dioxide?



- 32 Why does a bicycle chain that is coated with oil **not** rust?
  - A Oil dissolves any rust that forms.
  - **B** Oil reacts with rust causing oxidation.
  - **C** Oil reacts with oxygen so no rust forms.
  - **D** Oil stops oxygen and water getting to the chain.
- **33** Which two other compounds should be added to ammonium sulphate to make a complete NPK fertiliser?
  - $\mathbf{A} \quad \mathsf{KNO}_3, \, \mathsf{Na}_2\mathsf{HPO}_4$
  - $\mathbf{B} \quad \mathrm{K_2SO_4, \, KNO_3}$
  - C NaCl, Ca<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>
  - **D** NH<sub>4</sub>C*l*, Na<sub>2</sub>HPO<sub>4</sub>


## 34 Two uses of oxygen are

- 1 burning acetylene in welding,
- 2 helping the breathing of hospital patients.

Which of these uses form carbon dioxide?

	use 1	use 2
Α	✓	✓
В	✓	×
С	Х	✓
D	X	×

35 Lime is used to treat an industrial waste.



Which pH change occurs in the treatment?


 $\begin{array}{cccc} & \underline{\text{untreated waste}} & \longrightarrow & \underline{\text{treated waste}} \\ \mathbf{A} & \text{acidic} & \longrightarrow & \text{neutral} \\ \mathbf{B} & \text{alkaline} & \longrightarrow & \text{acidic} \\ \mathbf{C} & \text{alkaline} & \longrightarrow & \text{neutral} \\ \mathbf{D} & \text{neutral} & \longrightarrow & \text{acidic} \\ \end{array}$ 

**36** A compound **Q** has the structure shown.

What is the name of **Q**?

- A heptane
- B heptanoic acid
- **C** heptanol

www.PapaCambridge.com 37 A student sets up the apparatus shown to separate petroleum into its different liquid



Why does this method of separation work?

The liquids in petroleum have different

- boiling points,
- В densities,
- С functional groups,
- D melting points.
- **38** Which row in the table correctly shows properties of decane?

	burns	is unsaturated
Α	✓	✓
В	✓	×
С	×	✓
D	×	×

**39** The equation shows the cracking of a hydrocarbon.

Which compounds are unsaturated?

- A X only
- **B** Y only
- C X and Z
- D Y and Z

www.PapaCambridge.com

### **40** A student states that

ethanol reacts with water to form beer and wine;

ethanol and water are used as solvents in industry.

Which of the underlined words are correct?

	reacts	solvents
Α	✓	✓
В	✓	×
С	Х	✓
D	X	×

	<b>Elements</b>
SHEET	of the
DATA SI	Table
70	<b>Periodic</b>
	The

								Group	dno								
_	=											=	≥	>	5	₹	0
							- :										4
							T Special										<b>e</b>
							1										2
7	6					-						1	12	14	16	19	20
=	Be											മ	ပ	z	0	ш	Se
Lithium	Beryllium											Boron	Carbon	Nitrogen	Oxygen	Fluorine	Neon
	4											5	9	7	8	6	10
23	24											27	28	31	32	35.5	40
Na	Μg											Ρſ	S	<b>_</b>	ဟ	75	Ā
Sodium	Magnesium											Aluminium	Silicon	Phosphorus	Sulphur	Chlorine	Argon
	12											13	14	15	16	17	18
39	40		48	51	52	55	56	59	59	64	65	02	73	75	62	80	84
¥	င္မ	လွင	F	>	ပ်	M	Ъ	ප	Z	చె	Zu	Ga	ge	As	Se	Ā	ጟ
otassium	Calcium		Titanium	Vanadium	Chromium	Manganese	Iron	Cobalt	Nickel	Copper	Zinc	Gallium	Germanium	Arsenic	Selenium	Bromine	Krypton
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
85	88	88	91	93	96		101		106	108	112	115	119	122	128	127	131
Rb	Š	>	Z	g	ě	ပ	Ru	몺	Pd	Ag	පි	Г	S	Sp	<u>e</u>	-	×
\ubiqinm	Strontium	Yttrium	Zirconium	Niobium	Molybdenum	Technetium	Ruthenium		Palladium	Silver	Cadmium	Indium	Tip	Antimony	Tellurium	lodine	Xenon
	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
133	137	139	178	181	184		190		195	197	201	204	207	209			
Cs	Ba	Гa	Ξ	Б	≥	Re	SO O	i	₹	Αn	£	11	<b>6</b>	窗	<b>6</b>	¥	Rn
Saesium	Barium 56	Lanthanum 57	Hafnium 72	Tantalum 73	Tungsten 74	Rhenium 75	Osmium 76	Iridium 77	Platinum 78	Gold 79	Mercury 80	Thallium 81	Lead 82	Bismuth 83	Polonium 84	Astatine 85	Radon
	226	227															
ŭ	Ra	Ac															
rancium	Radium	_															
	88	+ 68															
	,		1	140	141				152	157	159	162	165	167	169	173	175
3-71 Lá	anthanc	3-71 Lanthanoid series		පී	ቯ	Š	Pa	Sm	П	gg	<b>P</b>	2	운	ш	Ę	g X	3
0-103	0-103 Actinoid series	d series		Cerium	Praseodymium	Neodymiur	n Promethium	•	Europium	Gadolinium	Terbium	Dysprosium	Holmium 67	Erbium	Thulium	Ytterbium	Lutetium
L		:		28	B.C.	09	Lo	79	23	94	8	98	/9	88	50	0/	

a = relative atomic mass	X = atomic symbol	b = proton (atomic) number	
в	×	b	
	<u>&gt;</u>		

140	141	144		150	152	157	159	162	165	167
ပီ	ቯ	Š	Pm	Sm	En	рg	<b>P</b>	۵	운	ш
Cerium	Praseodymium	Neodymium	Promethium	Samarium	Europium	Gadolinium	Terbium	Dysprosium	Holmium	Erbium
28	59	09	61	62	63	64	92	99	29	89
232		238								
드	Ра	>	å	Pu	Am	Cm	æ	ర	Es	FB
Thorium	Protactinium	Uranium	Neptunium	Plutonium	Americium	Curium	Berkelium	Californium	Einsteinium	Fermium
06	91	92	93	94	92	96	26	86	66	100
T	The very man of one of one year is 21 days at room tomorphism one to allow one to the		700 40	77 VC 01 0	3 24 500	to to	01114	0100010	(1+1)	

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

www.papaCambridge.com

Md Mendelevium 101