Centre Number Candidate Number Name

www.PapaCambridge.com UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY

0620/02

Paper 2

October/November 2004

1 hour 15 minutes

Candidates answer on the Question Paper. No Additional Materials required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid. You may use a calculator.

Answer all questions.

The number of marks is given in brackets [] at the end of each question or part question. A copy of the Periodic Table is provided on page 16.

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

| For Examin | ner's Use |
|------------|-----------|
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| Total | |

| he table belov | w gives some inforn | 2 nation about the ele | ements in Group I o | f the Periodic reactivity with water | For Examiner's Use |
|----------------|---------------------|----------------------------------|-------------------------------------|--------------------------------------|--------------------------|
| element | boiling point / °C | density / g cm ⁻³ | radius of atom in the metal / nm | reactivity with water | ale co |
| lithium | 1342 | 0.53 | 0.157 | | |
| sodium | 883 | 0.97 | 0.191 | rapid | |
| potassium | 760 | 0.86 | 0.235 | very rapid | |
| rubidium | | 1.53 | 0.250 | extremely rapid | |
| caesium | 669 | 1.88 | | explosive | |

| (a) | How does the density of the Group I elements change down the Group? | |
|-----|---|-----|
| | | [2] |
| (b) | Suggest a value for the boiling point of rubidium. | |
| | | [1] |
| (c) | Suggest a value for the radius of a caesium atom. | |
| | | [1] |
| (d) | Use the information in the table to suggest how fast lithium reacts with water compa with the other Group I metals. | red |
| | | [1] |
| (e) | State three properties shown by all metals. | |
| | 1. | |
| | 2. | |
| | 3. | [3] |


[1]

| (f) | When | sodium | reacts | with | water, | hydrogei | ı is | given | off. |
|-----|------|--------|--------|------|--------|----------|------|-------|------|
| ` ' | | | | | , | , , | | 0 | |

| 2Na(s) | + | $2H_2O(I)$ | \rightarrow | 2NaOH(aq) | + | $H_2(g)$ |
|--------|---|------------|---------------|-----------|---|----------|
| (-, | | | | | | 2 (3) |

| (i) | State the name | of the other | product | formed | in this | reaction |
|-----|----------------|--------------|---------|--------|---------|----------|
|-----|----------------|--------------|---------|--------|---------|----------|

| | [1 |] |
|--|----|---|
|--|----|---|



| test | |
|--------|-----|
| result | [2] |

(g) The diagrams below show three types of hydrogen atom.

State one medical use of radioactivity.



| (i) | State the nam | ne of the p | ositively | charged | particle | in the | nucleus |
|-----|---------------|-------------|-----------|---------|----------|--------|---------|
|-----|---------------|-------------|-----------|---------|----------|--------|---------|

| | | [1] |
|-------|--|------|
| (ii) | What is the name given to atoms with the same number of positive charges in nucleus but different numbers of neutrons? | the |
| | | [1] |
| | | ניו |
| (iii) | State the number of nucleons in a single atom of tritium. | |
| | | - 4. |
| | | [1] |
| (iv) | Tritium is a radioactive form of hydrogen. | |

2 The structures of some compounds found in plants are shown below.

Α

$$C = C$$

В

C

D

Ε

(a) Which two of these compounds are unsaturated hydrocarbons?

| [1 | 1 |
|-----------|---|
| | 4 |

(b) Which two of these compounds contain a carboxylic acid functional group?

| - | |
|---|---|
| | 1 |
| | |
| | |

(c) Write the molecular formula for compound D.

| F 4 | - |
|-------|---|
| 11 | 1 |
| | |
| _ | - |

(d) Draw the structure of the product formed when compound ${\bf A}$ reacts with bromine.


Show all atoms and all bonds.

(e) Strawberry fruits produce compound A (ethene) naturally.

A scientist left some green strawberry fruits to ripen.

The scientist measured the concentration of ethene and carbon dioxide produced by the strawberry fruits over a ten day period.

The graph below shows the results.



(i) Between which two days does the rate of ethene production increase most rapidly?

[1]

(ii) What is the name given to the process in which carbon dioxide is produced by living organisms?

Put a ring around the correct answer.

acidification combustion neutralization respiration [1]

(iii) Carbon dioxide concentration over 350 ppm has an effect on ethene production by the fruits.

What effect is this?

[1]

(iv) Ethene gas spreads throughout the fruit by a random movement of molecules.

What is the name given to the random movement of molecules?

Put a ring around the correct answer.

aeration diffusion evaporation ionisation

[1]

| | Ethene gas promotes the ripening of strawberry fruits. Ripening of strawberries is slowed down by passing a stream of nitrogen over fruit. Suggest why this slows down the ripening process. | |
|------|---|-------|
| | 6 Page | 20 |
| (v) | Ethene gas promotes the ripening of strawberry fruits. | Car |
| | Ripening of strawberries is slowed down by passing a stream of nitrogen over fruit. | th |
| | Suggest why this slows down the ripening process. | |
| | | ••••• |
| | | [1] |
| vi) | Enzymes are involved in the ripening process. | |
| | What is an enzyme? | |
| | | |
| | | [2] |
| | | |
| A so | nts make a variety of coloured pigments. tudent extracted red colouring from four different plants, R , S , T and U . e student put a spot of each colouring on a piece of filter paper. e filter paper was dipped into a solvent and left for 30 minutes. e results are shown below. | |
| | start of experiment result after 30 minutes | |
| | filter paper filter paper R S T U | |
| | solvent | |

(f)

| (i) | What is name given to the process shown in the diagram? | |
|------|--|-----|
| | | [1] |
| (ii) | Which plant contained the greatest number of different pigments? | |
| | | [1] |
| iii) | Which two plants contained the same pigments? | |
| | | [1] |

- 3 Read the following instructions for the preparation of hydrated nickel(II) (NiSO₄.7H₂O), then answer the questions which follow.
 - 1 Put 25 cm³ of dilute sulphuric acid in a beaker.
 - 2 Heat the sulphuric acid until it is just boiling then add a small amount of nickel(II) carbonate.
 - When the nickel(II) carbonate has dissolved, stop heating, then add a little more nickel carbonate. Continue in this way until nickel(II) carbonate is in excess.
 - 4 Filter the hot mixture into a clean beaker.
 - **5** Make the hydrated nickel(II) sulphate crystals from the nickel(II) sulphate solution.

The equation for the reaction is

$$NiCO_3(s)$$
 + $H_2SO_4(aq)$ \rightarrow $NiSO_4(aq)$ + $CO_2(g)$ + $H_2O(l)$

- (a) What piece of apparatus would you use to measure out 25 cm³ of sulphuric acid?
- (b) Why is the nickel(II) carbonate added in excess?

 [1]
- (c) When nickel(II) carbonate is added to sulphuric acid, there is a fizzing.

[1]

(d) Draw a diagram to describe step 4.

Explain why there is a fizzing.

You must label your diagram.

[1]

www.PapaCambridge.com (e) After filtration, which one of the following describes the nickel(II) sulphate in the Put a ring around the correct answer. precipitate crystals filtrate water (f) Explain how you would obtain pure dry crystals of hydrated nickel(II) sulphate from the solution of nickel(II) sulphate. (g) When hydrated nickel(II) sulphate is heated gently in a test tube, it changes colour from green to white. (i) Complete the symbol equation for this reaction. NiSO₄(s) + $NiSO_4.7H_2O(s)$ [1] (ii) What does the sign \implies mean? [1] (iii) How can you obtain a sample of green nickel(II) sulphate starting with white nickel(II) sulphate?

WWW. Papa Cambridge. Com The table below shows the composition of the mixture of gases coming from a type exhaust.

| gas | % of the gas in the exhaust fumes |
|-----------------|-----------------------------------|
| carbon dioxide | 9 |
| carbon monoxide | 5 |
| oxygen | 4 |
| hydrogen | 2 |
| hydrocarbons | 0.2 |
| nitrogen oxides | 0.2 |
| sulphur dioxide | less than 0.003 |
| gas X | 79.6 |

| (a) | Sta | State the name of the gas X. | | | | |
|-----|----------|---|-----|--|--|--|
| | | | [1] | | | |
| (b) | The peti | e carbon dioxide comes from the burning of hydrocarbons, such as octane, in tool. | the | | | |
| | (i) | Complete the word equation for the complete combustion of octane. | | | | |
| | | octane + → carbon dioxide + | [2] | | | |
| | (ii) | Which two chemical elements are present in hydrocarbons? | | | | |
| | | | [1] | | | |
| | (iii) | To which homologous series of hydrocarbons does octane belong? | | | | |
| | | | [1] | | | |
| (c) | Sug | ggest a reason for the presence of carbon monoxide in the exhaust fumes. | | | | |
| | | | [1] | | | |

| (d) | Nitr | ogen oxides are present in small quantities in the exhaust fumes. | Use |
|-----|-------|--|-------------|
| | (i) | Complete the following equation for the formation of nitrogen dioxide. | Michigan |
| | | $N_2(g)$ + $O_2(g)$ \rightarrow $NO_2(g)$ | Camphidge C |
| | (ii) | State one harmful effect of nitrogen dioxide on organisms. | |
| | | | [1] |
| (e) | | phur dioxide is an atmospheric pollutant which is only found in small amounts in austs. | car |
| | (i) | What is the main source of sulphur dioxide pollution of the atmosphere? | |
| | | | [1] |
| | (ii) | Sulphur dioxide is oxidised in the air to sulphur trioxide. The sulphur trioxide no dissolve in rainwater to form a dilute solution of sulphuric acid, H_2SO_4 . | nay |
| | | State the meaning of the term oxidation. | |
| | | | [1] |
| (| (iii) | Calculate the relative molecular mass of sulphuric acid. | |
| | | | [1] |
| (| (iv) | Sulphuric acid reacts with metals such as iron. | |
| | | Complete the following word equation for the reaction of sulphuric acid with iron | |
| | | sulphuric acid + iron \rightarrow + | |
| | | | [2] |
| | (v) | What effect does acid rain have on buildings made of stone containing calcicarbonate? | ium |
| | | | [1] |

| ren | Pertilizers often contain ammonium nitrate. | | | | | | |
|-------------------------------|--|-------------------------|------------------------|------------------------------|---------------------|-----|--|
| (a) | | | | | | | |
| | (ii) Name one metal ion which is commonly present in fertilizers. | | | | | | |
| (| (iii) Which one of the following ions is commonly present in fertilizers? | | | | | | |
| | | Put a ring aro | und the correct answ | er. | | | |
| | | bromide | chloride | hydroxide | phosphate | [1] | |
| (b) | Des | scribe a test for | r nitrate ions. | | | | |
| | test | : | | | | | |
| | | | | | | | |
| | res | ult | | | | [4] | |
| (c) | Am | monium nitrate | e can be made by add | ling nitric acid to a so | olution of ammonia. | | |
| | (i) | What type of | reaction is this? | | | | |
| | | | | | | [1] | |
| | (ii) | Complete the | symbol equation for | this reaction. | | | |
| | | | + HNO ₃ | $(aq) \rightarrow NH_4NO_3($ | (aq) | [1] | |
| (d) | Wh | ich two of the t | following statements | about ammonia are t | rue? | | |
| | Ticl | k two boxes. | | | | | |
| | ammonia is insoluble in water | | | | | | |
| ammonia turns red litmus blue | | | | | | | |
| | a so | olution of amm | onia in water has a pl | H of 7 | | | |
| | am | monia has a m | olecular structure | | | [2] | |

6

www.PapaCambridge.com The electrolysis of a concentrated solution of sodium chloride, provides us with chem-(a) Sodium chloride has an ionic giant structure. Which **one** of the following is a correct description of a property of sodium chloride. Tick one box. sodium chloride has a low melting point sodium chloride conducts electricity when it is solid sodium chloride has a high boiling point sodium chloride is insoluble in water [1] (b) (i) Explain what is meant by the term *electrolysis*. (ii) At which electrode is hydrogen produced during the electrolysis of aqueous sodium chloride? [1] (iii) Name a suitable substance that can be used for the electrodes. [1] (c) (i) State the name of the particle which is added to a chlorine atom to make a chloride ion. [1] (ii) Describe a test for chloride ions. test result [2]

[1]

www.PapaCambridge.com (d) If chlorine is allowed to mix with sodium hydroxide, sodium chlorate(I), NaOC1 is Balance the equation for this reaction.

$$Cl_2$$
 +NaOH \rightarrow NaC l + NaOC l + H₂O

(e) One tonne (1 000 kg) of a commercial solution of sodium hydroxide produced by electrolysis contains the following masses of compounds.

| compound | mass of compound kg/ tonne |
|--------------------|----------------------------|
| sodium hydroxide | 510 |
| sodium chloride | 10 |
| sodium chlorate(V) | 9 |
| water | 471 |
| total | 1000 |

(i) How many kilograms of sodium hydroxide will be present in 5 tonnes of the solution?

(ii) All the water from one tonne of impure sodium hydroxide is evaporated.

What would the approximate percentage of the remaining impurities be?

Put a ring around the correct answer.

0.036% 3.6% 36% 96% [1] (f) The hydrogen obtained by electrolysis can be used in the manufacture of margain

(i) Complete the following sentences about this reaction using words from the list.

catalyst inhibitor monomeric saturated unsaturated

| | Hydrogen gas is bubbled throu | gh carbon compounds | |
|------|---------------------------------------|-------------------------------|-----------------|
| | using a nickel | which speeds up the reaction. | |
| | The margarines produced are | compounds. | [3] |
| (ii) | State one other use of hydroge | en. | [1 ⁻ |

BLANK PAGE

www.PapaCambridge.com

| DATA SHEET | e Periodic Table of the Elements |
|------------|----------------------------------|
| | The P |
| | |

| | | | ov ∈ | _ (1) = | _ 1_ 5 | . 🛌 6 | - 0 E | - " | |
|------|-------|--------------|--------------------|-----------------------|------------------------------------|-----------------------------------|-------------------------------------|-----------------------------------|------------------------------------|
| | | 0 | 4 He Helium | 20 Neon 10 | 40 Ar Argon | 84 Kr ypton 36 | | Rn Radon 86 | |
| | | | | 19 Fluorine | 35.5 C1 Chlorine | 80 Br Bromine 35 | 127 I lodine 53 | At Astatine 85 | |
| | | \mathbb{R} | | 16 Oxygen | 32 S Sulphur | 79 Se Selenium 34 | 128 Te Tellurium | Po Polonium 84 | |
| | | ^ | | 14 N itrogen 7 | 31 Phosphorus | 75 AS Arsenic 33 | 122 Sb Antimony 51 | 209 Bi Bismuth 83 | |
| | | <u> </u> | | 12 Carbon 6 | 28 Si Silicon | 73 Ge Germanium 32 | 119 Sn ™ ™ | 207 Pb Lead | |
| | | = | | 11 Boron 5 | 27 A1 Aluminium 13 | 70 Ga Gallium 31 | 115 In Indium | 204 T 1 Thallium | |
| 2 | | | | | | 65 Zn Zinc 30 | 112 Cd Cadmium 48 | 201 Hg Mercury | |
| | | | | | | 64 Cu Copper | 108 Ag Silver | 197 Au Gold | |
| | dn | | | | | 59 Ni Nickel | 106 Pd Palladium 46 | 195 Pt Platinum 78 | |
| 5 | Group | | | | | 59 Co Cobalt | 103 Rh Rhodium 45 | 192 Ir Iridium 77 | |
| 2 | | | T Hydrogen | | | 56 Fe Iron | Ruthenium | 190 Os Osmium 76 | |
| | | | | _ | | Manganese 25 | Tc Technetium 43 | 186 Re Rhenium 75 | |
| | | | | | | 52 Cr Chromium 24 | 96 Mo Molybdenum 42 | 184 W Tungsten 74 | |
| | | | | | | 51 V Vanadium 23 | 93 Nobium 41 | 181 Ta Tantalum | |
| | | | | | | 48 Ti Titanium 22 | 91 Zr Zrconium 40 | 178 Hf Hafnium 72 | |
| | | | | | | Scandium 21 | 89 Y | 139 La Lanthanum * | 227 Ac Actinium 89 |
| | | = | | 9 Be Berylium | 24 Mg Magnesium | 40 Ca Calcium | 88 Sr Strontium 38 | 137 Ba Barium 56 | 226 Ra Radium 88 |
| | | _ | | 7 Li Lithium | 23 Na Sodium | 39 K Potassium | Rb Rubidium 37 | CS Caesium 55 | Fr Francium 87 |
| of C | amhri | dae Ir | nternational I | Examinations | is part of the I | Iniversity of C | sambridge Loc | eal Examination | ons Syndicate (|

| Tb Dy Ho Er | Bk Cf Es Fm Md No Lr Berkellun Californium Ernsteinium Fermium Mendelevium Nobelium Laws 97 100 101 | The volume of one mole of any gas is 24 dm ³ at room temperature and pressure (r.t.p.). |
|---------------------------------------|--|--|
| Europium Gadolinium 63 64 | Am Curium 95 | ³ at room temper |
| Pm Sm Promethium Samarium 51 62 | Np Pu Putonium Putonium 94 | any gas is 24 dm |
| Neodymium 60 | 238 U Uranium | of one mole of a |
| Cerium Praseodymium 58 | Th Pa Protectinium 90 91 | The volume c |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

b = proton (atomic) number

р

Key

a = relative atomic mass X = atomic symbol

*58-71 Lanthanoid series 90-103 Actinoid series