www.PapaCambridge.com UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY 0620/01

Paper 1 Multiple Choice

May/June 2005

45 minutes

Multiple Choice Answer Sheet Additional Materials:

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the answer sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions.

For each question there are four possible answers A, B, C and D. Choose the one you consider correct and record your choice in soft pencil on the separate answer sheet.

Read the instructions on the answer sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.


Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

You may use a calculator.

- 1 In which of the following are the particles arranged in a regular pattern?
 - A a gas
 - **B** a liquid
 - C a metal
 - **D** a solution
- **2** A student mixes 25 cm³ samples of dilute hydrochloric acid with different volumes of aqueous sodium hydroxide. Each time, the student measures the change in temperature to test if the reaction is exothermic.

Which piece of apparatus is **not** needed?



3 In an experiment, a student needs to measure out 36.50 cm³ of a solution.


Which piece of apparatus would measure this volume most accurately?

- A beaker
- **B** burette
- **C** measuring cylinder
- **D** pipette

bes?

4 Two isotopes of helium are ${}_2^3$ He and ${}_2^4$ He.

Which two diagrams show the arrangement of particles in these two isotopes?



key

- (e) electron
- (p) proton
- (n) neutron
 - nucleus

5 Which row gives the outer electronic shell of fluorine and of neon?

	₉ F	₁₀ Ne	
A 7		8	
B 7		10	
С	9	8	
D	D 9 1		


www.PapaCambridge.com

6 The electronic configuration of an ion is 2.8.8.

What could this ion be?

	S ²⁻	Ca ²⁺
Α	✓	✓
В	✓	X
С	X	✓
D	x	X

7 The 'lead' in a pencil is made of a mixture of graphite and clay.



If the percentage of graphite is increased, the pencil slides across the paper more easily.

Why is this?


- A Graphite conducts electricity.
- **B** Graphite is a form of carbon.
- **C** Graphite is a lubricant.
- **D** Graphite is a non-metal.
- 8 Which statement about gaseous hydrogen chloride and solid potassium chloride is correct?
 - A Hydrogen chloride is covalent but potassium chloride is ionic.
 - **B** Hydrogen chloride is ionic but potassium chloride is covalent.
 - **C** They are both covalent compounds.
 - **D** They are both ionic compounds.
- **9** Which two elements form an alloy when they are heated together?
 - A chlorine and hydrogen
 - B chlorine and zinc
 - C copper and hydrogen
 - D copper and zinc

MM. PapaCambridge.com

10 For which compound is the formula correct?

	compound	formula	
Α	ammonia	NH ₄	
В	carbon monoxide	CO ₂	
С	iron(III) oxide	Fe ₃ O ₂	
D	zinc hydroxide	Zn(OH) ₂	

11 At which stage in the manufacture of magnesium from sea-water can electrolysis be used?




12 Metallic and non-metallic elements can both be extracted by electrolysis.

Which element is produced at the negative electrode (cathode)?

- A bromine
- **B** chlorine
- C hydrogen
- **D** oxygen
- 13 Which product is manufactured by electrolysis?
 - **A** aluminium
 - **B** copper(II) sulphate
 - C sodium chloride
 - **D** steel

14 Which diagrams show a process in which an exothermic change is taking place?




- 1 and 2 only Α
- 1 and 3 only В
- 2 and 3 only C
- 1, 2 and 3

15 Are hydrogen and uranium oxidised when used as a source of energy?

	hydrogen	uranium
Α	✓	✓
В	✓	x
С	x	✓
D	X	x


16 A liquid **X** reacts with solid **Y** to form a gas.

Which two diagrams show suitable methods for investigating the speed of the reaction?



17 In different experiments, 2g of marble are added to 10 cm³ of hydrochloric acid.

In which tube is the reaction fastest?



www.PapaCambridge.com

18 What is the colour of liquid bromine and of the aqueous bromide ion?

	bromine	bromide ion	
Α	red-brown	red-brown	
В	red-brown	colourless	
С	yellow-green	yellow-green	
D	yellow-green	colourless	


- 19 Which property does hydrochloric acid have?
 - A It gives a pale blue precipitate with aqueous copper(II) sulphate.
 - **B** It gives a white precipitate with aqueous barium nitrate.
 - **C** It releases ammonia from aqueous ammonium sulphate.
 - **D** It releases hydrogen with zinc powder.
- 20 Hydrochloric acid is used to clean a metal surface by removing the oxide layer on the metal.


This is because hydrochloric acid has a**X**..... pH and the metal oxide is**Y**.....

What are X and Y?

	X	Y	
Α	A high acidi		
В	high	high basic	
С	low	acidic	
D	low	basic	

21 The apparatus shown can be used to prepare aqueous copper(II) sulphate.






What are substances X and Y?


	substance X	substance Y	
Α	copper	iron(II) sulphate	
В	copper(II) chloride	sulphuric acid	
С	copper(II) oxide	sulphuric acid	
D	sulphur	copper(II) chloride	

22 In the experiment shown, the dilute sulphuric acid is run into the flask of aqueous barium hydroxide until the reaction is complete.



Which processes occur in this reaction?

	neutralisation	precipitation
Α	✓	~
В	✓	X
С	X	✓
D	X	X



- A electrons in the innermost shell.
- **B** electrons in the outermost shell.
- **C** fully occupied shells of electrons.
- **D** partly occupied shells of electrons.
- 24 An element X is in Group III of the Periodic Table.

Which property of **X** can be predicted from this fact?

- A the charge on an ion of X
- B the colour of the ion of X
- C the melting point of X
- **D** the relative atomic mass, A_r , of **X**
- 25 The table compares the properties of Group I elements with those of transition elements.

Which entry in the table is correct?

	property	Group I elements	transition elements
Α	catalytic activity	low	high
В	density	high	low
С	electrical conductivity	low	high
D	melting point	high	low

26 Caesium is near the bottom of Group I of the Periodic Table.

What is the correct description of caesium?

	state at room temperature	reaction with cold water	
Α	liquid	reacts quickly	
В	liquid	reacts slowly	
С	solid	reacts quickly	
D	solid	reacts slowly	

www.PapaCambridge.com

27 Mild steel is an alloy of iron and carbon.

How does the carbon affect the properties of mild steel?

- **A** The carbon makes the alloy a better conductor of electricity than iron.
- **B** The carbon makes the alloy harder than the iron.
- **C** The carbon makes the alloy softer than the iron.
- **D** The carbon stops the iron rusting.
- 28 Which metal reacts quickly with cold water only when it is finely powdered?
 - A calcium
 - **B** copper
 - C sodium
 - **D** magnesium
- 29 Which of the oxides CaO, CuO and Na₂O can be reduced by heating with carbon?
 - A CaO only
 - **B** CuO only
 - C Na₂O only
 - **D** CaO, CuO and Na₂O
- **30** Three stages in making steel from iron ore are listed.
 - X carbon dioxide reacts with carbon
 - Y basic oxides and oxygen are added
 - Z hematite is reduced

In which order do these stages occur?


$$\textbf{A} \quad X \to Y \to Z$$

$$\textbf{B} \quad X \to Z \to Y$$

$$\boldsymbol{C} \quad Y \to X \to Z$$

$$\textbf{D} \quad Z \to Y \to X$$

31 The diagram shows ethanol burning inside a sealed jar.



The mass of one gas in the jar does not change.

Which gas is this?

- A carbon dioxide
- **B** nitrogen
- C oxygen
- **D** water vapour

32 Which methods prevent rusting of iron?

	coating with zinc	painting	washing with distilled water
Α	✓	✓	✓
В	X	✓	✓
С	✓	✓	X
D	✓	X	X

- 33 Which processes do not use oxygen?
 - 1 burning natural gas
 - 2 heating a room with an electric fire
 - 3 welding apparatus
 - A 1 only B 2 only C
- C 3 only
- **D** 1, 2 and 3

www.PapaCambridge.com

34 The presence of nitrates in soil can be shown by warming the soil with aque hydroxide and aluminium foil.

Which gas is given off?

- A ammonia
- B carbon dioxide
- C nitrogen
- D nitrogen dioxide
- **35** Dolomite is a rock that contains magnesium carbonate.

A piece of dolomite is heated strongly in air.

Which word equation correctly describes the reaction that takes place?

- A magnesium carbonate + water → magnesium hydroxide + carbon dioxide
- B magnesium carbonate + oxygen → magnesium oxide + carbon dioxide + water
- C magnesium carbonate + oxygen → magnesium oxide + water
- D magnesium carbonate → magnesium oxide + carbon dioxide
- 36 Which two compounds have molecules in which there is a double bond?
 - A ethane and ethanoic acid
 - **B** ethane and ethanol
 - C ethene and ethanoic acid
 - **D** ethene and ethanol
- 37 Which substance is found in crude oil?
 - A bitumen
 - **B** ethanol
 - C ethanoic acid
 - **D** poly(ethene)

th aque Randhidge Com

www.PapaCambridge.com 38 Which statement about a family of organic compounds describes an homologous sen

All compounds in the family have the same

- functional group. Α
- В physical properties.
- C relative molecular mass.
- structural formula.

39 Which column describes ethane and which column describes ethene?

	hydrocarbon			
	1	2	3	4
state at room temperature	gas	gas	liquid	liquid
reaction with oxygen	burns	burns	burns	burns
reaction with aqueous bromine	no reaction	decolourises bromine	no reaction	decolourises bromine

- A 1 (ethane) and 2 (ethene)
- 1 (ethane) and 3 (ethene) В
- C 2 (ethene) and 3 (ethane)
- D 3 (ethane) and 4 (ethene)

40 Which of the products $C_{12}H_{24}$ and H_2 could be formed by cracking dodecane, $C_{12}H_{26}$?

	C ₁₂ H ₂₄	H ₂	
Α	X	X	
В	X	✓	
С	✓	X	
D	✓	✓	

BLANK PAGE

www.papaCambridge.com

	Elements
Щ	the
IA SHEET	Table of
DATA	odic
	Perio
	The

Group	0	Hel ium	10	Ar Argon	98	131 Xe Xenon 54	Rn Radon 86	
	=		19 Fluorine	Chlorine	80 Br Bromine 35	127 I lodine 53	At Astatine 85	
	5			Sulphur 16	Se Selenium	128 Te Tellurium 52	Po Polonium 84	
	>		14 Nitrogen 7	Phosphorus	AS Arsenic	122 Sb Antimony 51	209 Bi Bismuth 83	
	≥		9	Silicon 841	73 Ge Germanium 32	119 Sn Tin 50	207 Pb Lead 82	
	≡		11 Boron 5	At Aluminium 13	70 Ga Gallium 31	115 In Indium 49	204 T 1 Thallium	
					65 Zn 30	112 Cd Cadmium 48	201 Hg Mercury 80	
					64 Cu Copper	108 Ag Silver 47	197 Au Gold 79	
					59 Nickel	106 Pd Palladium 46	195 Pt Platinum 78	
					59 Cobalt 27	Rhodium 45	192 Ir Iridium 77	
		T Hydrogen			56 Fe Iron	Ru Ruthenium 44	190 Os Osmium 76	
					Manganese 25	Tc Technetium 43	186 Re Rhenium 75	
					52 Cr Chromium 24	96 Mo Molybdenum 42	184 W W Tungsten 74	
					51 V Vanadium 23	93 Nb Niobium 41	181 Ta Tantalum 73	
					48 Ti Titanium 22	91 Zr Zirconium	178 Hf Hafnium 72	
					45 Scandium 21	89 Y Yttrium 39	La Lanthanum *	227 Ac Actinium 89
	=		Beryllium 4	Mg Magnesium	40 Ca Calcium 20	88 Sr Strontium 38	137 Ba Barium 56	226 Ra Radium 88
	_		7 Li Lithium 3	Sodium Sodium	39 K Potassium	Rubidium	133 Cs Caesium 55	Fr Francium 87

www.papaCambridge.com **Yb**Ytterbium
70 Md Mendelevium 101 169 **Tay** Thulium 167 **Er** Erbium Fm Esteinium 99 165 **H**olmium Californium 98 Dysprosium 66 162 **Q BK**Berkelium
97 Tb Terbium Gd Gadolinium 64 Curium 96 Am Americium 95 152 **Eu** Europium Samarium 62 **Pu**Plutonium
94 Neptunium Promethium Neodymium ‡ **B C** 238 Pa Protactinium Praseodymium 59 ₁ 보 232 **Th**Thorium 140 **Ce** Cerium b = proton (atomic) number a = relative atomic mass

X = atomic symbol

т Т

Key

*58-71 Lanthanoid series 90-103 Actinoid series

175 **Lu** Lutetium 71

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).