Centre Number	
---------------	--

Name

www.papaCambridge.com UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY

Paper 6 Alternative to Practical

May/June 2006

0620/06

1 hour

Candidates answer on the Question Paper. No additional materials are required.

READ THESE INSTRUCTIONS FIRST

Write your name, Centre number and candidate number at the top of this page. Write in dark blue or black pen. You may use a pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
Total	
-	

MIM INTERCETS COALGEBORD

www.papaCambridge.com 2 The diagram shows the effect of passing electricity through concentrated hydrochloric 1 chlorine hydrogen (a) Label the diagram by completing the boxes. [3] (b) Name this process. [1] (c) Give a test for chlorine. test result [2]

		3		For Examiner's Use
2	A sample of	orange fruit jam was investigated to check the three colourings present.	Car	Use
	Step 1 The	jam was boiled with water.	2	tio
	Step 2 The	mixture was filtered.		Se.co
	Step 3 The	filtrate was concentrated.		YM.
	Step 4 The	concentrate was analysed by chromatography.		
	(a) What wa	is the purpose of Step 1?		
			[1]	
	(b) Why was	s the mixture filtered?		
			[1]	
	(c) How was	s Step 3 carried out?	[4]	
			[1]	
	(d) Draw a c	liagram to show the possible paper chromatogram obtained in Step 4.		

[2]

www.papaCambridge.com A student carried out an experiment to measure the temperature changes dur 3 reaction of two solutions X and Y.

The instructions were as follows.

Leave the solutions to stand in the laboratory for one hour.

Pour 25 cm^3 of solution **X** into a polystyrene cup and record its temperature.

Add 10 cm^3 of solution **Y** and record the maximum temperature reached.


Repeat the experiment using 25 cm³ of solution **X** with different volumes of solution **Y**.

The results are shown in the table. Use the thermometer diagrams to record the maximum temperatures reached.

volume of solution Y added to 25 cm ³ solution X /cm ³	thermometer diagram	maximum temperature/°C
0	30 - 25 - 20	
10	40 - 35 - 30	
20	50 - 45 - 40	
30	55 	
40	45 40	
50	40	

4


[2]



		6 Read from your graph the maximum temperature that could be reached reaction.	F	
(e)	(i)	Read from your graph the maximum temperature that could be reached reaction.	Cambridge	se
	(ii)	Indicate on the graph where the two solutions completely react with each other.	[1]	COM
	(iii)	What volume of solution Y exactly reacts with the 25 cm ³ of solution X ?		
			[1]	
(f)	Cire	cle which word correctly describes this chemical reaction.		
		endothermic reversible exothermic	[1]	

A student investigates the speed of reaction when aqueous hydrogen peroxide 4 down using a catalyst, manganese(IV) oxide. The catalyst remains unchanged at the of the reaction.

The apparatus was set up as shown in the diagram.



20 cm³ hydrogen peroxide solution

Experiment 1

By using a measuring cylinder, 20 cm³ of hydrogen peroxide solution was poured into a conical flask. One spatula measure of manganese(IV) oxide was added to the flask, the bung was quickly put in the flask and the timer started.

The volume of gas collected in the measuring cylinder at 10 seconds, 20 seconds and 30 seconds was measured.

The results are shown in the table below.

time/s	0	10	20	30
measuring cylinder diagram	10 20 30 40 50	10 20 30 40 50	10 20 30 40 50	10 20 30 40 50
volume of gas in measuring cylinder/cm ³	0	19	39	51

Experiment 2

www.papacambridge.com By using a measuring cylinder 15 cm^3 of hydrogen peroxide was poured into the conical flask. The instructions were repeated exactly as given for Experiment 1, but 5 cm³ of distilled water was also added to the flask.

Use the diagrams to record your results in the table below.

time/s	0	10	20	30
measuring cylinder diagram	10 20 30 40 50	10 20 30 40 50	10 20 30 40 50	10 20 30 40 50
volume of gas in measuring cylinder/cm ³				

[2]

Experiment 3

Experiment 1 was repeated using 10 cm³ of hydrogen peroxide and 10 cm³ of distilled water. Record your results in the table.

time/s	0	10	20	30
measuring cylinder diagram	10 20 30	10 20 30	10	10
volume of gas in measuring cylinder/cm ³				

[2]


Experiment 4


www.papacambridge.com Experiment 1 was repeated using 5 cm³ of hydrogen peroxide and 15 cm³ of distilled water Record your results in the table.

time/s	0	10	20	30
measuring cylinder diagram	10	10 20 30	10	10
volume of gas in measuring cylinder/cm ³				

[2]

9





		11 State two sources of error in the Experiments. 1 2	1
		11	Fc Fxam
(c)	(i)	State two sources of error in the Experiments.	Us
		1	orido
			-0
		2	
		[2]	
	(ii)	Suggest two improvements to reduce the sources of error in the Experiments.	
		1	
		2	
		[2]	
(d)		te a practical method you could use to prove that manganese(IV) oxide was a alyst in Experiment 1.	
		[2]	

5 A mixture of two compounds, **B** and **C**, was tested. Compound **B** was a water-soluble zinc salt and compound **C** was insoluble. The tests and some of the observations are in the following table. Complete the observations in the table.

12	AN. Day
of two compounds, B and C , was tested d B was a water-soluble zinc salt and c and some of the observations are in th the observations in the table.	compound C was insoluble.
tests	observations
(a) One measure of the mixture was heated gently then strongly.	condensation at the top of the tube
The gas released was tested with cobalt chloride paper.	paper turned pink
The rest of the mixture was added to about 25 cm ³ of distilled water in a boiling tube. The contents of the tube were shaken and filtered. The following tests were carried out.	
Tests on the filtrate The solution was divided into 2 cm ³ po	rtions in four test-tubes.
(b) (i) Drops of aqueous sodium hydroxide were added to the first portion of the solution.	
Excess aqueous sodium hydroxide was added.	
	[3]
 (ii) Using the second portion test (b)(i) was repeated using aqueous ammonia instead of aqueous sodium hydroxide. 	
	[3]

	observations
(iv) To the fourth portion of solution was added nitric acid and silver nitrate solution.	observations no visible reaction
Tests on the residue	
(c) Some of the residue was placed into a test-tube. Dilute hydrochloric acid was added and the gas given off was tested with limewater.	rapid effervescence limewater turned milky
at does test (a) indicate?	
	[1]
Vhat conclusions can you draw about comp	bound B ?
	[2]
/hat does test (c) indicate?	[2]

6 The diagram shows two bottles of liquid oven cleaner.



The oven cleaners contain sodium hydroxide solution. Plan an investigation to show which oven cleaner contains the highest concentration of sodium hydroxide.

 	 •••••
 	[6]

14

www.papacambridge.com



BLANK PAGE



BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.