UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

## www.papacambridge.com MARK SCHEME for the October/November 2006 question paper

## 0620 CHEMISTRY

0620/02

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

The grade thresholds for various grades are published in the report on the examination for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses.

CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2006 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Pa		ge 2	Mark Scheme Syllab	the second
			IGCSE - OCT/NOV 2006 0620	Day Sac
l (a	a)	С		SIT
(	b)	(i)	2;2 (both needed)	
		(ii)	2 from: floats on water/on surface; moves (on surface); forms a ball/melts; disappears/dissolves ALLOW: spits/explodes (at end of reaction) NOT: reacts violently	www.papacanne
		(iii)	blue; solution is alkaline/sodium hydroxide/ (NaOH) is alkaline ALLOW: (solution) is basic/is a base	[2]
		(iv)	2 <sup>nd</sup> and 3 <sup>rd</sup> boxes ticked (1 each)	[2]
(0	c)	faste	r/more reactive OWTTE (than potassium)	[1]
(0	d)	(i)	atoms of same element/same number of protons with different number neutrons/different mass numbers NOT: elements/compounds with different mass numbers	of [1]
		(ii)	11	[1]
		(iii)	19	[1]
		(iv)	energy/nuclear fuel/nuclear power plants NOT: nuclear weapons/unqualified fuel	[1]
				[Total: 13]
2 (a	a)	$CO_2$		[1]
(	b)	(i)	reduced; metal; endothermic	[3]
		(ii)	carbon	[1]
		(iii)	limewater; turns cloudy/milky/goes white	[2]
(0	c)	light	aqueous) sodium hydroxide; blue ppt; uble in excess	[3]
		add aqueous ammonia; light blue ppt; soluble in excess/giving dark blue solution		
(0	d)	(i)	correct diagram (2,4)	[1]
		(ii)	(period) 2	[1]
(e	e)	(i)	alkane(s)	[1]
		(ii)	ethane	[1]
		-		IT stals 4.4

Pa		ige 3	Mark Scheme Syllabu	S. Ppe		
	_		IGCSE - OCT/NOV 2006 0620	Dac		
3	(a)	ring	ge 3 Mark Scheme Syllabt   IGCSE - OCT/NOV 2006 0620   ring around OH group only 0620   unsaturated because it contains (C=C) double bonds (both points needed)   carbon dioxide; water   (i)			
	(b)	<u>unsa</u>	turated because it contains (C=C) double bonds (both points needed)			
	(c)	carbon dioxide; water				
	(d)	(i)	condenser	[1]		
		(ii)	100°C (unit needed)	[1]		
		(iii)	it is above the water/floats on water	[1]		
	(e)	(i)	on the origin line and directly below the spots	[1]		
		(ii)	4	[1]		
		(iii)	beaker with paper placed correctly and solvent level below the origin line an both solvent and origin line labelled	d <b>[1</b> ]		
		(iv)	random movement of molecules/molecules move anywhere NOT: molecules move from higher to lower concentration	[1]		
		(v)	correct formula for ethanol showing all atoms and bonds ALLOW: OH group shown without bond	[1]		
		(vi)	2 <sup>nd</sup> and 4 <sup>th</sup> boxes ticked	[1]		
				[Total: 13]		
4	(a)	substance containing different atoms bonded/ joined etc				
	(b)	treating acid soils/making plaster/any other <u>specific</u> reasonable use NaC <i>l</i> ;				
		CaCO <sub>3</sub> ; in blast furnace/for making iron/making lime/any other <u>specific</u> reasonable use ammonium nitrate; N = 2, H = 4, O = 3;				
	(c)	80		[1]		
				[Total: 8]		
5	(a)	it is (very) reactive/near top of reactivity series				
	(b)	gives off bubbles rapidly; dissolves quickly;				
	(c)	for c	utting/welding/for oxyacetylene blow torch	[1]		
	(d)	(i)	2H <sub>2</sub> O	[1]		
		(ii)	neutralization	[1]		
	(e)	(i)	burette	[1]		
		(ii)	starts alkaline/stated alkaline pH; pH decreases/to stated lower pH NOT: becomes more acid	[2]		

Pa	age 4	Mark Scheme	Syllaba aper
		IGCSE - OCT/NOV 2006	0620 232
(a)	PbB	r <sub>2</sub>	SITTE
(b)	gian	t; ionic	
(c)	(i)	В	Syllaba 0620 Bubacanno [1]
	(ii)	platinum	[1]
	(iii)	ions can move/so it can conduct electricity NOT: ions are free	[1]
	(iv)	bromine; lead	[2]
(d)	(i)	Br <sub>2</sub>	[1]
	(ii)	orange/brown/red-brown: NOT yellow	[1]
	(iii)	bromine is more reactive than iodine/bromine is higher in the act iodine (must be comparison)	-
		ALLOW: ideas about stronger bonding in NaBr	[1]
(e)	(i)	correct formula showing all atoms and bonds	[1]
	(ii)	D	[1]
			[Total: 13]
(a)	reas	<b>D</b> (both needed); on: high melting point/coloured chlorides/coloured compounds : properties of transition elements not shown in the table	[2]
(b)	iron	sulphate	[1]
(c)	idea of measuring volume of gas/amount of gas; in measuring cylinder/tube;		
	idea	of measuring (volume of gas) with time/time intervals;	[3]
(d)	(i)	doubling concentration doubles rate/rate proportional to concent increasing concentration increases rate/speed = 1	ration = 2 [ <b>2</b> ]
	(ii)	slower/decreases	[1]
	(iii)	slower/decreases	[1]
			[Total: 10]
			[TOTAL: 80]