www.PapaCambridge.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY

0620/02

Paper 2

October/November 2006

1 hour 15 minutes

Candidates answer on the Question Paper. No Additional Materials required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.


The number of marks is given in brackets [] at the end of each question or part questions. A copy of the Periodic Table is printed on page 20.

For Examir	ner's Use
1	
2	
3	
4	
5	
6	
7	
Total	

This document consists of 18 printed pages and 2 blank pages.



1 When Group I elements react with water, hydrogen gas is given off. The diagram shows the reaction of lithium, potassium and sodium with water.



(a)	Which on	e of these	elements A	, B	or C	; is	lithium	?
-----	----------	------------	------------	------------	-------------	------	---------	---

[1]

(b) (i) Balance the equation for the reaction of sodium with water by completing the lefthand side.

.....Na +
$$H_2O$$
 \longrightarrow 2NaOH + H_2 [1]

(ii) Apart from fizzing, describe two things that you would see when sodium reacts with water.

[2]

(iii) After the sodium had reacted with the water, the solution was tested with red litmus paper.

What colour did the litmus paper turn? Give a reason for your answer.

colour

reason

	the state of the s	
	3 M. A. A.	
(iv)	Which of the following statements about sodium are true? Tick two boxes.	Camb
	Which of the following statements about sodium are true? Tick two boxes. It is made by reducing sodium oxide with carbon.	
	It reacts with chlorine to form sodium chloride.	
	It reacts readily with oxygen.	
	It only conducts electricity when molten.	
		[2]
	dium has only one stable isotope whereas potassium has several isotopes.	[1]
(i)	What do you understand by the term isotopes?	
(ii)	How many protons does sodium have in its nucleus? Use the Periodic Table to help you.	[1]
		[1]
(iii)	How many electrons are there in an atom of potassium?	
	225	[1]
(iv)	Uranium has many isotopes. One of these is uranium-235 (²³⁵ U). What is the main use of this isotope of uranium?	
		[1]

- 2 Copper can be extracted by heating copper carbonate with carbon.
 - (a) The copper carbonate breaks down into copper oxide and releases a gas. Complete the equation for this reaction.

Man Man D	
4	For Examiner's
pper can be extracted by heating copper carbonate with carbon.	Use
The copper carbonate breaks down into copper oxide and releases a gas. Complete the equation for this reaction.	Bridge
CuCO ₃ → CuO +	1] COM
The copper oxide then reacts with the carbon.	

(b) The copper oxide then reacts with the carbon.

(c)

$$2CuO + C \xrightarrow{\text{heat}} 2Cu + CO_2$$


(i) Complete the following sentences using words from the list.

	endothermic	exothermic	halogen	metal	
	neutralised	02	kidised	reduced	
	In this reaction copper	oxide is	to copper.		
	The copper obtained is	s a pinkish-brown			
	The reaction is	because	heat is absorbed.		[3]
(ii)	State the name of the	substance which	is oxidised during t	his reaction.	
					[1]
(iii)	How would you test for	r the carbon dioxi	de given off in this	reaction?	
	test				
	result				[2]
Des	scribe a test for aqueous	s copper ions and	I state the result.		
					[3]

- (d) Carbon is in Group IV of the Periodic Table.
 - (i) Draw a diagram to show how the electrons are arranged in an atom of carbon.

	(ii)	To which Period in the Periodic Table does carbon belong?	[1]
			[1]
(e)	Org	ganic compounds contain carbon and hydrogen.	
	(i)	To which homologous series does the organic compound A belong?	
		H H H-C-C-H H H	
		compound A	
			[1]
	(ii)	State the name of compound A .	
			[1]

3 Lavandulol is found in lavender plants. The formula of lavandulol is shown below.



(a) Put a ring around the alcohol functional group in this formula.

[1]


(b)	Is lavandulol a saturated or unsaturated compound?
	Give a reason for your answer.

[4]

(c) State the names of the **two** products formed when lavandulol is burnt in excess oxygen.

	[0]	
and	121	
did		

(d) Lavandulol can be extracted from lavender flowers by distillation using the apparatus shown below. The lavandulol is carried off in small droplets with the steam.



	(i)	State the name of the piece of apparatus labelled A .	Ca
	(ii)	What is the temperature of the water at point X in the diagram?	1
	(iii)	The lavandulol and water are collected in the beaker. What information in the diagram shows that lavandulol is less dense than water?	[1]
			[1]
(e)	Αs	render flowers contain a variety of different pigments (colourings). tudent separated these pigments using paper chromatography. e results are shown in the diagram below.	
		chromatography paper the chromatography paper the chromatography paper	
	(i)	Put an X on this diagram to show where the mixture of pigments was placed at start of the experiment.	the [1]
	(ii)	How many different pigments have been separated?	
			[1]

- (iii) Draw a diagram to show how the chromatography apparatus was set up. On your diagram label

 the solvent

 - the origin line

chromatography jar. What do you understand by the term diffusion? [1] (v) Ethanol can be used as a solvent in chromatography. Draw the formula for ethanol showing all atoms and bonds.		the state of the s	
Ethanol can be used as a solvent in chromatography. Draw the formula for ethanol showing all atoms and bonds. Vi) Which of the following statements about ethanol are true? Tick two boxes. It is a carboxylic acid. It is a product of the fermentation of glucose. It is an unsaturated compound.		8	1
Ethanol can be used as a solvent in chromatography. Draw the formula for ethanol showing all atoms and bonds. Vi) Which of the following statements about ethanol are true? Tick two boxes. It is a carboxylic acid. It is a product of the fermentation of glucose. It is an unsaturated compound.	(iv)	During chromatography, the solvent evaporates and then diffuses through chromatography jar. What do you understand by the term <i>diffusion</i> ?	aCann.
Ethanol can be used as a solvent in chromatography. Draw the formula for ethanol showing all atoms and bonds. Vi) Which of the following statements about ethanol are true? Tick two boxes. It is a carboxylic acid. It is a product of the fermentation of glucose. It is an unsaturated compound.			[1]
Vi) Which of the following statements about ethanol are true? Tick two boxes. It is a carboxylic acid. It is a product of the fermentation of glucose. It is an unsaturated compound. It is formed by the catalytic addition of steam to ethene.	(v)	Ethanol can be used as a solvent in chromatography.	
Vi) Which of the following statements about ethanol are true? Tick two boxes. It is a carboxylic acid. It is a product of the fermentation of glucose. It is an unsaturated compound. It is formed by the catalytic addition of steam to ethene.			
It is a product of the fermentation of glucose. It is an unsaturated compound. It is formed by the catalytic addition of steam to ethene.	(vi)		[1]
It is an unsaturated compound. It is formed by the catalytic addition of steam to ethene.		It is a carboxylic acid.	
It is formed by the catalytic addition of steam to ethene.		It is a product of the fermentation of glucose.	
		It is an unsaturated compound.	
[1]		It is formed by the catalytic addition of steam to ethene.	
			[1]

4 This question is about compounds.

(a)	What do you understand by the term <i>compound</i> ?	1
		[1

(b) Complete the table below to show the formulae and uses of some compounds.


compound	relative number of atoms present	formula	use
agleium avida	Ca = 1	CoO	
calcium oxide	O = 1	CaO	
sodium chloride	Na = 1 C <i>l</i> = 1		table salt
	Ca = 1		
calcium carbonate	C =1		
	O = 3		
		NH ₄ NO ₃	in fertilizers

[6]

(c) Calculate the relative formula mass of NH_4NO_3 .

5 The list shows part of the reactivity series.

strontium calcium magnesium iron copper



(a) Calcium is manufactured by the electrolysis of molten calcium chloride. Suggest why calcium is extracted by electrolysis.

_____[1]

(b) Equal sized pieces of magnesium, strontium and calcium are placed in water. Some observations about these reactions are shown in the table. Complete the box for strontium.

metal	observations
	Gives off a few bubbles of gas with hot water.
magnesium	Dissolves very slowly.
calcium	Gives off bubbles steadily with cold water.
	Dissolves slowly.
strontium	

[2]

(c) When water is added to calcium carbide, acetylene and calcium hydroxide are formed. State a use for acetylene.

______[1]


- (d) A solution of calcium hydroxide is alkaline.
 - (i) Complete and balance the equation for the reaction of calcium hydroxide with hydrochloric acid.

$$Ca(OH)_2 + 2HCl \longrightarrow CaCl_2 + \dots$$

(ii) What type of chemical reaction is this?


[1

www.PapaCambridge.com (e) A student used the apparatus shown below to calculate the concentration of a of calcium hydroxide.



(i)	State the name of the piece of apparatus labelled A .
	[1]
(ii)	Describe how the pH of the solution in the flask changes as the hydrochloric acid is added.
	[2]

6 The diagram shows the structure of lead bromide.




(a)	What is	the simplest	formula for	lead	bromide?
-----	---------	--------------	-------------	------	----------

[1]

(b) What type of structure and bonding is present in lead bromide? Choose **two** words from the following:

molecular	metallic	ionic	giant	covalent	atomic
[2					
[2					

(c) Lead bromide is electrolysed using the apparatus shown below.



	(i)	Which letter,	A, B	or C	represents	the cathode?
--	-----	---------------	------	------	------------	--------------


	[1]]
--	-----	---

(ii)	State the name of a metal which can be used for the electrodes.	Colinda.
(iii)	Why does lead bromide have to be molten for electrolysis to occur?	Cambridge Com
		[1]
(iv)	State the name of the products formed during this electrolysis;	١ ١
	at the anode,	
	at the cathode.	[2]
(d) A s	tudent bubbled chlorine gas through an aqueous solution of sodium bromide.	
(i)	Complete the equation for this reaction.	
	Cl₂ + 2NaBr → + 2NaCl	
	chlorine sodium bromine sodium bromide chloride	
(ii)	What colour is the solution at the end of the reaction?	[1]
		[1]
(iii)	An aqueous solution of iodine does not react with a solution of sodium brom Explain why there is no reaction.	ide.
		[1]

- (e) Bromine becomes decolourised when it reacts with ethene.
 - (i) Draw the structure of ethene showing all atoms and bonds.

[1]

(ii) Which **one** of the following, **A**, **B**, **C** or **D**, shows the correct structure of the product formed when bromine reacts with ethene?



answer [1]

7 The table gives some information about the properties of some metals.


metal	melting point /°C	colour of chloride
Α	1890	pink
В	98	white
С	63	white
D	1535	brownish-black

(a)	Which two of the metals A to D are transition metals?
	Give a reason for your answer.

	metals		
	reason		[2]
(b)	When ire	on powder reacts with warm sulphuric acid, hydrogen is given off.	
		Fe + H_2SO_4 \longrightarrow FeSO ₄ + H_2	

State the name of the salt made in this reaction.	
	[1]

(c) A student used the apparatus shown below for investigating the speed of the between iron and sulphuric acid.



Describe how this apparatus can be used to investigate the speed of this reaction.	
	[3]

(d) The student repeated the experiment with different concentrations of sulphuric acid. In each experiment the mass of iron powder was the same and the temperature was kept at 30°C.

The results are shown in the table.

concentration of sulphuric acid / moles per dm ³	speed of reaction /cm ³ hydrogen per second
0.4	4.2
0.8	8.5
1.6	17.0

(i)	Use the information in the table to help you work out how the speed of the reaction is affected by the concentration of sulphuric acid.
	[2]
(ii)	What will happen to the speed of the reaction if lumps of iron are used instead of iron powder?
	[1]

For Examiner's Use

(iii)	What will happen to the speed of the reaction if it is carried out at 20°C rather at 30°C?	ambridge.co.
		OH

BLANK PAGE

www.PapaCambridge.com

19

BLANK PAGE

www.PapaCambridge.com

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

20

DATA SHEET
The Periodic Table of the Elements

_								Gre	Group								
_	=											Ξ	2	٨	I	II/	0
							- I										[₽]
							Hydrogen 1										Helium 2
7	6											1	12	14	16	19	20
<u> </u>	Be											ш	ပ	Z	0	ш	Ne
Lithium	Beryllium 4											Boron 5	Carbon 6	Nitrogen 7	Oxygen 8	Fluorine 9	Neon 10
23	24											27			32		40
Na	Mg											14	Si	Д.	ග	CI	Αľ
Sodium	Magnesium 12											Aluminium 13	Silicon 14	Phosphorus 15	Sulphur 16	14	Argon 18
39	40	45	48	51	52	55	56	59	59	64		70			62		84
¥	Ca	လွ	F	>	ပ်	M	Ъе	ပိ	Z	Cn	Zn	Ga	Ge	As	Se	ğ	궃
Potassium 19	Calcium 20	Scandium 21	Titanium 22	Vanadium 23	Chromium 24	Manganese 25	Iron 26	Cobalt 27	Nickel 28	Copper 29	Zinc 30	Gallium 31	Germanium 32	Arsenic 33	Selenium 34	Bromine 35	Krypton 36
85	88	88	91	93	96		101	103	106	108	112	115	119	122	128	127	131
Rb	Š	>	Zr	S S	Mo	ည	Ru	Rh	Pd	Ag	S	In	Sn	Sb	Тe	Ι	Xe
	Strontium 38	Yttrium 39	Zirconium 40	Niobium 41	Molybdenum 42	Technetium 43	Ruthenium 44	Rhodium 45	Palladium 46	Silver 47	Cadmium 48	Indium 49	Tin 50	Antimony 51	Tellurium 52	lodine 53	Xenon 54
133	137	139	178	181	184	186	190	192	195	197	201	204	207	209			
Cs	Ва	Ľ	Ξ	<u>r</u>	>	Re	Os	Ľ	Ŧ	Αu	Нg	11	Ъ	Ξ	Ъ	¥	Rn
Caesium	Barium 56	Lanthanum 57 *	Hafnium 72	Tantalum 73	Tungsten 74	Rhenium 75	Osmium 76	Iridium 77	Platinum 78	Gold 79	Mercury 80	Thallium 81	Lead 82	Bismuth 83	Polonium 84	Astatine 85	Radon 86
F	226 Ra	227 Ac															
Francium 7	Radium 88	Actinium 89															
21 17	*58-71 Lanthanoid series	opripo		140	141	144		150	152	157	159	162	165	167	169	173	175
103 A	90-103 Actinoid series	Pripo		පී	Ą	PZ	Pm	Sm		В	Д	D	운	ш	E	Υp	Lu
		2		Cerium 58	Praseodymium 59	Neodymium 60	Promethium 61	Samarium 62	Europium 63	Gadolinium 64	Terbium 65	Dysprosium 66	Holmium 67	Erbium 68	Thulium 69	Ytterbium 70	Lutetium 71
L																	

a = relative atomic mass	X = atomic symbol	b = proton (atomic) number	
a	×	q	
	Key		

	-	/	4n	
		_	3.	2
175	Γn	Lutetium 71	Lr Lawrenciur 103	Dacan
173	Υp	Ytterbium 70	No Nobelium 102	DapaCambridge.com
169	Ħ	Thulium 69	Md Mendelevium 101	OH)
167	ш	Erbium 68	Fm Fermium 100	1
	운	5	Es Einsteinium 99	(rt.p.).
162	ο	Dysprosium 66	Cf Californium 98	pressure
	Д		BK Berkelium 97	tture and
157	gq	Gadolinium 64	Cm Curium 96	ı tempera
152	Eu	Europium 63	Am Americium 95	า ³ at room
150	Sm	Samarium 62	Pu Plutonium 94	s is 24 dn
	Pm	Promethium 61	Neptunium 93	of any ga:
144	ğ	Neodymium 60	238 U Uranium 92	one mole
141	ŗ	Praseodymium 59	Pa Protactinium 91	The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).
140	පී	Cerium 58	232 Th Thorium	The vc
14	<u>ن</u>			F

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).