



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

www.PapaCambridge.com

CHEMISTRY

0620/01

Paper 1 Multiple Choice

October/November 2008

45 Minutes

Additional Materials: Multiple Choice Answer Sheet
 Soft clean eraser
 Soft pencil (type B or HB is recommended)

* 6 4 0 0 5 2 8 6 6 3 *

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.
Do not use staples, paper clips, highlighters, glue or correction fluid.
Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A, B, C** and **D**.
Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.


Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.
Any rough working should be done in this booklet.
A copy of the Periodic Table is printed on page 16.
You may use a calculator.

This document consists of **15** printed pages and **1** blank page.



- 1 In which substance are the particles furthest apart at room temperature?
- A ethanol
B methane
C salt
D sugar
- 2 An experiment is carried out to separate a mixture of two dyes. A line is drawn on a piece of chromatography paper and a spot of the dye mixture placed on it. The paper is dipped into a solvent and left for several minutes.



Which statement about this experiment is correct?

- A The dyes must differ in their boiling points.
B The dyes must differ in their solubilities in the solvent.
C The line must be drawn in ink.
D The line must be placed below the level of the solvent.
- 3 An aqueous solution contains barium iodide.


It is possible to obtain a solution that contains $\text{Ba}^{2+}(\text{aq})$ but no $\text{I}^{-}(\text{aq})$ by adding1..... until no more2..... precipitate forms.

Which words correctly complete gaps 1 and 2?

	1	2
A	aqueous lead(II) nitrate	white
B	aqueous lead(II) nitrate	yellow
C	dilute sulphuric acid	white
D	dilute sulphuric acid	yellow

- 4 A solid mixture contains an ionic salt, X, and a covalent organic compound, Y.

Two students suggested methods of separating the mixture as shown.




Which methods of separation are likely to work?

	1	2
A	✓	✓
B	✓	x
C	x	✓
D	x	x

- 5 What do the nuclei in hydrogen molecules contain?

- A** electrons and neutrons
- B** electrons and protons
- C** neutrons only
- D** protons only

6 The diagram shows part of the Periodic Table.



Which element is correctly matched with its electronic structure?

	element	electronic structure
A	W	2,8,1
B	X	2,4
C	Y	2,8,2
D	Z	2,8


7 Which of the following compounds exist?

	RaAr	RbBr
A	✓	✓
B	✓	x
C	x	✓
D	x	x

8 Which particle is an ion?

	number of protons	number of neutrons	number of electrons
A	1	0	1
B	3	4	3
C	6	6	6
D	11	12	10

- 9 The diagram shows a molecule of hydrogen fluoride.



In the molecule hydrogen fluoride, HF,

- A** the hydrogen and fluorine share a pair of electrons.
B the hydrogen and fluorine share a pair of protons.
C the hydrogen gives the fluorine an electron.
D the hydrogen gives fluorine a proton.
- 10 Lead(II) nitrate can be decomposed as shown.



Which numbers x, y and z balance the equation?


	x	y	z
A	2	2	2
B	2	2	4
C	2	4	4
D	4	4	2

- 11 Carbon and chlorine form a chloride.

What is the formula of this chloride?

- A** CCl_2 **B** CCl_4 **C** CaCl_2 **D** CaCl_4

12 Which diagram shows an experiment in which the bulb lights?



13 Metal X is low in the reactivity series and it is liberated by electrolysis of its bromide.

Metal X is1..... and the bromide is2..... .

Which words correctly complete gaps 1 and 2?

	1	2
A	lead	in solution
B	lead	molten
C	sodium	in solution
D	sodium	molten

- 14 Copper and hydrogen can each be formed by electrolysis.

At which electrodes are these elements formed?

	copper	hydrogen
A	anode	anode
B	anode	cathode
C	cathode	anode
D	cathode	cathode

- 15 When solid X is dissolved in water, an endothermic change takes place.

When 5 g of X are dissolved in 1000 cm³ of water, a temperature change of 10 °C occurs.

Which temperature change occurs when 5 g of X are dissolved in 500 cm³ of water?

- A** a decrease of 20 °C
B a decrease of 5 °C
C an increase of 20 °C
D an increase of 5 °C
- 16 The elements H₂ and ²³⁵U are both used as fuels.

In these processes, the reactions are1..... and2..... oxidised.


Which words correctly complete gaps 1 and 2?

	1	2
A	endothermic	both elements are
B	endothermic	only hydrogen is
C	exothermic	both elements are
D	exothermic	only hydrogen is

- 17 In which of the following reactions is the substance printed in **bold** oxidised?

- A** burning the **wax** in a candle
B dissolving **hydrogen chloride** in water
C making glucose from **carbon dioxide** and water by photosynthesis
D reacting **sodium hydroxide** with sulphuric acid


- 18 The diagram shows the change from a salt to its hydrated form.



Which labels can be used for X and Y?

	X	Y
A	+ heat	+ water
B	+ heat	– water
C	+ water	+ heat
D	+ water	– heat

- 19 Oxygen is formed when manganese(IV) oxide is added to hydrogen peroxide, H_2O_2 .



In this reaction, the manganese(IV) oxide acts as

- A** an acid.
B a base.
C a catalyst.
D a drying agent.
- 20 Dilute hydrochloric acid is added to aqueous barium nitrate in a test-tube.

What happens?

	the pH of the liquid in the test-tube	a precipitate forms
A	decreases	yes
B	decreases	no
C	increases	yes
D	increases	no


21 A colourless liquid in an unlabelled bottle is tested as shown.

- Litmus paper turns red.
- Magnesium ribbon fizzed.
- Reaction with aqueous barium nitrate produced a white precipitate.

What is the colourless liquid?

- A** aqueous sodium hydroxide
B aqueous sodium sulphate
C dilute hydrochloric acid
D dilute sulphuric acid

22 The diagrams show two experiments.



What happens to the pieces of litmus paper?

	experiment 1	experiment 2
A	blue → red	both pieces bleached
B	blue → red	no change
C	red → blue	both pieces bleached
D	red → blue	no change

23 Which substances react with dilute sulphuric acid to form a salt?

	magnesium	magnesium oxide	magnesium carbonate	magnesium chloride
A	✓	✓	✓	x
B	✓	✓	x	✓
C	✓	x	✓	✓
D	x	✓	✓	✓

24 Which properties of the element titanium, Ti, can be predicted from its position in the Periodic Table?

	can be used as a catalyst	conducts electricity when solid	has low density	forms coloured compounds
A	x	✓	✓	✓
B	✓	x	✓	✓
C	✓	✓	x	✓
D	✓	✓	✓	x

25 The table gives information about four elements.

Which element could be in Group I of the Periodic Table?

	proton number	reaction with water
A	even	reacts
B	even	no reaction
C	odd	reacts
D	odd	no reaction

26 What is the formula of a strontium ion?

- A** Sr^{2+} **B** Sr^+ **C** Sr^- **D** Sr^{2-}

- 27 Nichrome is an alloy of the two transition elements nickel and chromium. The alloy is used as a heating coil in electric fires and electric toasters.

Which properties of nichrome are important for these uses?

	high melting point	resistant to oxidation
A	✓	✓
B	✓	x
C	x	✓
D	x	x

- 28 Mild steel is an alloy of iron and carbon.


How does the carbon affect the properties of mild steel?

- A** The carbon makes the alloy a better conductor of electricity than iron.
- B** The carbon makes the alloy harder than the iron.
- C** The carbon makes the alloy softer than the iron.
- D** The carbon stops the iron rusting.
- 29 A new isotope of a divalent metal is discovered. Some students are asked to predict its properties.

Which student's predictions are correct?

student	number of electrons in outer shell	bonding in the oxide
A	2	covalent
B	2	ionic
C	6	covalent
D	6	ionic

30 The diagrams show two experiments to investigate metal reactivity.




In which of these experiments could the metal be copper?

	experiment 1	experiment 2
A	✓	✓
B	✓	x
C	x	✓
D	x	x

31 Which reaction is **not** a step in the production of iron from hematite in the Blast Furnace?

- A** carbon (coke) burning in air to produce carbon dioxide
- B** carbon monoxide being formed from carbon and carbon dioxide
- C** iron oxide reacting with carbon monoxide to form iron
- D** iron reacting with limestone to produce slag

32 Which item is sometimes made from stainless steel?



33 Some pollutant gases are present in the atmosphere because of the combustion of fossil fuels.

For which gases is this statement correct?

	CO	NO ₂	SO ₂
A	✓	✓	✓
B	✓	✓	x
C	✓	x	✓
D	x	✓	✓


34 Air is a mixture of gases.

Which gas is present in the largest amount?

- A** argon
- B** carbon dioxide
- C** nitrogen
- D** oxygen

35 The experiment shown in the diagram was set up.

Which tube had the highest water level after one month?



36 An excess of fertiliser on a field can be dissolved by rain water and washed into streams and rivers. Fertiliser can then find its way into water supplies.

Which process at the water works, if any, would remove this fertiliser?

	filtration	chlorination
A	no	no
B	no	yes
C	yes	no
D	yes	yes

37 When added in turn to four solutions, aqueous sodium carbonate gives the following results.

Which solution is acidic?

solution	result
A	a blue precipitate forms
B	a white precipitate forms
C	bubbles of gas form
D	no visible reaction occurs

38 Which products are obtained by the cracking of an alkane?

	alkene	hydrogen	water
A	✓	✓	✓
B	✓	✓	x
C	✓	x	✓
D	x	✓	✓

39 A compound takes part in an addition reaction.

How does its name end?

- A**ane
- B**ene
- C**ol
- D**oic acid

40 When glucose is fermented, ethanol is formed together with

- A** carbon dioxide.
- B** ethene.
- C** methane.
- D** oxygen.

DATA SHEET
The Periodic Table of the Elements

		Group																																																																																						
I	II	III	IV	V	VI	VII	0																																																																																	
1 H Hydrogen											2 He Helium																																																																													
3 Li Lithium	4 Be Beryllium	5 B Boron	6 C Carbon	7 N Nitrogen	8 O Oxygen	9 F Fluorine	10 Ne Neon	11 B Boron	12 C Carbon	13 Al Aluminium	14 Si Silicon	15 P Phosphorus	16 S Sulphur	17 Cl Chlorine	18 Ar Argon																																																																									
19 K Potassium	20 Ca Calcium	21 Sc Scandium	22 Ti Titanium	23 V Vanadium	24 Cr Chromium	25 Mn Manganese	26 Fe Iron	27 Co Cobalt	28 Ni Nickel	29 Cu Copper	30 Zn Zinc	31 Ga Gallium	32 Ge Germanium	33 As Arsenic	34 Se Selenium	35 Br Bromine	36 Kr Krypton																																																																							
37 Rb Rubidium	38 Sr Strontium	39 Y Yttrium	40 Zr Zirconium	41 Nb Niobium	42 Mo Molybdenum	43 Tc Technetium	44 Ru Ruthenium	45 Rh Rhodium	46 Pd Palladium	47 Ag Silver	48 Cd Cadmium	49 In Indium	50 Sn Tin	51 Sb Antimony	52 Te Tellurium	53 I Iodine	54 Xe Xenon																																																																							
55 Cs Caesium	56 Ba Barium	57 La Lanthanum	72 Hf Hafnium	73 Ta Tantalum	74 W Tungsten	75 Re Rhenium	76 Os Osmium	77 Ir Iridium	78 Pt Platinum	79 Au Gold	80 Hg Mercury	81 Tl Thallium	82 Pb Lead	83 Bi Bismuth	84 Po Polonium	85 At Astatine	86 Rn Radon																																																																							
87 Fr Francium	88 Ra Radium	89 Ac Actinium											103 Lr Lawrencium																																																																											
		*58-71 Lanthanoid series										104																																																																												
		†90-103 Actinoid series										105																																																																												
		<table border="1"> <tr> <td>a</td> <td>X</td> </tr> <tr> <td>b</td> <td></td> </tr> </table>										a	X	b		106																																																																								
a	X																																																																																							
b																																																																																								
		<p>a = relative atomic mass X = atomic symbol b = proton (atomic) number</p>										107																																																																												
		<table border="1"> <tr> <td>140</td> <td>Ce Cerium</td> <td>141</td> <td>Pr Praseodymium</td> <td>144</td> <td>Nd Neodymium</td> <td>150</td> <td>Sm Samarium</td> <td>152</td> <td>Eu Europium</td> <td>157</td> <td>Gd Gadolinium</td> <td>162</td> <td>Dy Dysprosium</td> <td>165</td> <td>Ho Holmium</td> <td>167</td> <td>Er Erbium</td> <td>169</td> <td>Tm Thulium</td> <td>173</td> <td>Yb Ytterbium</td> <td>175</td> <td>Lu Lutetium</td> </tr> <tr> <td>58</td> <td></td> <td>59</td> <td></td> <td>60</td> <td></td> <td>61</td> <td></td> <td>62</td> <td></td> <td>63</td> <td></td> <td>64</td> <td></td> <td>65</td> <td></td> <td>66</td> <td></td> <td>67</td> <td></td> <td>68</td> <td></td> <td>69</td> <td></td> <td>70</td> <td>71</td> </tr> <tr> <td>90</td> <td>Th Thorium</td> <td>91</td> <td>Pa Protactinium</td> <td>92</td> <td>U Uranium</td> <td>93</td> <td>Np Neptunium</td> <td>94</td> <td>Pu Plutonium</td> <td>95</td> <td>Am Americium</td> <td>96</td> <td>Cm Curium</td> <td>97</td> <td>Bk Berkelium</td> <td>98</td> <td>Cf Californium</td> <td>99</td> <td>Es Einsteinium</td> <td>100</td> <td>Fm Fermium</td> <td>101</td> <td>Md Mendelevium</td> <td>102</td> <td>No Nobelium</td> </tr> </table>										140	Ce Cerium	141	Pr Praseodymium	144	Nd Neodymium	150	Sm Samarium	152	Eu Europium	157	Gd Gadolinium	162	Dy Dysprosium	165	Ho Holmium	167	Er Erbium	169	Tm Thulium	173	Yb Ytterbium	175	Lu Lutetium	58		59		60		61		62		63		64		65		66		67		68		69		70	71	90	Th Thorium	91	Pa Protactinium	92	U Uranium	93	Np Neptunium	94	Pu Plutonium	95	Am Americium	96	Cm Curium	97	Bk Berkelium	98	Cf Californium	99	Es Einsteinium	100	Fm Fermium	101	Md Mendelevium	102	No Nobelium	108
140	Ce Cerium	141	Pr Praseodymium	144	Nd Neodymium	150	Sm Samarium	152	Eu Europium	157	Gd Gadolinium	162	Dy Dysprosium	165	Ho Holmium	167	Er Erbium	169	Tm Thulium	173	Yb Ytterbium	175	Lu Lutetium																																																																	
58		59		60		61		62		63		64		65		66		67		68		69		70	71																																																															
90	Th Thorium	91	Pa Protactinium	92	U Uranium	93	Np Neptunium	94	Pu Plutonium	95	Am Americium	96	Cm Curium	97	Bk Berkelium	98	Cf Californium	99	Es Einsteinium	100	Fm Fermium	101	Md Mendelevium	102	No Nobelium																																																															

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).