UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

## www.papacambridge.com MARK SCHEME for the May/June 2011 question paper

## for the guidance of teachers

## 0620 CHEMISTRY

0620/22

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	age 2 Mark Scheme: Teachers' version Syllabus	
	IGCSE – May/June 2011 0620	13C
(a) (i)	C	mbri
(ii)	В	190
(iii)	E	www.papacambridg
(iv)	С	[1]
(v)	D	[1]
(vi)		[1]
(•1)		[']
(b) (i)	electrons	[1]
	atoms	[1]
(ii)	1 <sup>st</sup> box from left ticked	[1]
(a) (i)	iron $\rightarrow$ nickel $\rightarrow$ zinc $\rightarrow$ aluminium	[1]
(ii)	too reactive / takes too much energy / too high temperature needed	[1]
(iii)	bauxite	[1]
(b) (i)	air	[1]
	limestone allow calcium carbonate	[1]
(ii)	3 (CO)	[1]
()	2 (Fe)	[1]
<i></i>	apply listing for extra incorrect additions to equation	
(iii)	carbon dioxide loses oxygen	[1] [1]
	allow oxidation number of <u>carbon</u> in carbon dioxide decreases allow <u>carbon</u> gains electrons	
	ignore electrons gained unqualified	
(iv)	poisonous / toxic	[1]
	ignore harmful	
(v)	takes in heat / energy (from surroundings) allow temperature of the reaction mixture / surroundings falls	[1]
	allow temperature goes down	
(c) (i)	mixture of metals / mixture of metal with non-metal OR carbon	[1]
	any suitable e.g. for car bodies / bridges / girders / railings etc.	[1]
(11)	allow e.g. nuts / bolts / bullets / chains / hinges / knives / pipes / mag wire (for fences) / cans etc.	

Pa	ge 3		Mark Scheme: Teachers' version	Syllabus r
			IGCSE – May/June 2011	0620
(a)	(i)	80 (% allow	5) 79–81	ambr
	(ii)	allow	wo of: n dioxide / argon / neon / xenon helium / radon / water <u>vapour</u> hydrogen	Syllabus 0620 Report of the company of the company
(b)	(i)	decre	ases / gets less / gets lower	['
	(ii)	increa	ases / gets more / greater	['
(c)			ble use e.g. electrical conductor / electrical wiring / sa unqualified	aucepans ['
(d)	the	spoon	e is soluble copper salt / named soluble copper salt e is the cathode / the copper rod is the anode	[,
			plication of this e.g. the positive ions move to the sp is coated with copper / spoon becomes brown	oon [
(a)	(i)	carbo allow	n dioxide CO <sub>2</sub>	['
	(ii)	iç • y iç iç • a	ne of: oom temperature OR temperature quoted from 20–4 gnore low temperature / high temperature east / enzymes / zymase gnore catalyst alone gnore microbes / viruses / bacteria bsence of oxygen / anaerobic H 7 / pH near neutral	40°C /
(b)	(i)	H – C not H		[
		 H – C	н   С-С-О-Н   н н	[
			– OH in place of – O – H $_2H_5OH$	
	(ii)	•	ous bromine / bromine water bromine / aqueous (acidified) potassium permangai	nate [ <sup>-</sup>
		turns	colourless / decolourises	['

			4444	
	Ра	ge 4	Mark Scheme: Teachers' version Syllabus	r
		•	IGCSE – May/June 2011 0620	
	(c)	carl wat	bon dioxide ter	Cambridge.com [1]
	(d)	sim	nologous ilar ctional	[1] [1] [1]
5	(a)	<u>gia</u>	mond: covalent (bonding) <u>nt structure</u> allow macromolecule prine: any two of: molecule covalent diatomic	[1] [1] [2]
	(b)	C <sub>6</sub> C	$Cl_{12}$	[1]
	(c)	(i)	green / yellow green / light green reject bluish-green / yellow alone	[1]
		(ii)	allow values between 2.5–4.0 (actual = 3.12)	[1]
		(iii)	increases reject decreases then increases	[1]
	(d)	(i)	iodine allow I <sub>2</sub>	[1]
			potassium bromide allow KBr	[1]
		(ii)	chlorine is more reactive than bromine / bromine is less reactive than chlorine / ignore chlorine is higher in the group reject chloride / chloride is more reactive than bromide	[1]
	(e)		ic compounds soluble AND molecular not (soluble) th needed for mark)	[1]
		AN	ic compounds conduct electricity <u>when molten</u> / <u>in (aqueous) solution</u> D molecular ones do not th needed for mark)	[1]

Page 5		Syllabus Syllabus
	IGCSE – May/June 2011	0620
(a) any • •	three of: add <u>excess</u> iron to sulfuric acid / filter off (excess) iron / concentrate filtrate / iron sulfate solution OR heat filtra allow heat filtrate so that some of water evaporated allow leave on windowsill for water to evaporate / allow ignore heat filtrate without qualification filter off crystals / pick out crystals / dry crystals with filter paper	
(b) (i)	oxidation number / iron forms 2+ ions allow charge on the iron ion	[1]
(ii)	add (aqueous) sodium hydroxide green precipitate	[1] [1] [1]
(iii)	water was given off / iron sulfate lost water / dehydrat	tion (reaction) [1]
(iv)	double headed arrow / equilibrium sign	[1]
(c) (i)	turns red / pink bubbles / effervescence allow iron disappears / tube gets hot / solution turns lig ignore hydrogen given off / gas given off	[1] [1]
(ii)	so plants can grow better / so crops can grow better / conditions	/ plants cannot grow well in alkaline [1]
(iii)	рН 8	[1]
(iv)	calcium oxide / lime / limestone / chalk / calcium carbo allow slaked lime	onate [1]

Page 6	6 Mark Scheme: Teachers' version	Syllabus	N.
	IGCSE – May/June 2011	0620	
(a) (i)	any value between 15-35 seconds		amb
(ii)	<ul> <li>any three of:</li> <li>particles escape from (ammonium) carbonate or sallow particles evaporate from (ammonium) carboodiffusion /</li> <li>particles are in random motion /</li> <li>particles gradually mix up (with air particles) /</li> <li>particles spread out everywhere /</li> <li>particles collide with air particles /</li> </ul>		193
<b>(b)</b> 96			[1]
(c) (i)	nitrogen phosphorus potassium (1 mark for each) NPK = 2 marks		[3]
(ii)	3 <sup>rd</sup> box down ticked		[1]
<b>(d)</b> 330	0 (g)		[1]
		Γιο	tal: 80]