UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CANDIDATE NAME	

CENTRE NUMBER						CANDIDATE NUMBER				

CHEMISTRY   **0620/21**

Paper 2   **May/June 2012**

                                                                          1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces at the top of this page.
Write in dark blue or black pen.
You may need to use a pencil for any diagrams, graphs or rough working.
Do not use staples, paper clips, highlighters, glue or correction fluid.
DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.
A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.
The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
Total	

This document consists of **15** printed pages and **1** blank page.

UNIVERSITY *of* **CAMBRIDGE**
International Examinations

[Turn over

*For
miner's*

1 Stearic acid is a solid at room temperature.
The diagram below shows the apparatus used for finding the melting point of stearic
The apparatus was heated at a steady rate and the temperature recorded every minute.

(a) State the name of the piece of apparatus labelled

A, ...

B. .... [2]

(b) (i) Suggest why the water needs to be kept stirred during this experiment.

....

.... [1]

(ii) Describe a chemical test for water.

test ....

result .... [2]

(c) A graph of temperature of stearic acid against time of heating is shown below.

(i) What was the temperature of the stearic acid after 3 minutes heating?

.... [1]

(ii) Use the information on the graph to determine the melting point of stearic acid.

.... [1]

(d) Describe the arrangement and motion of the particles in liquid stearic acid.

arrangement ....

motion .... [2]

(e) A sample of stearic acid contained 1% of another compound with a higher molecular mass.

  (i) Which one of the following statements about this sample of stearic acid is correct? Tick **one** box.

   Its density is exactly the same as that of pure stearic acid. ☐

   Its boiling point is the same as that of pure stearic acid. ☐

   Its melting point is different from pure stearic acid. ☐

   Its melting point is the same as that of pure stearic acid. ☐

[1]

  (ii) Describe **one** area of everyday life where the purity of substances is important.

.... [1]

[Total: 11]

2 The diagram below shows the structure of some substances, **A**, **B**, **C**, **D** and **E**.

A

B

C

D

E

(a) (i) Which **one** of these substances, **A**, **B**, **C**, **D** or **E**, is an element?

.... [1]

(ii) What do you understand by the term *element*?

.... [1]

(b) Calculate the relative molecular mass of **E**.

[1]

(c) Write the simplest formula for **D**.

.... [1]

(d) Which substance, **A**, **B**, **C**, **D** or **E**, conducts electricity when it is molten?
Explain your answer.

....

.... [2]

(e) The equation for the combustion of substance **A** is shown below.

$$2H_2S + 3O_2 \rightarrow 2H_2O + 2SO_2$$

What type of chemical reaction is this?
Put a ring around the correct answer.

decomposition   neutralisation   oxidation   reversible

[1]

[Total: 7]

3 Hydrochloric acid and ethanoic acid are both acidic in nature.

(a) Which **one** of the following is a pH value for an acidic solution.
Put a ring around the correct answer.

pH 3   **pH 7**   **pH 9**   **pH 13**

[1]

(b) Describe how you would use litmus to test if a solution is acidic.

....

....

.... [3]

(c) Acids react with metal carbonates.

(i) Write a word equation for the reaction of calcium carbonate with hydrochloric acid.

[3]

(ii) Calcium carbonate can be used to treat acidic soil.
State **one** other use of calcium carbonate.

.... [1]

(iii) Name **one** other compound that can be used to treat acidic soil.

.... [1]

(d) Hydrochloric acid reacts with iron to form iron(II) chloride and hydrogen.
Complete the equation for this reaction.

$$Fe \; + \; ....HCl \; \rightarrow \; FeCl_2 \; + \; ....$$

[2]

For
miner's

(e) (i) Complete the table below to show:

- the molecular formula for ethanoic acid
- the full structural formula for ethanol.

	ethanoic acid	ethanol
full structural formula		
molecular formula		C_2H_6O

[2]

(ii) Ethanol can be manufactured by the catalytic addition of steam to ethene. Complete the equation for this reaction.

.... + ... → C_2H_5OH

[1]

[Total: 14]

4 Fractional distillation is used to separate petroleum into different fractions.
Each fraction has a particular use.

(a) Match the fractions on the left with their uses on the right.
The first one has been done for you.

gas oil		heating

bitumen		fuel for ships

lubricating fraction		surfacing roads

refinery gases		waxes and polishes

naphtha		making chemicals

[4]

(b) Petroleum fractions contain hydrocarbons.
What do you understand by the term *hydrocarbon*?

.... [1]

(c) Methane, CH_4, is a hydrocarbon.

(i) Draw the structure of methane, showing all atoms and bonds.

[1]

(ii) Complete the following equation for the burning of methane in excess oxygen.

$$CH_4 + ...O_2 \rightarrow .... + 2H_2O$$

[2]

For
miner's

(iii) Methane belongs to a homologous series called the alkanes.
What do you understand by the term *homologous series*?

....

.... [2]

(iv) Name the second member of the alkane homologous series.

.... [1]

[Total: 11]

5 A student investigated the reaction between zinc and hydrochloric acid using the ap
shown below.
The zinc was in excess.

zinc + hydrochloric acid → zinc chloride + hydrogen

small test-tube
held by a
piece of cotton

measuring cylinder

zinc powder

water

hydrochloric acid

(a) What should the student do to start the reaction?

.... [1]

(b) The student measured the volume of gas in the measuring cylinder at minute intervals.
The results are shown in the table.

time / minutes	0	1	2	3	4	5	6	7
volume of gas / cm^3	0	15	23	30	33	35	35	35

(i) Plot the results on the grid below and draw the best curve through the points.

volume of
gas / cm^3

time / minutes

[3]

*For
miner's
e*

(ii) Explain why the volume of gas stays the same after 5 minutes.

....

.... [2]

(c) Complete the following sentences about this reaction using words or phrases from the list below.

concentration   decreases   increases

speed   stays the same   volume

When the .... of hydrochloric acid is increased, the volume of gas given

off in the first two minutes .... Decreasing the temperature of the reaction

mixture .... the .... of the reaction.   [4]

(d) When the reaction is complete, the flask contains a mixture of zinc and aqueous zinc chloride.
Describe how you can obtain pure dry crystals of zinc chloride from this reaction mixture.

....

....

....

.... [3]

[Total: 13]

6 Lithium, sodium and potassium are in Group I of the Periodic Table.

(a) The equation for the reaction of lithium with water is

$$2Li \ + \ 2H_2O \ \rightarrow \ 2LiOH \ + \ H_2$$

(i) Write a word equation for this reaction.

.... [2]

(ii) Sodium reacts with water in a similar way to lithium.
Write a symbol equation for the reaction of sodium with water.

[1]

(b) Describe the reactions of lithium, sodium and potassium with water.
In your description, write about:

- the difference in the reactivity of the metals
- the observations you would make when these metals react with water.

....

....

....

....

....

....

.... [5]

For
miner's

(c) The diagram below shows an electrolysis cell used to manufacture sodium from sodium chloride.

  (i) Which letter in the diagram above represents

the anode? ....

the electrolyte? .... [2]

  (ii) State the name of the product formed

at the positive electrode, ...

at the negative electrode. .... [2]

  (iii) Which one of the following substances is most likely to be used for the anode?
Put a ring around the correct answer.

graphite   iodine   magnesium   sodium

[1]

(d) Lithium, sodium and potassium are metals with a low density.
State **two** other physical properties of these metals.

1. ....

2. .... [2]

[Total: 15]

14

7 (a) The equations **A** and **B** below show two reactions which lead to the formation of acid rain.

A $S + O_2 \rightarrow SO_2$

B $SO_2 + O_3 \rightarrow SO_3 + O_2$

(i) Write a word equation for reaction **A**.

.... [2]

(ii) Which two of the following statements about reaction **B** are correct?
Tick **two** boxes.

SO_2 is oxidised to SO_3 ☐

SO_2 is reduced to SO_3 ☐

O_3 is reduced to O_2 ☐

O_3 is oxidised to O_2 ☐ [2]

(iii) Complete the equation to show how an aqueous solution of sulfuric acid, H_2SO_4, is formed from SO_3.

$SO_3 + \text{........} \rightarrow H_2SO_4$

[1]

(b) Describe and explain the effect of sulfuric acid on buildings made from limestone (calcium carbonate).

....

....

....

.... [3]

(c) State **one** effect of acid rain other than on buildings.

.... [1]

[Total: 9]

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

Group

I	II												III	IV	V	VI	VII	0
						1 **H** Hydrogen 1												4 **He** Helium 2
7 **Li** Lithium 3	9 **Be** Beryllium 4												11 **B** Boron 5	12 **C** Carbon 6	14 **N** Nitrogen 7	16 **O** Oxygen 8	19 **F** Fluorine 9	20 **Ne** Neon 10
23 **Na** Sodium 11	24 **Mg** Magnesium 12												27 **Al** Aluminium 13	28 **Si** Silicon 14	31 **P** Phosphorus 15	32 **S** Sulfur 16	35.5 **Cl** Chlorine 17	40 **Ar** Argon 18
39 **K** Potassium 19	40 **Ca** Calcium 20	45 **Sc** Scandium 21	48 **Ti** Titanium 22	51 **V** Vanadium 23	52 **Cr** Chromium 24	55 **Mn** Manganese 25	56 **Fe** Iron 26	59 **Co** Cobalt 27	59 **Ni** Nickel 28	64 **Cu** Copper 29	65 **Zn** Zinc 30		70 **Ga** Gallium 31	73 **Ge** Germanium 32	75 **As** Arsenic 33	79 **Se** Selenium 34	80 **Br** Bromine 35	84 **Kr** Krypton 36
85 **Rb** Rubidium 37	88 **Sr** Strontium 38	89 **Y** Yttrium 39	91 **Zr** Zirconium 40	93 **Nb** Niobium 41	96 **Mo** Molybdenum 42	**Tc** Technetium 43	101 **Ru** Ruthenium 44	103 **Rh** Rhodium 45	106 **Pd** Palladium 46	108 **Ag** Silver 47	112 **Cd** Cadmium 48		115 **In** Indium 49	119 **Sn** Tin 50	122 **Sb** Antimony 51	128 **Te** Tellurium 52	127 **I** Iodine 53	131 **Xe** Xenon 54
133 **Cs** Caesium 55	137 **Ba** Barium 56	139 **La** Lanthanum 57 *	178 **Hf** Hafnium 72	181 **Ta** Tantalum 73	184 **W** Tungsten 74	186 **Re** Rhenium 75	190 **Os** Osmium 76	192 **Ir** Iridium 77	195 **Pt** Platinum 78	197 **Au** Gold 79	201 **Hg** Mercury 80		204 **Tl** Thallium 81	207 **Pb** Lead 82	209 **Bi** Bismuth 83	**Po** Polonium 84	**At** Astatine 85	**Rn** Radon 86
Fr Francium 87	226 **Ra** Radium 88	227 **Ac** Actinium 89 †																

*58-71 Lanthanoid series
†90-103 Actinoid series

140 **Ce** Cerium 58	141 **Pr** Praseodymium 59	144 **Nd** Neodymium 60	**Pm** Promethium 61	150 **Sm** Samarium 62	152 **Eu** Europium 63	157 **Gd** Gadolinium 64	159 **Tb** Terbium 65	162 **Dy** Dysprosium 66	165 **Ho** Holmium 67	167 **Er** Erbium 68	169 **Tm** Thulium 69	173 **Yb** Ytterbium 70	175 **Lu** Lutetium 71
232 **Th** Thorium 90	**Pa** Protactinium 91	238 **U** Uranium 92	**Np** Neptunium 93	**Pu** Plutonium 94	**Am** Americium 95	**Cm** Curium 96	**Bk** Berkelium 97	**Cf** Californium 98	**Es** Einsteinium 99	**Fm** Fermium 100	**Md** Mendelevium 101	**No** Nobelium 102	**Lr** Lawrencium 103

Key

a
X
b

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).