UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

www.papacambridge.com MARK SCHEME for the May/June 2012 question paper

for the guidance of teachers

0620 CHEMISTRY

0620/22

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

	ige 2	Mark Scheme: Teachers' version Syllabus	
		IGCSE – May/June 2012 0620	030
(a)	chlc oxy	bon dioxide \rightarrow turns limewater milky; prine \rightarrow bleaches damp litmus paper; gen \rightarrow relights a glowing splint; rogen \rightarrow pops with a lighted splint;	bacambrida water [3]
(b)	(i)	$\begin{array}{l} \mbox{manganese(IV) oxide + hydrochloric acid} \rightarrow \mbox{manganese chloride + chlorine + }\\ \mbox{note: -1 mark per error}\\ \mbox{allow: manganese oxide (on left)}\\ \mbox{ignore: incorrect oxidation numbers of manganese chloride} \end{array}$	water [3]
	(ii)	C	[1]
(c)	(i)	O_2 (on left); correct balance dependent on O_2 or 2O on left i.e. 2 (on right);	[1] [1]
	(ii)	hydrogen: for fuel / as a reducing agent / any other specific use e.g. manufacture of margarine, making ammonia water: any suitable use e.g. coolant / washing / cooking / drinking etc.	[1] [1]
			[Total: 12]
(a)	sod	ium hydroxide solution;	[1]
(b)	any	pH above 7;	[1]
(c)	plac univ	r two of: ce indicator into solution; versal indicator paper or solution / pH meter; npare colour with pH colour chart / take reading on pH meter;	[2]
(d)	(i)	plants might die / to allow good crop growth / good growth of grass etc.	[1]
	(ii)	any two of: calcium carbonate is a <u>base;</u> reacts (with acids);	[2]
		neutralises (the acid);	[Total: 7]
(a)	(i)	chlorine: (light) green; not: yellow	[1]
		bromine: brown / red / red-brown;	[1]
	(ii)	bromine: the melting point is below / less than / lower than room temperatu	
		boiling point is above / higher than room temperature:	[1]

	Mark Scheme: Teachers' version Syllabus	2.0
Page 3	Mark Scheme: Teachers' version Syllabus IGCSE – May/June 2012 0620	PD2
	I_2 (on the right) correct balance i.e. 2 on left (if I_2 or 2I on right)	MM. Papacambridge [1]
(ii)	potassium chloride; iodine;	3
(iii)	3	[1]
(c) nitrio	ic; silver; yellow; precipitate;	[4]
		[Total: 14]
a) (i)	В;	[1]
(ii)	C;	[1]
(iii)	D;	[1]
b) light	tning activity / car engines / high temperature furnaces;	[1]
(c) irrita	ation of nose / asthma / acid rain (or named effect of acid rain)	[1]
		[1]
(d) 46; (e) (i)		[1]
(d) 46; (e) (i)	CO / carbon monoxide; gains oxygen;	[1]
(d) 46; (e) (i) (ii) (iii)	CO / carbon monoxide; gains oxygen; allow: oxidation number of carbon increases / loss of electrons	[1] [1] [1]
(d) 46; (e) (i) (ii) (iii) (iv)	CO / carbon monoxide; gains oxygen; allow: oxidation number of carbon increases / loss of electrons substance which speeds up a reaction / increases reaction rate; amount of oxygen reduced;	[1] [1] [1] [1]
(d) 46; (e) (i) (ii) (iii) (iv)	CO / carbon monoxide; gains oxygen; allow: oxidation number of carbon increases / loss of electrons substance which speeds up a reaction / increases reaction rate; amount of oxygen reduced; so incomplete combustion occurs / the carbon is not fully oxidised; CO is poisonous / toxic;	[1] [1] [1] [1] [1]
(d) 46; (e) (i) (ii) (iii) (iv) (a) any	CO / carbon monoxide; gains oxygen; allow: oxidation number of carbon increases / loss of electrons substance which speeds up a reaction / increases reaction rate; amount of oxygen reduced; so incomplete combustion occurs / the carbon is not fully oxidised; CO is poisonous / toxic;	[1] [1] [1] [1] [1] [1]

Page 4		Mark Scheme: Teachers' version Syllabus	s A
		IGCSE – May/June 2012 0620	10ac
(i	ii) s	suitable apparatus for measuring gas volume e.g. syringe / upturned	measuring anno.
	r a / r	closed system; measure volume of gas; at given time intervals; ALLOW: (for max 3 marks) unstoppered flask on top of balance (1) measure decrease in mass of flask (1) at given time intervals (1)	s measuring annung
(c) ((i) €	exothermic;	[1]
(i	•	two (or more) different atoms / elements bonded / joined together; note: both atoms / elements and bonded / joined needed	[1]
(ii	i i) F	FeS;	[1]
			[Total: 12]
(a) >	K dra	awn in bottom compartment or in tube leading from arrow showing p	petroleum in; [1]
(b) n	וaph	Itha	[1]
• •		sene: jet fuel / fuel for heating / cooking fuel / kerosene lamps; el: fuel for lorries / cars / tractors;	[1] [1]
(d) n	nixtı	ure; heated; lower; condenses; boiling;	[5]
(e) ((i) E	B and D;	[1]
(i	ii) E	B and D	[2]
			[Total: 12]
s (d s r v v v	n sol salt c beca diffus salt p rando wate wate	4 of: lid salt the particles can't move / fixed; dissolves / dissolving; ause) forces between particles / ions (in solid) are overcome; sion; particles in solution move; omly; or particles moving; or and salt particles (constantly) colliding; particles spread themselves out or mix with water;	[4]

(b) (i) a sodium atom loses its outermost electron and a chlorine atom gains an electron / 2nd box down ticked;

