

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

## CHEMISTRY

Paper 1 Multiple Choice

0620/11 May/June 2012

**45 Minutes** 

Additional Materials:

Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

## READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers A, B, C and D.


Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. You may use a calculator.

This document consists of 16 printed pages.





- 2 Which method is most suitable to obtain zinc carbonate from a suspension of zinc carbonate in water?
  - A crystallisation
  - B distillation
  - **C** evaporation
  - **D** filtration
- **3** A student investigates how the concentration of an acid affects the speed of reaction with a 0.5 g mass of magnesium at 30 °C.

The student has a beaker, concentrated acid, water and the apparatus below.

- P a balance
- Q a clock
- R a measuring cylinder
- S a thermometer

Which pieces of apparatus does the student use?

- A P, Q and R only
- B P, Q and S only
- C Q, R and S only
- D P, Q, R and S

4 An element Y has the proton number 18.

The next element in the Periodic Table is an element Z.

Which statement is correct?


- A Element Z has one more electron in its outer shell than element Y.
- **B** Element Z has one more electron shell than element Y.
- **C** Element Z is in the same group of the Periodic Table as element Y.
- **D** Element Z is in the same period of the Periodic Table as element Y.
- 5 Which atom has twice as many neutrons as protons?

$A \stackrel{1}{_1}H$	В	${}^{2}_{1}H$	С	<sup>3</sup> 1H	D	<sup>4</sup> <sub>2</sub> He
-----------------------	---	---------------	---	-----------------	---	------------------------------

6 Which is a simple covalent molecule?

	conducts	volatile		
	when solid	when molten	volatile	
Α	1	1	x	
В	$\checkmark$	x	$\checkmark$	
С	x	$\checkmark$	X	
D	x	x	1	

7 The electronic structures of atoms P and Q are shown.



P and Q react to form an ionic compound.


What is the formula of this compound?

**A**  $PQ_2$  **B**  $P_2Q$  **C**  $P_2Q_6$  **D**  $P_6Q_2$ 

3

www.papacambridge.com

8 The diagrams show the structures of two forms, P and Q, of a solid element.



What are suitable uses of P and Q, based on their structures?

	use of solid P	use of solid Q	
A drilling		drilling	
B lubricating		drilling	
С	drilling	lubricating	
D lubricating		lubricating	

9 The equation for the reaction between magnesium and dilute sulfuric acid is shown.


Mg + H<sub>2</sub>SO<sub>4</sub> 
$$\rightarrow$$
 MgSO<sub>4</sub> + H<sub>2</sub>  
 $M_{\rm r}$  of MgSO<sub>4</sub> is 120

Which mass of magnesium sulfate will be formed if 12 g of magnesium are reacted with sulfuric acid?

**A** 5g В 10 g 60 g 120 g С D

10 Winston Churchill, a British Prime Minister, had his false teeth electroplated with gold


www.papacambridge.com The teeth were coated with a thin layer of carbon and were then placed in the apparatus s



Which row is correct?

	terminal X is	the carbon powder could be
Α	negative	diamond
в	negative	graphite
С	positive	diamond
D	positive	graphite


www.papacambridge.com 11 The diagram shows that two gases are formed when concentrated hydroch electrolysed using inert electrodes.



Which row correctly describes the colours of the gases at the electrodes?

	anode (+ve)	cathode (-ve)
Α	colourless	colourless
В	colourless	yellow-green
С	yellow-green	colourless
D	yellow-green	yellow-green


**12** The diagram shows the reaction between zinc oxide and dilute hydrochloric acid.



Which terms describe the reaction?

	endothermic	neutralisation
A	$\checkmark$	1
в	$\checkmark$	x
С	×	1
D	×	x

**13** The apparatus shown is used to measure the speed of a reaction.



Which equation represents a reaction where the speed can be measured using this apparatus?

- **A** Mg(s) + 2HC $l(aq) \rightarrow MgCl_2(aq) + H_2(g)$
- **B** HCl(aq) + NaOH(aq)  $\rightarrow$  NaCl(aq) + H<sub>2</sub>O(I)
- **D**  $2Na(s) + Br_2(I) \rightarrow 2NaBr(s)$

**14** The element vanadium, V, forms several oxides.

In which change is oxidation taking place?

- $\textbf{A} \quad VO_2 \ \rightarrow \ V_2O_3$
- $\textbf{B} \quad V_2O_5 \ \rightarrow \ VO_2$
- $\boldsymbol{C} \quad V_2O_3 \ \rightarrow \ VO$
- $\textbf{D} \quad V_2O_3 \ \rightarrow \ V_2O_5$
- **15** A gas is escaping from a pipe in a chemical plant.

A chemist tests this gas and finds that it is alkaline.

What is this gas?

- **A** ammonia
- **B** chlorine
- C hydrogen
- **D** sulfur dioxide

www.papaCambridge.com

16 The results of three tests on a solution of compound X are shown in the table.


•	results of three tests on a solution of	8 compound X are shown in the table.	Canny
	test	result	ambridge
	aqueous sodium hydroxide added	white precipitate formed, soluble in excess	Se.C.
	aqueous ammonia added	white precipitate formed, insoluble in excess	2177
	acidified silver nitrate added	white precipitate formed	

What is compound X?

- Α aluminium bromide
- В aluminium chloride
- С zinc bromide
- zinc chloride D
- 17 The graph shows how the pH changes as an acid is added to an alkali.

acid + alkali  $\rightarrow$  salt + water

Which letter represents the area of the graph where both acid and salt are present?




**18** Dilute hydrochloric acid is added to a solid, S.

A flammable gas, G, is formed. Gas G is less dense than air.

What are S and G?

	solid S	gas G
Α	copper	hydrogen
В	copper carbonate	carbon dioxide
С	zinc	hydrogen
D	zinc carbonate	carbon dioxide



**19** The diagram shows a section of the Periodic Table.

Which element is described below?

'A colourless, unreactive gas that is denser than air.'

## A B C D

20 Element X is below iodine in the Periodic Table.

Which row correctly shows the physical state of element X at room temperature and its reactivity compared with that of iodine?

	physical state of element X at room temperature	reactivity compared with that of iodine
Α	gas	less reactive
в	solid	less reactive
С	gas	more reactive
D	solid	more reactive

**21** Which properties of the element titanium, Ti, can be predicted from its position in the Periodic Table?

	can be used as a catalyst	conducts electricity when solid	has low density	forms coloured compounds
Α	$\checkmark$	$\checkmark$	x	✓
в	$\checkmark$	$\checkmark$	$\checkmark$	×
С	$\checkmark$	x	$\checkmark$	$\checkmark$
D	x	$\checkmark$	$\checkmark$	$\checkmark$

www.papacambridge.com

**22** Five elements have proton numbers 10, 12, 14, 16 and 18.

What are the proton numbers of the three elements that form oxides?

- A 10, 12 and 14
- **B** 10, 14 and 18
- **C** 12, 14 and 16
- **D** 14, 16 and 18

23 Which statement about the uses of metals is correct?


- A Aluminium is used in the manufacture of aircraft as it has a high density.
- **B** Aluminium is used to make food containers as it conducts electricity.
- **C** Stainless steel for cutlery is made by adding other elements to iron.
- D Stainless steel is used to make chemical reactors as it corrodes readily.
- 24 Which statement about the extraction of iron from its ore is correct?
  - **A** Iron is more difficult to extract than zinc.
  - **B** Iron is more difficult to extract than copper.
  - **C** Iron is easy to extract because it is a transition metal.
  - **D** Iron cannot be extracted by reduction with carbon.
- 25 Metal X reacts violently with water.

Metal Y reacts slowly with steam.

Metal Z does not react with dilute hydrochloric acid.

What is the correct order of reactivity of these metals, most reactive first?

- $\textbf{A} \quad X \to Y \to Z$
- $\textbf{B} \quad X \to Z \to Y$
- $\textbf{C} \quad Z \to X \to Y$
- $\textbf{D} \quad Z \to Y \to X$
- 26 Which property is shown by all metals?
  - A They are extracted from their ores by heating with carbon.
  - B They conduct electricity.
  - **C** They form acidic oxides.
  - **D** They react with hydrochloric acid to form hydrogen.




**28** Coal is a fossil fuel.


Which gas is **not** formed when coal burns?

- A carbon dioxide
- B carbon monoxide
- C methane
- D sulfur dioxide
- 29 Which is a use of oxygen?
  - A filling balloons
  - B filling light bulbs
  - **C** food preservation
  - D making steel
- **30** Fertilisers need to supply crops with three main elements.

Which compound contains all three of these elements?

Α	$H_3PO_4$	В	KNO <sub>3</sub>	С	$NH_4K_2PO_4$	D	$NH_4NO_3$
---	-----------	---	------------------	---	---------------	---	------------





The table shows the composition of the atmosphere.

gas	percentage by volume
carbon dioxide	4
nitrogen	72
oxygen	24

Which gases are present in the atmosphere of the planet in a higher percentage than they are in the Earth's atmosphere?

- Α carbon dioxide and oxygen
- В carbon dioxide only
- С nitrogen and oxygen
- D nitrogen only
- **32** Gas X is a waste gas from digestion in animals.


Gas Y is formed when gas X is burnt with a small amount of oxygen.

Gas Z is formed when gas X is burnt with an excess of oxygen.

What are X, Y and Z?


	Х	Y	Z
Α	carbon dioxide	methane	carbon monoxide
в	carbon monoxide	methane	carbon dioxide
С	methane	carbon dioxide	carbon monoxide
D	methane	carbon monoxide	carbon dioxide

33 Air containing an acidic impurity was neutralised by passing it through a column substance X.



What is substance X?

- Α calcium oxide
- В sand
- С sodium chloride
- concentrated sulfuric acid D
- **34** The structure of a compound is shown.





Which functional groups are present in this compound?

	alcohol	alkene	carboxylic acid
Α	$\checkmark$	$\checkmark$	$\checkmark$
в	$\checkmark$	x	×
С	×	$\checkmark$	$\checkmark$
D	×	×	$\checkmark$

35 Which fraction from the fractional distillation of petroleum does not match its correct use?

	fraction	use
Α	fuel oil	domestic heating
В	kerosene	jet fuel
С	naphtha	making roads
D	refinery gas	for heating and cooking





Which fraction contains the smallest hydrocarbon molecules?

fraction	boiling point range/°C
Α	up to 70
В	70 to 120
С	120 to 170
D	over 170

37 When a long chain hydrocarbon is cracked, the following products are produced.


- 1  $C_3H_8$
- 2  $C_2H_4$
- 3  $C_3H_6$
- 4  $C_2H_6$

Which products would decolourise bromine water?

1 and 4 **B** 2 and 3 С 2 only D 3 only Α



**38** PVA is a polymer. The monomer has the structure shown.



To which homologous series does this compound belong?

	alcohols	alkenes
Α	1	√
в	$\checkmark$	x
С	x	1
D	x	x

- 39 Which equation represents incomplete combustion of ethane?
  - $\textbf{A} \quad C_2H_6 \ \textbf{+} \ O_2 \ \rightarrow \ 2CO \ \textbf{+} \ \ 3H_2$
  - $\textbf{B} \quad C_2H_6 \ \textbf{+} \ 2O_2 \ \rightarrow \ 2CO_2 \ \textbf{+} \ \ 3H_2$
  - $\textbf{C} \quad 2C_2H_6 \ \textbf{+} \ 5O_2 \ \rightarrow \ 4CO \ \textbf{+} \ \ 6H_2O$
  - $\textbf{D} \quad 2C_2H_6 \ \textbf{+} \ 7O_2 \ \rightarrow \ 4CO_2 \ \textbf{+} \ \ 6H_2O$
- 40 Ethanol is an important chemical produced by the .....1..... of .....2......

Which words correctly complete gaps 1 and 2?

	1	2
Α	combustion	ethane
В	combustion	glucose
С	fermentation	ethane
D	fermentation	glucose

	0	Hellum	2	20	Ne	Neon 10	40 <b>A</b> r	Argon 18	84	Krypton	16 %	Xenon Xenon	54	Rn <sup>Radon</sup>			175 Lu Lutetium 71	<u> </u>	Lawrencium	papacan
	١١			19	ш	9 Fluorine	35.5 C1		80	Br <sup>Stomine</sup>		127   lodine		At Astatine			173 <b>Ybb</b> Vtterbium	Q	Nobelium 102	
	N		-	16	0	Oxygen 8	<b>3</b> 3		62	Se elenium		128 <b>Te</b> llurium		Po Polonium 84			169 Thulium 69	<b>D</b>	Mendelevium 101	
	>		-	14	z	Nitrogen 7	۵ چ	Phosphorus 15	75	<b>AS</b> Arsenic	33	122 Sb Antimony	51	209 <b>Bi</b> <sup>Bismuth</sup>			167 <b>Er</b> Erbium 68	E L		
	$\geq$			12	ပ	Carbon 6	28 V	Silicon 14	73	<b>Ge</b> Germanium	32	<b>31</b> 9 Sn	50	207 <b>Pb</b> Lead 82			165 Holmium 67	U L	Einsteinium 99	(r.t.p.).
	≡			11	ш	5 5	27 <b>A 1</b>	Aluminium 13	70	<b>Ga</b> llium	31	115 <b>1 1</b>	49	204 <b>T 1</b> Thallium 81			162 Dysprosium 66	č	Californium 98	pressure
									65	Zn <sup>Zinc</sup>	30	112 Cadmium	48	201 <b>Hg</b> <sup>Mercury</sup> 80			159 <b>Tb</b> Terbium 65	Å	Berkelium 97	ature and
									64	Copper	29	108 Ag	47	197 <b>Au</b> Gold 79		-	157 Gd Gadolinium 64	e C	Curium 96	m temper
Group									59	Nickel	28	106 Pd Palladium	46	195 Pt Platinum 78		-	152 Eu Europium 63	¶ ₽	Americium 95	lm³ at roo
Group									59	Cobalt Cobalt	27	103 Rhodium	45	192   <b>r</b>  ridium 77			150 <b>Sm</b> Samarium 62	-	94 P	las is 24 d
		Hydrogen	-						56		26	101 Ruthenium	44	190 <b>OS</b> Osmium 76		-	Promethium 61	2	Neptunium 93	e of any g
									55	Mn Manganese		n Technetium	4	186 <b>Re</b> Rhenium 75			m Neodymium 60	238	92 02	if one mol
									25	Chromium			42	184 <b>V</b> 74			141 Praseodymium 59	Ğ	91 91	The volume of one mole of any gas is 24 dm <sup>3</sup> at room temperature and pressure (r.t.p.).
									51	Va	23	93 Niobium	4	181 Tantalum 73			140 <b>Cer</b> Cerium 58	232 <b>Th</b>	06	The
									48		22	n Zirconium	4	178 Im + 72	F	+	(0	a = relative atomic mass X = atomic svmbol	b = proton (atomic) number	
			[		<i>(</i> )	m	-	aina			51	ttrium ★ 89	36	a 139 Lanthanum 57		89	*58-71 Lanthanoid series 190-103 Actinoid series	a = relative atomic   X = atomic svmbol	b = proton (	
	=		-			m Berylium 4	24 MC	й <mark>7</mark>			50	um Strontium	8	56 Barium	226 Radium Radium	88	*58-71 Lanthanoid serie 190-103 Actinoid series	<b>~</b> 3	<b>د</b>	
	-			7	5	Lithium 3	23 Na	Sodium 11	30		19	85 Rubidium	37	133 CS Caesium 55	<b>Fr</b> Francium	87	*58-7 †90-1	Kev		

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of