CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the October/November 2012 series

0620 CHEMISTRY

0620/21

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

www.PapaCambridge.com

				,	Why.	
	Pa	ge 2	2	Mark Scheme IGCSE – October/November 2012	Syllabus 0620	1
1	(a)	(i)	C/0	C_2H_4 / ethene;	0020	aba Cambridge
		(ii)	A / C	CO ₂ / carbon dioxide;		Orida
		(iii)	E/e	ethanol / correct formula for ethanol;		[1]
		(iv)	D / C	CH ₄ / methane;		[1]
		(v)		CO ₂ / carbon dioxide; w: E		[1]
		(vi)		ethanol / correct formula for ethanol; w : A		[1]
	(b)	C ₂ F	H ₄ ;			[1]
	(c) compound: substance containing two or more different atoms joined / bonded together / substance containing 2 or more elements that can only be separated by chemical means; allow: different atoms joined / different elements joined / 2 elements react to form a molecule / molecule with 2 or more elements / substances chemically combined ignore: two or more molecules combined / different elements react / substances made up molecules reject: if reference to a mixture					[1] a
		ine	rt: unr	reactive / doesn't react;		[1]
			-	substance which speeds up a reaction / it speeds up hanges rate of reaction / changes speed of reaction	o a reaction;	[1]
						[Total: 10]
2	(a)	allo	ow: 1	e completely correct;; mark for 1 pair of electrons bonded between H and only inner shell electrons	C <i>l</i> ;	[2]
	(b)	(i)		urette; ask / erlenmeyer;		[1] [1]
		(ii)	-	starts above 7 / stated value above 7; w: high pH		[1]
			decr	reases (on addition of acid);		[1]
			allov note	e: pH goes from alkali to acid = 1 mark		[1]

	Page 3		3	Mark Scheme	Syllabus	· Vr
				IGCSE – October/November 2012	0620	Do Co
	((iii)		nonium chloride; ct: ammonia chloride ;		DaCambridge
	(c)	blue pre (ligil pre pre (sol	cipitat ht) blu cipitat cipitat lution	ution at start / te formed / ue (precipitate) / te redissolves (in excess ammonia) / solution formed te disappears is) deep blue / dark blue oes deep blue / dark blue / goes darker blue	d (in excess ammonia	[4]
						[Total: 13]
3	(a)	(i)		nesium → zinc → iron → lead / Mg > Zn > Fe > Pb;; ne pair reversed / complete order reversed = 1 mark		[2]
		(ii)		it will not react and zinc is more reactive / iron is less ore: zinc is reactive / iron is unreactive	s reactive;	[1]
	(b)		box tid	cked; ticked;		[1] [1]
	(c)	(i)	allov	ngement: regular / fixed pattern / any indication of re w: close together / packed together ore: stick together / all together	gularity e.g. in layers;	[1]
				ion: cannot move / fixed in position/ (only) vibrate; ore: only move a little / move		[1]
		(ii)	disso filtra	three of: olve sodium chloride / add water / ition / use a filter paper / d remains on filter paper /		[3]
			igno salt s the c allow igno	ore: residue on filter paper solution goes through (filter paper) / salt solution is the collecting tube w: decanting for 1 mark (in place of filtration) ore: water goes through ore: distillation	he filtrate / salt water	goes into
	(d)	dist	illatio	on; lower; volatile; condenser; vapour; (1 mark each)		[5]

[Total: 15]

Page 4		ne 4	Mark Scheme	Syllabus
	_ r a	y +	IGCSE – October/November 2012	0620 B
4	(a)	allo allo allo igno igno	ns with same number of protons but different number of w: atomic number for number of protons w: different mass number / nucleon number for different w: same (type of) atom with different mass numbers ore: atoms with different numbers of neutrons ore: element(s) with different numbers of neutrons ore: atoms with different relative atomic mass	On
	(b)	nuc be s prof 3 (p neu 4 (n 3 el	5 of: eus (need not be labelled) in middle of atom and electre shown as dots, crosses or e) / ons in nucleus – labelled or shown by + or p / rotons) / trons in nucleus – labelled or shown by n / eutrons) / ectrons – labelled or shown by dots, crosses or e / ectrons in first shell and 1 in second	[5] ons round outside (electrons can
	(c)	allo	+ $O_2 \rightarrow 2Li_2O$;;; w : two marks for $2Li + O \rightarrow Li_2O / 4Li + 2O \rightarrow 2Li_2O$ w : 1 mark for O_2 if no other marks scored	[3]
	(d)	(i)	electrolyte correctly labelled; anode rod correctly labelled; ignore: label on circuit / label on + sign	[1] [1]
		(ii)	dissolved in <u>water</u> / solution in <u>water</u> ; allow: answers implying substance is mixed with wate ignore: hydrated / hydrous	. [1]
	((iii)	ions can move; allow: ions are free reject: electrons can move	[1]
				[Total: 13]
5	(a)	met fuel	rogen → a fuel with RMM of 2; hane → the main constituent of natural gas; oil → fuel for ships; osene → fuel for aircraft;	[1] [1] [1] [1]
	(b)	(i)	amount or mass or volume of water / distance of flame can; ignore: the water (unqualified) / same amount of fuel /	[1]
		(ii)	to make sure that the water has the same temperature temperature / so it is heated evenly / so there are no he spots; allow: so that all the particles are heated ignore: so that particles mix	, = ,

	Page 5	Mark Scheme	Syllabus
		IGCSE – October/November 2012	0620
	hiç all ig	troleum spirit; ghest temperature rise / highest increase in temperature ow: calculation of all the temperature differences form nore: because it releases most heat / because it has fuel incorrect = 0 for the question	n the table
		rogen / N ₂ / N; ygen / O ₂ / O;	[1] [1]
	all	mps / (to provide an) inert atmosphere / in welding / la ow: for lighting nore: for neon lights	sers etc [1]
	(ii) 3	third / III;	[1]
	` '	ert / unreactive; nore: it is stable	[1]
			[Total: 13]
6	diffusion randor molecut both icon particle Ag ion (to ma	s dissolve or go into solution /	
	` '	$Cl_2 ightarrow 2KCl + I_2$; 1 mark for 2KI + 2C $l ightarrow 2KCl + I_2$;	[2]
			[Total: 6]

[1]

[1]

7 (a) 24;

(b) 256;

Page 6	Mark Scheme	Syllabus	· A
	IGCSE – October/November 2012	0620	100
sulfur re (sulfur b ignore :	etroleum / crude oil / named fraction from crude oil acts with oxygen / air urns) to form sulfur dioxide sulfur oxide oxide reacts (with gases) in the atmosphere / sulfur	dioxide reacts with	oxygen /

nitrogen oxides to form sulfur trioxide

sulfur dioxide / trioxide react with water / rain

allow: sulfur dioxide / trioxide dissolves in water / rain

allow: sulfur oxide(s) mix with water / rain

(to form) sulfurous/ sulfuric acid

(d) nitrogen / N₂ / N; phosphorus / P;

(e) add (acidified) barium chloride / barium nitrate; [1] white precipitate; [1]

note: second mark dependent on correct reagent

[Total: 10]

[2]