



## Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CHEMISTRY		0620/32
CENTRE NUMBER	CANDIDATE NUMBER	
CANDIDATE NAME		

Paper 3 Theory (Core)

February/March 2016

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



1 The diagram shows part of the Periodic Table.


I	Ш							Ш	IV	V	VI	VII	VIII
Li									С	N	0	F	Ne
								Αl	Si			Cl	Ar
		Ti	Cr	Fe		Cu	Zn		Ge			Br	Kr
									Sn			I	Xe
									Pb				

Answer the following questions using only the elements in the diagram. Each element may be used once, more than once or not at all.

(a)	Wh	ich element	
	(i)	forms 78% of the air,	
			[1]
	(ii)	has an oxide which is a product of respiration,	
			[1]
(	(iii)	is used to make food containers because of its resistance to corrosion,	
			[1]
(	(iv)	forms an ion of type X <sup>3+</sup> ,	
			[1]
	(v)	forms an ion whose aqueous solution forms a light blue precipitate on addition of a f drops of aqueous ammonia?	ew
			[1]

(b)	Cal	cium is	s an element with severa	al naturally-occurring	isotopes.	
	(i)	What	is the meaning of the te	erm <i>element</i> ?		
						[1]
	(ii)	Two	of the isotopes of calciun	n are		
				<sup>43</sup> Ca and <sup>48</sup> Ca.		
		-	olete the table to show the of these isotopes.	ne number of protons	s, neutrons and elect	rons in one atom of
				<sup>43</sup> <sub>20</sub> Ca	<sup>48</sup> <sub>20</sub> Ca	
			number of protons			
			number of neutrons			
			number of electrons			
						[3]
	(iii)	Deter	mine the number of elec	ctrons in one calcium	n ion, Ca²+.	
						[1]
						[Total: 10]

2 Molten potassium bromide can be electrolysed using the apparatus shown.



(a)	Pre	dict the products of this electrolysis at the	
	pos	itive electrode (anode),	
	neg	ative electrode (cathode)[	2
(b)	(i)	Explain why graphite electrodes are used in this electrolysis.	1
	(ii)	Give <b>one</b> other use of graphite.	
		[	1
(c)		en chlorine is bubbled through an aqueous solution of potassium bromide, the solutions red-brown in colour.	r
	Wh	ich substance causes the red-brown colour?	
		[	1
(d)		scribe what you would observe when an aqueous solution of potassium bromide is adden an acidified aqueous solution of silver nitrate.	)(
		[	1
(e)	Silv	er nitrate decomposes when heated. One of the products is nitrogen dioxide.	
	Sta	te <b>one</b> adverse effect of nitrogen dioxide on health.	
		[	1

[Total: 7]

3	Many	metals	react with	either	cold	water	or st	eam
J	IVICITY	IIICtais	TCact With	CILITO	COIG	water	OI SI	Can

(a) Describe the reaction of sodium with cold water, and iron with steam. In your answer describe

the products formed,

the products formed,any observations that can be made.


(b) Iron reacts with hydrochloric acid.

$$Fe(s) + 2HCl(aq) \rightarrow FeCl_2(aq) + H_2(g)$$

Describe a practical method to investigate the rate of this reaction. You may draw a labelled diagram.

 	 	 	[3]

(c) The experiment in (b) was repeated using different sized pieces of iron.

All other conditions remained the same.


The sizes of the pieces of iron were

- large pieces,
- small pieces,
- iron powder.

Complete the table below by writing the sizes of the pieces in the first column.

sizes of the pieces of iron	rate of reaction in cm³ hydrogen/min
	25
	3
	10

(d) The graph shows the effect of temperature on the rate of the reaction of hydrochloric acid with iron.



/:\	Dogariba th	o offect of t	omporatura	on the ret	e of this reaction	
(1)	Describe tr	ie effect of t	emperature	on the rat	e of this reaction	١.

[2]

(ii) Determine the rate of reaction at 60 °C.


C	cm <sup>3</sup>	hydrogen	min	[1]
---	-----------------	----------	-----	-----

(e) Describe how the concentration of hydrochloric acid affects the rate of its reaction with iron.

 . [1]

[Total: 12]

**4** The structures of sodium chloride and nitrogen are shown below.



sodium chloride

nitrogen

- (a) Describe the structure and bonding of these two substances and the differences in
  - their volatility,
  - their electrical conductivity.

	••
	••
ŢĘ	51


- (b) Ammonia is manufactured by reacting nitrogen with hydrogen using a catalyst.
  - (i) What is the purpose of the catalyst?

.....[1]

(ii) Complete the chemical equation for this reaction.

$$N_2 + ....H_2 \rightarrow ....NH_3$$
 [2]

(iii) Complete the electronic structure of a molecule of ammonia. Show only the outer electrons.



[2]

(	(iv	) A	mmonia	reacts	with	cop	per(	H	oxide.
А	/	, , .				~~P	ρυ. ν		, 0,

$2NH_3 + 3CuO \rightarrow 3Cu + 3H_2O + N_2$
Which compound is reduced in this reaction? Explain your answer.
[2]

[Total: 12]

**5** (a) The table shows some properties of cobalt, copper, magnesium and tin.

metal	relative heat conduction	density in g/cm³	melting point /°C	relative strength
cobalt	1.00	8.90	1495	55.0
copper	3.85	8.92	1083	32.0
magnesium	1.50	1.74	649	1.5
tin	0.64	7.28	232	1.0

Answer the questions using the information shown in the table.


(i)			o use for the base of a pan for cooking ble to give reasons for your answer.	food?
(ii)			table are transition elements? ble to give reasons for your answer.	[2]
				[2]
(iii)			is most likely to be used in an alloy for ble to give reasons for your answer.	aircraft bodies?
				[2]
	ome observat e table.	tions about the	reactions of the four metals with hydro	ochloric acid are shown in
		metal	observations	
		cobalt	Bubbles formed very slowly.	
		copper	No bubbles formed.	
		magnesium	Many bubbles formed very rapidly.	
		tin	A steady stream of bubbles formed.	
	se the information	ation in the tab	le to put these metals in order of their r	reactivity with hydrochloric
le	ast reactive			most reactive

[2]

(c)		stals uric ac											O <sub>4</sub> .	7H <sub>2</sub>	<u>,</u> O,	ca	an	be	m	ade	by	/ r	eact	ing	dilu	ıte
		scribe uric ad		-		-	-		-		dry	/ sa	ımp	ole	of (	cob	alt	(II)	su	fate	e cry	ysta	als f	rom	dilu	ıte
																										[4]
(d)	Whe	en hea	ated,	hydr	ated	d co	balt	:(II)	sul	fate	for	ms	an	anl	nyd	rou	IS S	alt	in a	ı re	vers	sible	e rea	actio	on.	
	(i)	Comp box.	olete	the e	equa	ation	n for	thi:	s re	actio	on k	y ir	se	rtin	g th	ne s	sigr	n fo	raı	reve	ersik	ole	read	ction	in tl	he
		hyd	rated	SO <sub>4</sub> .7 cobal pale re	t(II) s		te					anhy	rdro	us c	oSC coba rk bl	ilt(II	() su	ılfate	e	+	7H	<sub>2</sub> O				
																									I	[1]
	(ii)	Sugg	est h	ow y	ou o	coul	d us	se t	his	reac	ction	n to	tes	st fo	or th	ne p	ore	sen	ice	of v	vate	er.				
								••••																		 [2]
																									al: 1	

					11					
Citr	ric acid is f	ound	d in Iemon juid	ce. C	itric acid shov	vs ty <sub>l</sub>	pical acidic prope	erties		
(a)	Describe	how	you could de	termi	ine the pH of a	solu	ution of lemon juic	e us	ing Universal Indic	ator.
(b)	The struc	ture	of citric acid	is sh	own below.					
				H	O H—C	;— l ;— c ;— l	н )—н н			
	(i) On the	ne di	agram, draw	a rin	g around a ca	rbox	ylic acid function	al gr	oup.	[1]
	(ii) State	the	name of one	othe	er carboxylic a	icid.				
										. [1]
(c)	carbonate	Э.			red by neutra			acio	I with excess cald	cium
	citric acid	+	calcium carbonate	$\rightarrow$	calcium citrate	+		+		

(d) The energy level diagram for the reaction of citric acid with sodium hydrogen carbonate is shown below.



Is this reaction exothermic or end	othermic?	
Give a reason for your answer.		
		[4]

- (e) Both citric acid and ethanol can be manufactured by fermentation.
  - (i) Complete the chemical equation for the fermentation of glucose to form ethanol.

$$C_6H_{12}O_6 \rightarrow .....C_2H_5OH + .....CO_2$$
 [2]

(ii) State two conditions needed for fermentation.

		[2]

(iii) Complete the table below and calculate the relative molecular mass of glucose.

type of atom	number of atoms	relative atomic mass	
carbon	6	12	6 × 12 = 72
hydrogen			
oxygen			

relative molecular mass =	ass = [2]
---------------------------	-----------

[Total: 14]

_				
/	Phar	าบาก	10 2	metal
	171161		13 0	HIGH

KIIE	enium is a metal.	
(a)	Describe <b>three</b> physical properties of rhenium.	
		[3]
(b)	The structure of a rhenium chloride molecule is shown.	
	$\begin{array}{c c} Cl & Cl \\ \hline Cl & Cl \\ \hline Re & Re \\ \hline Cl & Cl \\ \hline Cl & Cl \\ \hline \end{array}$	
	Determine the simplest formula for this chloride of rhenium.	
		[1]
(c)	Rhenium oxide is a yellow solid which undergoes sublimation at a low temperature.	
	What is the meaning of the term <i>sublimation</i> ?	
		[1]
(d)	Rhenium oxide reacts with water to form perrhenic acid. Perrhenic acid is strongly acidic.	

(i) Which **one** of the following pH values represents an acidic solution? Draw a ring around the correct answer.

[1]

	(ii)	Perrhenic acid	react	s with potass	ium h	nydroxide.						
	Complete the word equation for this reaction.											
		perrhenic acid	+	potassium hydroxide	$\Bigg] \rightarrow$	potassium perrhenate	+		543			
(	(iii)	Which <b>one</b> of the Tick <b>one</b> box.	ne fo	llowing compo	ound	s will react wit	h pe	rrhenic acid?	[1]			
				ethane								
				hydrochloric a	acid							
				potassium ca	rbon	ate						
				sodium chlori	de				[1]			
(e)		assium perrhena assium mangana						anganate(VII).				
	Des	cribe a test for o	xyge	en.								
	test											
	resu	ılt	• • • • • • • • • • • • • • • • • • • •						[2]			
									[Total: 10]			

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	III/	2 He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	II/			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	н	iodine 127	85	Ą	astatine -			
				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъ	polonium —	116		livermorium –
	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	<u>B</u>	bismuth 209			
	≥			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium -
	≡			2	Δ	boron 11	13	Αſ	aluminium 27	31	Ga	gallium 70	49	In	indium 115	84	lΤ	thallium 204			
										30	Zn	zinc 65	48	g	cadmium 112	80	Ą	mercury 201	112	S	copernicium -
										59	JO.	copper 64	47	Ag	silver 108	62	Αu	gold 197	111	Rg	roentgenium -
Group										28	Z	nickel 59	46	Pd	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium -
Ş				1						27	ပိ	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	Μ̈́	meitnerium -
		- I	hydrogen 1							26	Pe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Η̈́	hassium -
							1			25	M	manganese 55	43	ပ	technetium -	75	Re	rhenium 186			bohrium
				_	loq	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	В	dubnium -
					atc	rel				22	j=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿆	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	26	Ba	barium 137	88	Ra	radium -
	_			က	:=	lithium 7	1	Na	sodium 23	19	×	potassium 39	37	S S	rubidium 85	55	S	caesium 133	87	ቷ	francium

71	Pn	lutetium	175	103	۲	lawrencium	ı
	Υp						
69	Tm	thulium	169	101	ΡM	mendelevium	ı
89	щ	erbium	167	100	Fn	fermium	ı
29	웃	holmium	165	66	Es	einsteinium	ı
99	۵	dysprosium	163	86	ర	californium	ı
65	Д	terbium	159	26	BK	berkelium	ı
64	gg	gadolinium	157	96	Cm	curium	ı
63	En	europium	152	92	Am	americium	ı
62	Sm	samarium	150	94	Pn	plutonium	ı
61	Pm	promethium	I	93	ď	neptunium	ı
09	PZ	neodymium	144	92	$\supset$	uranium	238
69	Ą	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	Ļ	thorium	232
22	Гa	lanthanum	139	68	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.)