

---

**CHEMISTRY****0620/51**

Paper 5 Practical

**October/November 2017**

MARK SCHEME

Maximum Mark: 40

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2017 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

© IGCSE is a registered trademark.

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

---

This document consists of **5** printed pages.

Question	Answer	Marks
1(a)	temperature boxes completed correctly with decreasing trend shown	1
	results comparable to the supervisor's	1
1(b)	temperature boxes completed correctly with increasing trend shown	1
	results comparable to the supervisor's	1
1(c)	all points plotted	2
	two smooth line graphs	1
	both graphs appropriately labelled	1
1(d)(i)	value from graph	1
	shown clearly	1
1(d)(ii)	value from graph	1
	shown clearly	1
1(e)	exothermic	1
1(f)	room temperature / initial temperature from table <b>AND</b> reaction has finished / all the solid has dissolved	1

Question	Answer	Marks														
1(g)	<table border="1"> <thead> <tr> <th data-bbox="412 218 1057 268">source of error</th> <th data-bbox="1057 218 1861 268">improvement</th> </tr> </thead> <tbody> <tr> <td data-bbox="412 268 1057 317">heat losses</td> <td data-bbox="1057 268 1861 317">use a lid / lag the apparatus</td> </tr> <tr> <td data-bbox="412 317 1057 367">use of a measuring cylinder</td> <td data-bbox="1057 317 1861 367">use a pipette/burette</td> </tr> <tr> <td data-bbox="412 367 1057 416">wet cup in the second experiment</td> <td data-bbox="1057 367 1861 416">use new/another cup <b>OR</b> dry the cup</td> </tr> <tr> <td data-bbox="412 416 1057 466">the solid absorbs water from the air</td> <td data-bbox="1057 416 1861 466">store in a sealed container / airtight container / desiccator</td> </tr> <tr> <td data-bbox="412 466 1057 515">only done once</td> <td data-bbox="1057 466 1861 515">repeat <b>and</b> average</td> </tr> <tr> <td data-bbox="412 515 1057 608">different masses of solids used / masses of solids not measured</td> <td data-bbox="1057 515 1861 608">use same mass of solid / weigh the solids</td> </tr> </tbody> </table>	source of error	improvement	heat losses	use a lid / lag the apparatus	use of a measuring cylinder	use a pipette/burette	wet cup in the second experiment	use new/another cup <b>OR</b> dry the cup	the solid absorbs water from the air	store in a sealed container / airtight container / desiccator	only done once	repeat <b>and</b> average	different masses of solids used / masses of solids not measured	use same mass of solid / weigh the solids	<b>4</b>
source of error	improvement															
heat losses	use a lid / lag the apparatus															
use of a measuring cylinder	use a pipette/burette															
wet cup in the second experiment	use new/another cup <b>OR</b> dry the cup															
the solid absorbs water from the air	store in a sealed container / airtight container / desiccator															
only done once	repeat <b>and</b> average															
different masses of solids used / masses of solids not measured	use same mass of solid / weigh the solids															
1(h)	fewer data / less detail / fewer readings / graph not as good / not enough readings taken whilst the solid is reacting	<b>1</b>														

<b>Question</b>	<b>Answer</b>	<b>Marks</b>
2(a)	blue (liquid)	<b>1</b>
2(b)(i)	green	<b>1</b>
	precipitate	<b>1</b>
2(b)(ii)	green solution / precipitate dissolves	<b>1</b>
2(b)(iii)	(red) litmus paper / Universal Indicator paper	<b>1</b>
	(red litmus paper) turns blue / (Universal Indicator paper) turns purple	<b>1</b>
2(c)	pH 8–11	<b>1</b>
2(d)(i)	dark / deep blue (solution)	<b>1</b>
2(d)(ii)	blue	<b>1</b>
	precipitate	<b>1</b>
2(e)	grey-green	<b>1</b>
	precipitate	<b>1</b>
2(f)	chromium	<b>1</b>
	nitrate	<b>1</b>
2(g)	ammonia / NH <sub>3</sub>	<b>1</b>

Question	Answer	Marks
3	<p><i>heating to dryness method</i></p> <p>max [6]: <b>M1</b> weigh (any) sample of washing soda <b>M2</b> heat (to remove water of crystallisation) <b>M3</b> in named container <b>M4</b> cool <b>M5</b> reweigh <b>M6</b> repeat heating <b>M7</b> to constant mass <b>M8</b> appropriate calculation suggested for the percentage of water</p> <p><i>mass of water method</i></p> <p>max [6]: <b>M1</b> weigh (any) sample of washing soda <b>M2</b> heat to remove water of crystallisation <b>M3</b> in named container <b>M4</b> using apparatus capable of collecting water (vapour) <b>M5</b> cool / condense (water vapour) <b>M6</b> continue until no more collects <b>M7</b> weigh water <b>M8</b> appropriate calculation suggested for the percentage of water</p>	6