

Cambridge IGCSE[™]

CHEMISTRY 0620/22

Paper 2 Multiple Choice (Extended)

October/November 2020

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

INSTRUCTIONS

There are forty questions on this paper. Answer all questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark. A mark will not be deducted for a wrong answer.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



1 Which gas has the slowest rate of diffusion?

 $\textbf{A} \quad H_2 \qquad \qquad \textbf{B} \quad \text{NH}_3 \qquad \qquad \textbf{C} \quad \text{CH}_4 \qquad \qquad \textbf{D} \quad \text{CO}_2$

2 A chromatography experiment is carried out to analyse the pigments present in four different types of leaf. The student carrying out the experiment forgot to complete his table of results, which is shown.

plant leaf	number of pigments identified	colour of identified pigments	distance travelled by the solvent front (cm)	distance travelled from the origin by each pigment (cm)	R _f value
maple	F	green /yellow	3.7	green: 3.0 yellow: 3.1	green: 0.81 yellow: 0.83
laurel	2	green /yellow	G	green: 2.5 yellow: 2.5	green: 0.78 yellow: 0.78
lime	3	green /yellow /orange	3.5	green: 2.9 yellow: 3.0 orange: 2.7	green: 0.83 yellow: 0.86 yellow: 0.77
ash	3	green /yellow /orange	3.5	green: 2.8 yellow: 3.0 orange: 2.7	green: 0.80 yellow: H orange: 0.77

Which row identifies the values of F, G and H?

	F	G	Н
Α	2	3.2	0.80
В	3	3.5	0.83
С	2	3.2	0.86
D	3	3.5	0.78

3 Which statement about isotopes is correct?


A They have different proton numbers.

B They have different chemical properties.

C They have the same nucleon number.

D They have the same number of electrons in their outer shell.

4 In the chromatography experiment shown, which label represents the solvent front?




5 Different methods of separation rely on substances having different properties.

Which property does distillation make use of?

- A boiling point
- **B** colour
- C particle size
- **D** solubility in different solvents

6 The arrangements of the electrons in two ions formed from elements X and Y are shown.



Which equation represents the reaction between elements X and Y?

$$\mathbf{A} \quad \mathsf{X}_2 \; + \; 2\mathsf{Y} \; \rightarrow \; 2\mathsf{X}^+ \; + \; 2\mathsf{Y}^-$$

$$\textbf{B} \quad X_2 \ + \ 2Y \ \rightarrow \ 2X^- \ + \ 2Y^+$$

$$\textbf{C} \quad 2X \ + \ Y_2 \ \rightarrow \ 2X^+ \ + \ 2Y^-$$

$$\mathbf{D} \quad 2X + Y_2 \rightarrow 2X^- + 2Y^+$$

7 Which row identifies compounds that contain single covalent bonds only, double covalent bonds only or both single and double covalent bonds?

	single covalent bonds only	double covalent bonds only	both single and double covalent bonds			
Α	C_2H_4	CH₃OH	CO ₂			
В	CH₃OH	C ₂ H ₄	CO ₂			
С	CH₃OH	CO ₂	C ₂ H ₄			
D	CO_2	C ₂ H ₄	CH₃OH			

8 Ethyl methanoate, HCOOC₂H₅, burns in excess oxygen to produce carbon dioxide and water.

The equation is shown.

$$2HCOOC_2H_5 + xO_2 \rightarrow 6CO_2 + 6H_2O$$

What is the value of x?

A 2

B 7

C

D 18

9 Rubidium is in Group I of the Periodic Table and bromine is in Group VII.

Rubidium reacts with bromine to form an ionic compound.

Which row shows the electron change taking place for rubidium and the correct formula of the rubidium ion?

	electron change	formula of ion formed
Α	electron gained	Rb⁺
В	electron gained	Rb⁻
С	electron lost	Rb⁺
D	electron lost	Rb⁻

10 Which statement explains why graphite is used as a lubricant?

- A All bonds between the atoms are weak.
- **B** It conducts electricity.
- C It has a low melting point.
- **D** Layers in the structure can slide over each other.

11 The relative atomic mass of chlorine is 35.5.

When calculating relative atomic mass, which particle is the mass of a chlorine atom compared to?

- A a neutron
- B a proton
- C an atom of carbon-12
- **D** an atom of hydrogen-1
- **12** Universal indicator solution is added to a neutral solution of concentrated aqueous sodium chloride.

The solution, which contains H^+ (hydrogen), Na^+ (sodium), Cl^- (chloride) and OH^- (hydroxide) ions, is electrolysed.

The product at the cathode is hydrogen gas and the product at the anode is chlorine gas.

What happens to the colour of the indicator in the solution during electrolysis?

- **A** The colour changes from blue to green.
- **B** The colour changes from blue to red.
- **C** The colour changes from green to blue.
- **D** The colour changes from green to red.
- 13 What is the empirical formula of an oxide of iron, formed by reacting 2.24 g of iron with 0.96 g of oxygen?
 - A FeO
- **B** Fe₂O
- \mathbf{C} Fe₂O₃
- **D** Fe_3O_4

14 The combustion of methane is exothermic.

$$CH_4 + 2O_2 \rightarrow CO_2 + 2H_2O$$

Which statement about this reaction is correct?

- A The energy needed to break the bonds in methane and oxygen is greater than the energy released in making new bonds in carbon dioxide and water.
- **B** The energy needed to break the bonds in methane and oxygen is less than the energy released in making new bonds in carbon dioxide and water.
- **C** The energy released in breaking bonds in methane and oxygen is greater than the energy needed to make new bonds in carbon dioxide and water.
- **D** The energy released in breaking bonds in methane and oxygen is less than the energy needed to make new bonds in carbon dioxide and water.

15 Hydrogen reacts with oxygen in a fuel cell.

$$2H_2 + O_2 \rightarrow 2H_2O$$

The reaction is exothermic.

286 kJ of energy is released for every mole of water formed.

Which volume of hydrogen gas, measured at room temperature and pressure, would react with oxygen with the release of 7000 J of energy?

- **A** 587 cm³
- **B** 1175 cm³
- **C** 587 dm³
- **D** $1175 \, \text{dm}^3$

16 Which substance does **not** require oxygen in order to produce energy?

- A coal
- **B** hydrogen
- C natural gas
- **D** 235U

17 Nitrogen, N₂, and hydrogen, H₂, can be converted into ammonia, NH₃, using a catalyst.

What is the purpose of the catalyst?

- A to increase the amount of ammonia produced
- **B** to increase the rate of reaction
- C to reduce the amount of reactants needed
- **D** to reduce the rate of reaction

18 Ammonia is produced by the Haber process. The equation is shown.

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

The forward reaction is exothermic.

Which statement is correct?

- A Increasing pressure decreases the yield of ammonia, but speeds up the reaction.
- **B** Increasing temperature decreases the yield of ammonia, but speeds up the reaction.
- **C** Increasing the concentration of hydrogen and nitrogen results in a lower yield of ammonia.
- **D** Increasing the temperature increases the yield of ammonia and speeds up the reaction.

19 During the manufacture of sulfuric acid, sulfur dioxide is converted to sulfur trioxide.

$$2SO_2 + O_2 \rightarrow 2SO_3$$

Which type of reaction is this?

- A displacement
- **B** neutralisation
- **C** oxidation
- **D** thermal decomposition
- 20 The equation for a redox reaction is shown.

$$2FeSO_4 + Cl_2 + H_2SO_4 \rightarrow Fe_2(SO_4)_3 + 2HCl$$

Which element is reduced?

- A chlorine
- **B** iron
- C oxygen
- **D** sulfur
- 21 The equation shows a reaction between aqueous hydrogen bromide and aqueous ammonia.

$$HBr(aq) + NH_3(aq) \rightarrow NH_4^+(aq) + Br^-(aq)$$

Which statement describes the role of aqueous hydrogen bromide?

- A It is a catalyst.
- **B** It is a reducing agent.
- **C** It is a proton acceptor.
- **D** It is a proton donor.
- **22** The equations for three reactions are shown.
 - 1 Pb(NO₃)₂(aq) + 2KI(aq) \rightarrow PbI₂(s) + 2KNO₃(aq)
 - 2 $2AgNO_3(aq) + CuI_2(aq) \rightarrow Cu(NO_3)_2(aq) + 2AgI(s)$
 - 3 CuO(s) + $H_2SO_4(aq) \rightarrow CuSO_4(aq) + H_2O(l)$

Which reactions are suitable for making a salt by precipitation?

A 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3


23 Zinc oxide is an amphoteric oxide.

Which row describes the reactions of zinc oxide?

	reaction with alkalis	reaction with acids
Α	✓	✓
В	✓	X
С	X	✓
D	X	X

24 A student carries out an experiment to prepare pure magnesium sulfate crystals.

The diagram shows the first stage of the preparation.



He adds magnesium carbonate until no more reacts.

Which process should he use for the next stage?

- A crystallisation
- **B** evaporation
- **C** filtration
- **D** neutralisation
- 25 Which row about elements in the Periodic Table is correct?

	statement 1	statement 2
Α	two elements in the same group have similar chemical properties	metals are on the left of the table
В	two elements in the same group have similar chemical properties	metals are on the right of the table
С	two elements in the same period have similar chemical properties	metals are on the left of the table
D	two elements in the same period have similar chemical properties	metals are on the right of the table

26 A new element oxfordium, Ox, was discovered with the following properties.

solubility	electrical conduction	formula of element	bonding in a molecule of Ox ₂		
insoluble in water	doesn't conduct	Ox ₂	Ox≡Ox		

In which group of the Periodic Table should the new element be placed?

- A Group III
- **B** Group V
- C Group VII
- **D** Group VIII

27 A flammable gas needs to be removed from a tank at an industrial plant.

For safety reasons, an inert gas is used.

Which gas is suitable?


- **A** argon
- **B** hydrogen
- C methane
- **D** oxygen

28 Transition elements can have variable oxidation states.


Which pair of compounds shows a transition element in two different oxidation states?

- A Cr_2O_3 and $Cr_2(SO_4)_3$
- B Cu₂O and CuCO₃
- C ZnS and ZnSO₄
- **D** NiO and Ni(NO₃)₂

29 Which diagram best represents the structure of a substance that is a good conductor of electricity at 25 °C?



- 30 Why is aluminium metal unreactive with air?
 - **A** It is covered with a layer of oxide.
 - **B** It is low in the reactivity series.
 - **C** It is produced by electrolysis of its oxide.
 - **D** It melts at a high temperature.
- 31 The apparatus used for the extraction of aluminium oxide by electrolysis is shown.



Which equation represents a reaction taking place at the anode?

$$\mathbf{A}\quad \mathsf{O}\ +\ 2\mathsf{e}^{\scriptscriptstyle{-}}\ \rightarrow\ \mathsf{O}^{2\scriptscriptstyle{-}}$$

B
$$20^{2-} \rightarrow 0_2 + 4e^-$$

$$\mathbf{C} \quad \mathsf{A} l^{3-} \rightarrow \mathsf{A} l + 3 \mathsf{e}^{-}$$

$$\mathbf{D} \quad \mathsf{A} \mathit{l}^{3+} \, + \, 3 \mathrm{e}^{-} \, \rightarrow \, \mathsf{A} \mathit{l}$$

© UCLES 2020


32 The results of tests on solid S and its aqueous solution are shown.

tests on solid S	tests on aqueous solution of S					
effect of heat	effect of aqueous sodium hydroxide	effect of aqueous ammonia				
brown gas given off, together with a gas which relights a glowing splint	white ppt., soluble in excess, giving a colourless solution	white ppt., soluble in excess, giving a colourless solution				

What is S?

- A aluminium nitrate
- B aluminium sulfate
- C zinc sulfate
- **D** zinc nitrate

33 Part of the carbon cycle is shown.



What are processes P, Q and R?

	Р	Q	R			
Α	decomposition	respiration	photosynthesis			
В	respiration	photosynthesis	decomposition			
С	respiration	decomposition	photosynthesis			
D	photosynthesis	respiration	decomposition			

34 The element sulfur is found in a number of different minerals.

Which mineral contains the greatest percentage by mass of sulfur?

- A barite, BaSO₄
- B galena, PbS
- C gypsum, CaSO₄
- **D** pyrite, FeS₂

35 Which structure represents a molecule of ethanol?

H H H H H H H H H H

H_C=C

В

H H | | H—C—C—O—H | | H H

C

H—C—C H O—H


D

36 Which structures are structural isomers of each other?

1
H H H H
H—C—C—C—C—H
H H H H

2
H H H H
H C C C C H
H H H
H H H

3
H H H
H
C—C—C—C—H
H H
H
H
H
H



- **A** 1, 2, 3 and 4
- **B** 1, 2 and 4 only
- C 1 and 3 only
- **D** 2 and 4 only

37 Which molecule is **not** produced by an addition reaction of ethene?

- A CH₃CH₃
- **B** CH₂BrCH₂Br
- C CH₃CH₂OH
- D CH₃CH₂CH₃

38 The flow chart shows the preparation of ethanol and some important chemistry of ethanol.

What are X, Y and Z?

	Х	Υ	Z			
Α	yeast	combustion	oxygen			
В	glucose	combustion	steam			
С	glucose	polymerisation	water			
D	yeast	fermentation	glucose			

- **39** Which statement about nylon and *Terylene* is correct?
 - A Nylon and *Terylene* are made from monomers with C=C bonds.
 - **B** Nylon and *Terylene* contain the same linkage.
 - C Nylon is a polyester.
 - **D** Terylene is made from two different monomers.
- **40** Which diagram represents the structure of a protein?

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	= \	ه ح لا	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	25	Xe	xenon 131	98	牊	radon			
	=>			6	ட	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	н	iodine 127	85	Ą	astatine -			
	>			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъ	moloulum —	116	^	livermorium -
	>			7	z	nitrogen 14	15	<u>а</u>	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>B</u>	bismuth 209			
	≥			9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium
	Ξ			2	Ф	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	lΤ	thallium 204			
										30	Zu	zinc 65	48	р О	cadmium 112	80	Нg	mercury 201	112	ű	copernicium -
										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group										28	Z	nickel 59	46	Pq	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
G				,						27	ပိ	cobalt 59	45	格	rhodium 103	77	Ir	iridium 192	109	Ĭ	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium
							1			25	M	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
				_	loq	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	РР	dubnium
					atc	re				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	¥	rutherfordium -
										21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	26	Ba	barium 137	88	Ra	radium
	_			က	=	lithium 7	1	Na	sodium 23	19	×	potassium 39	37	S S	rubidium 85	55	S	caesium 133	87	Ļ	francium

			_				
7.1	Pn	lutetium	175	103	۲	lawrencium	I
	Υp	-				_	I
69	E	thulium	169	101	Md	mendelevium	ı
89	Ē	erbinm	167	100	Fm	ferminm	I
29	웃	holmium	165	66	Es	einsteinium	I
99	۵	dysprosium	163	86	ర్	califomium	I
65	Tp	terbium	159	26	益	berkelium	ı
64	В	gadolinium	157	96	CB	curium	ı
63	En	europium	152	98	Am	americium	ı
62	Sm	samarium	150	94	Pu	plutonium	I
61	Pm	promethium	1	63	Δ	neptunium	I
09	ρN	neodymium	144	92	\supset	uranium	238
69	Ā	praseodymium	141	91	Ра	protactinium	231
28	Ce	cerium	140	06	┖	thorium	232
22	Гa	lanthanum	139	68	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm3 at room temperature and pressure (r.t.p.).