

Cambridge IGCSE[™]

CHEMISTRY 0620/22

Paper 2 Multiple Choice (Extended)

February/March 2023

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)


INSTRUCTIONS

There are forty questions on this paper. Answer all questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION


- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



1 Substance M is a solid at 30 °C.

The substance is heated to $80\,^{\circ}\text{C}$ and its temperature measured as it cools down to room temperature.

The cooling curve is shown.



Between which times is substance M freezing?

- A P to Q
- **B** Q to R
- C R to S
- **D** S to T

2 Which gas has the fastest rate of diffusion?

- **A** Ar
- \mathbf{B} C_2H_6
- **C** HCl
- D H₂S

3 There are two stable isotopes of bromine.

The mass number of isotope 1 is 79.

The mass number of isotope 2 is 81.


Which statement is correct?

- **A** The isotopes have the same number of neutrons.
- **B** The isotopes have different chemical properties.
- **C** The isotopes have different numbers of protons.
- **D** The isotopes have the same number of outer electrons.

4 Which statement about ions and ionic bonds is correct?

- **A** Bromine atoms form negatively charged bromide ions.
- **B** Ionic bonds form between elements in Group VII of the Periodic Table.
- **C** Positive ions are formed when atoms lose protons.
- **D** Potassium iodide contains negatively charged potassium ions.

5 Part of the Periodic Table is shown.



Which type of chemical bonding is present in the oxide of F and in the oxide of G?

	oxide of F	oxide of G		
Α	covalent	covalent		
В	covalent ionic			
С	ionic	covalent		
D	ionic	ionic		

6 Elements X and Y react to form a compound.

Element X loses two electrons and element Y gains one electron.

What is the charge on the ions of elements X and Y and what is the formula of the compound?

	charge on X	charge on Y	formula of compound
Α	2+	_	X_2Y
В	2+	_	XY_2
С	2–	+	X_2Y
D	2–	+	XY_2

- 7 Which statement about graphite explains why it is used as an electrode?
 - A It contains ions.
 - **B** It has a giant covalent structure.
 - C It is a metal.
 - **D** It has mobile electrons.

8 Methane, CH₄, burns in air to form carbon dioxide and water.

What is the balanced equation for this reaction?

A
$$CH_4(g) + O_2(g) \rightarrow CO_2(g) + 2H_2O(g)$$

B
$$CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + 2H_2O(g)$$

C
$$CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + H_2O(g)$$

D
$$CH_4(g) + 3O_2(g) \rightarrow CO_2(g) + 2H_2O(g)$$

9 The equation for the thermal decomposition of sodium hydrogencarbonate is shown.

$$2NaHCO_3 \rightarrow Na_2CO_3 + H_2O + CO_2$$

The M_r of sodium hydrogencarbonate, NaHCO₃, is 84.

The M_r of sodium carbonate, Na₂CO₃, is 106.

In an experiment, 2.1 g of sodium hydrogencarbonate is heated but not all of it decomposes. All of the carbon dioxide is collected and measured at room temperature and pressure. The total volume of carbon dioxide produced is 0.21 dm³.

The volume of 1 mole of a gas at room temperature and pressure is 24 dm³.

Which statement is correct?

- A The mass of sodium carbonate produced is 0.93 g.
- **B** The mass of sodium carbonate produced is 1.33 g.
- **C** The percentage yield of carbon dioxide is 10%.
- **D** The percentage yield of carbon dioxide is 35%.
- **10** An electrolysis experiment is done using carbon electrodes.

Hydrogen and oxygen are formed at the electrodes.

What is the electrolyte?

- **A** aqueous copper(II) sulfate
- **B** concentrated hydrochloric acid
- C dilute aqueous sodium chloride
- D molten potassium oxide

11 Concentrated aqueous copper(II) sulfate is electrolysed using copper electrodes.

Which ionic half-equation describes the reaction taking place at the cathode?

- $\mathbf{A} \quad 2H^{+} + 2e^{-} \rightarrow H_{2}$
- **B** $4OH^{-} \rightarrow O_{2} + 2H_{2}O + 4e^{-}$
- \mathbf{C} Cu \rightarrow Cu²⁺ + 2e⁻
- $\mathbf{D} \quad \mathsf{Cu}^{2^+} \, + \, 2\mathsf{e}^- \, \rightarrow \, \mathsf{Cu}$
- **12** When powdered sodium carbonate and aqueous ethanoic acid are mixed, the temperature of the mixture falls.

Which statement about this reaction is correct?


- **A** The reaction is endothermic and ΔH is negative.
- **B** The reaction is endothermic and ΔH is positive.
- **C** The reaction is exothermic and ΔH is negative.
- **D** The reaction is exothermic and ΔH is positive.
- **13** Magnesium powder reacts with an excess of dilute hydrochloric acid to produce hydrogen gas.

Which statements about this reaction are correct?

- 1 The smaller the particles of magnesium powder, the more slowly the hydrogen is produced.
- 2 The higher the temperature, the faster the magnesium powder disappears.
- 3 The lower the concentration of dilute hydrochloric acid, the faster the rate of reaction.
- 4 The faster the magnesium powder disappears, the faster the rate of reaction.
- **A** 1 and 2 **B** 2 and 3 **C** 2 and 4 **D** 3 and 4

14 The reaction between two aqueous compounds, X and Y, is slow and exothermic.

The graph shows how the rate of this reaction changes with time.



A student suggests that the rate of reaction decreases with time because:

- 1 the activation energy decreases
- 2 the speed of the molecules of X and Y decreases
- 3 the concentration of both X and Y decreases with time.

Which suggestions are correct?

- **A** 1 and 2
- **B** 1 and 3
- C 2 only
- **D** 3 only

15 Hydrogen reacts with iodine to form hydrogen iodide.

$$H_2(g) + I_2(g) \rightarrow 2HI(g)$$

Which statements explain why the reaction is faster when the pressure is increased, at constant temperature?

- 1 At higher pressure, the molecules are moving faster.
- 2 At higher pressure, more of the molecules have the required activation energy.
- 3 At higher pressure, the molecules are closer together.
- 4 At higher pressure, the molecules collide more frequently.
- **A** 1 and 2
- **B** 1 and 3
- **C** 2 and 4
- **D** 3 and 4

16 Ammonium sulfate is used as a fertiliser.

It is made from ammonia and sulfuric acid.

The1..... is made by the2..... process in which3..... is used as a catalyst.

Which words complete gaps 1, 2 and 3?

	1	2	3
Α	ammonia	Contact	iron
В	ammonia	Haber	vanadium($ m V$) oxide
С	sulfuric acid	Contact	vanadium(V) oxide
D	sulfuric acid	Haber	iron

17 The reversible reaction shown takes place in a closed system at constant temperature.

$$P(g) + Q(g) + R(g) \rightleftharpoons S(g) + T(g)$$

When the reaction has reached equilibrium, more T is added.

After the addition of T, which other substances increase in concentration?

- A P, Q, R and S
- **B** P and Q only
- C P, Q and R only
- **D** Sonly

18 In which equation is the underlined substance acting as a reducing agent?

- A $3CO + Fe_2O_3 \rightarrow 2Fe + 3CO_2$
- $\textbf{B} \quad \underline{CO_2} \,\, + \,\, C \,\, \rightarrow \,\, 2CO$
- $\textbf{C} \quad \underline{\text{CuO}} \,\, + \,\, \text{H}_2 \, \rightarrow \,\, \text{Cu} \,\, + \,\, \text{H}_2 \text{O}$
- **D** CaO + $H_2O \rightarrow Ca(OH)_2$

19 An aqueous solution reacts with a solid. The products are an alkaline gas, a salt and water.

What are the aqueous solution and the solid?

	aqueous solution	solid
Α	sodium hydroxide	magnesium carbonate
В	hydrochloric acid	magnesium carbonate
С	hydrochloric acid	ammonium chloride
D	sodium hydroxide	ammonium chloride

20 Butanoic acid partially dissociates in aqueous solution.

Which row about butanoic acid is correct?


	рН	effect on thymolphthalein
Α	3	turns blue
В	5	turns colourless
С	8	turns blue
D	10	turns colourless

21 Copper(II) sulfate is prepared by adding excess copper(II) carbonate to sulfuric acid.

Why is an **excess** of copper(II) carbonate added?

- A to ensure all the copper(II) carbonate has reacted
- B to ensure all the sulfuric acid has reacted
- C to increase the rate of reaction
- **D** to increase the amount of copper(II) sulfate produced
- 22 Part of the Periodic Table is shown.

Which element has two electrons in its outer shell and three electron shells?



23 Elements in Group I and Group II show the same trends in their reactions with water and in their density.

Which row shows how the properties of barium compare with calcium?

	reaction with water	density
Α	faster	higher
В	faster	lower
С	slower	higher
D	slower	lower

24	Which pair	of compounds	shows a tra	insition eleme	ent in two	different of	oxidation s	states?
----	------------	--------------	-------------	----------------	------------	--------------	-------------	---------

- A Cr_2O_3 and $Cr_2(SO_4)_3$
- B Cu₂O and CuCO₃
- C ZnS and ZnSO₄
- **D** NiO and Ni(NO₃)₂

25	Which	descri	ption of	brass	is	correct?
----	-------	--------	----------	-------	----	----------

- A a compound of copper and zinc
- **B** a compound of copper and tin
- C a mixture of copper and zinc
- **D** a mixture of copper and tin

26	What is the sv	ymbol of the meta	I used in the m	nanufacture of	aircraft because	of its low	/ densitv	?
----	----------------	-------------------	-----------------	----------------	------------------	------------	-----------	---

- \mathbf{A} $\mathsf{A}l$
- **B** Cu
- **C** Fe
- **D** Zn

27 Which substances react to form hydrogen gas?

- 1 calcium and water
- 2 silver and dilute hydrochloric acid
- 3 magnesium and steam
- 4 zinc and dilute hydrochloric acid
- **A** 1, 3 and 4
- **B** 1 and 3 only
- **C** 2 and 4
- **D** 4 only

28 Coke (carbon) and limestone are two raw materials used in the extraction of iron from hematite.

Which type of reaction occurs when each substance is heated during the process?

	coke	limestone
Α	redox	redox
В	redox	thermal decomposition
С	thermal decomposition	redox
D	thermal decomposition	thermal decomposition

29 Some combustion reactions produce pollutant gases.

Which reactions produce a pollutant gas that is **not** present in clean air?

1
$$2CH_4 + 3O_2 \rightarrow 2CO + 4H_2O$$

$$2 \quad 2H_2 + O_2 \rightarrow 2H_2O$$

3 C +
$$O_2 \rightarrow CO_2$$

4
$$N_2 + O_2 \rightarrow 2NO$$

A 1 and 3

B 1 and 4

C 2 and 3

D 3 and 4

30 One mole of alkane Y produces 72 dm³ of carbon dioxide when burned in excess oxygen, measured at room temperature and pressure.

What is Y?

- **A** butane
- **B** ethane
- **C** methane
- **D** propane

© UCLES 2023

31 The structure of organic compound X is shown.

What is X?

- A ethyl ethanoate
- B ethyl methanoate
- C methyl ethanoate
- **D** methyl methanoate
- **32** What is the structural formula of the compound formed in the addition reaction of propene with bromine?
 - A CH₃CHBrCH₂Br
 - B CH₂BrCH₂CH₂Br
 - C CHBr₂CH₂CH₃
 - D CH₃CBr₂CH₃
- **33** Ethanol is produced industrially by fermentation and also by a catalysed addition reaction involving steam.

Which row describes one advantage of each process?

	fermentation	catalysed addition reaction involving steam
Α	the reactant used is renewable	it is a continuous process
В	the reactant used is renewable	it requires little energy
С	it is a very rapid reaction	it is a continuous process
D	it is a very rapid reaction	it requires little energy

34 Carboxylic acids react with alcohols when warmed with an acid catalyst.

Which type of substance is formed in this reaction?

- A an alkene
- B an ester
- C a salt
- **D** a polymer

35 Nylon is formed by condensation polymerisation.

Which structure represents nylon?


36 Which structure represents the repeat unit of the addition polymer formed from but-1-ene?

37 2.00 g of powdered calcium carbonate is added to 50.0 cm³ of hydrochloric acid.

Which apparatus is used to measure these quantities of calcium carbonate and hydrochloric acid?

	calcium carbonate	hydrochloric acid
Α	balance	burette
В	balance	thermometer
С	pipette	burette
D	pipette	thermometer

38 The diagram shows a chromatogram obtained from the colours of three different sweets, X, Y and Z.



How many different red dyes are present in the sweets?

- **A** 1
- **B** 2
- **C** 3
- **D** 4

39 A mixture contains sand and an aqueous solution of sodium chloride.

Which processes are used to obtain a sample of solid sand **and** a sample of solid sodium chloride from the mixture?

- A crystallisation followed by filtration
- **B** evaporation followed by filtration
- **C** filtration followed by crystallisation
- **D** simple distillation followed by crystallisation

40 A student tests an unknown compound M.

The compound:

- produces a lilac flame using a flame test
- produces a gas which turns limewater cloudy when dilute hydrochloric acid is added.

What is M?

- A sodium sulfate
- B sodium carbonate
- C potassium sulfate
- D potassium carbonate

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	\	д Е	helium 4	10	Se	neon 20	18	Ā	argon 40	36	첫	krypton 84	54	Xe	xenon 131	98	R	radon	118	Og	oganesson -
				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	Ą	astatine -	117	<u>S</u>	tennessine -
				80	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Тe	tellurium 128	84	Ъо	polonium –	116	_	livermorium —
	>			7	Z	nitrogen 14	15	凸	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209	115	Mc	moscovium -
	≥			9	ပ	carbon 12	41	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	ŀΙ	flerovium -
	Ξ			2	Δ	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	п	indium 115	81	<i>1</i> 1	thallium 204	113	R	nihonium —
										30	Zn	zinc 65	48	පි	cadmium 112	80	Р	mercury 201	112	ű	copernicium —
										29	Co	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
Group										28	z	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
G				_						27	ပိ	cobalt 59	45	格	rhodium 103	77	ľ	iridium 192	109	Μţ	meitnerium -
		- I	hydrogen 1											Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium
							1			25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
					lod	name relative atomic mass						chromium 52		Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo					23	>	vanadium 51	14	g	niobium 93	73	<u>Б</u>	tantalum 181	105	Op	dubnium -
					ato	- Le				22	i=	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	꿆	rutherfordium —
										21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	99	Ba	barium 137	88	Ra	radium
	_			က	=	lithium 7	17	Na	sodium 23	19	¥	potassium 39	37	&	rubidium 85	55	S	caesium 133	87	ᇁ	francium

r ₁ Lu	lutetium 175	103	۲	lawrencium	I
o Y	ytterbium 173	102	8 N	nobelium	I
69 Tm	thulium 169	101	Md	mendelevium	I
® <u>п</u>	erbium 167	100	Fm	ferminm	I
67 Ho	holmium 165	66	Es	einsteinium	I
® ^	dysprosium 163	86	ŭ	califomium	I
65 Tb	terbium 159	97	Ř	berkelium	I
64 Gd	gadolinium 157	96	Cm	curium	I
63 Eu	europium 152	92	Am	americium	1
62 Sm	samarium 150	94	Pu	plutonium	ı
61 Pm	promethium -	93	δ	neptunium	1
99 N	neodymium 144	92	\supset	uranium	238
59 Pr	praseodymium 141	91	Ра	protactinium	231
Ce S8	cerium 140	06	Ч	thorium	232
57 La	lanthanum 139	68	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).