

# Cambridge IGCSE<sup>™</sup>

## CHEMISTRY

Paper 1 Multiple Choice (Core)

October/November 2023 45 minutes

0620/13

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

## INSTRUCTIONS


- There are forty questions on this paper. Answer all questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

#### INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has 16 pages. Any blank pages are indicated.

- 1 Which statement about solids, liquids or gases is correct?
  - **A** Solids are easy to compress.
  - **B** Liquids are easy to compress.
  - C Liquids expand to fill their container.
  - **D** Gases expand to fill their container.
- 2 Which substance is a mixture?
  - A air
  - B graphite
  - C oxygen
  - D water
- 3 The structure of an atom of element X is shown.



What is element X?

- A boron
- B carbon
- **C** sodium
- D sulfur
- 4 Sodium reacts with chlorine to form sodium chloride.

Which statements describe what happens to the sodium atoms in this reaction?

- 1 Sodium atoms form positive ions.
- 2 Sodium atoms form negative ions.
- 3 Sodium atoms gain electrons.
- 4 Sodium atoms lose electrons.
- **A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

- 5 Which statement about ammonia is correct?
  - **A** It conducts electricity when liquid.
  - **B** It contains three covalent bonds.
  - **C** It has a high boiling point.
  - **D** It has a giant covalent structure.
- 6 Which row describes the structure and a use of graphite?

	structure	use
Α	giant covalent	lubricant
в	giant covalent	cutting tools
С	simple molecular	lubricant
D	simple molecular	cutting tools

**7** The equation represents the reaction between solid magnesium oxide and dilute hydrochloric acid to form magnesium chloride and water.

MgO + 2HC
$$l \rightarrow$$
 MgC $l_2$  + H<sub>2</sub>O

Which row shows the state symbols for hydrochloric acid, magnesium chloride and water?

	HC1	MgCl <sub>2</sub>	H <sub>2</sub> O
Α	(aq)	(aq)	(I)
в	(aq)	(I)	(I)
С	(I)	(aq)	(aq)
D	(I)	(I)	(aq)

- 8 What is the equation for the reaction between calcium and chlorine?
  - **A** 2Ca +  $Cl \rightarrow Ca_2Cl$
  - $\textbf{B} \quad 2\textbf{Ca} \ \textbf{+} \ \textbf{C}l_2 \ \rightarrow \ \textbf{Ca}_2\textbf{C}l_2$
  - **C** Ca +  $Cl \rightarrow CaCl$
  - $\textbf{D} \quad \textbf{Ca + } Cl_2 \rightarrow \ \textbf{Ca} Cl_2$
- **9** Calcium nitrate has the formula Ca(NO<sub>3</sub>)<sub>2</sub>.

What is the relative formula mass,  $M_r$ , of calcium nitrate?

<b>A</b> 102 <b>B</b> 150 <b>C</b> 164	<b>D</b> 204
--	--------------

**10** Dilute sulfuric acid is electrolysed using platinum electrodes. The gases produced at each electrode are collected.

The gases are mixed together and ignited with a lighted splint.

What is formed during this reaction?

- **A** hydrogen sulfide
- B sulfur dioxide
- **C** sulfuric acid
- D water
- **11** Electricity is passed through molten sodium chloride using inert electrodes.

What is observed at the electrodes?

- **A** A colourless gas is produced at the negative electrode.
- **B** A pale yellow-green gas is produced at the positive electrode.
- **C** A silver-coloured metal is produced at the positive electrode.
- **D** No change is observed because the electrodes are inert.
- **12** Fuel cells are used as energy sources in cars.


Which row gives a fuel used in a fuel cell and the products formed?

	fuel in a fuel cell	products formed
Α	hydrogen	carbon dioxide and water
в	hydrogen	water only
С	petrol	carbon dioxide and water
D	petrol	water only

**13** When water is added to anhydrous iron(III) chloride,  $FeCl_3$ , hydrated iron(III) chloride,  $FeCl_3 \cdot 6H_2O$ , is formed and energy is given out.

 $FeCl_3 + 6H_2O \rightleftharpoons FeCl_3 \cdot 6H_2O$ 

Which reaction pathway diagram represents the formation of anhydrous iron(III) chloride in the **reverse** reaction?



- **14** Which process is a chemical change?
  - A burning carbon in air
  - **B** dissolving copper(II) sulfate crystals in water
  - **C** evaporating ethanol
  - D freezing water

**15** Anhydrous cobalt(II) chloride is blue and turns pink when water is added.

How is this reaction reversed?

- A adding dilute acid
- B filtering
- **C** heating
- D cooling
- **16** Ethanol can be turned into ethanoic acid by passing it over hot copper(II) oxide.

 $CH_{3}CH_{2}OH + 2CuO \rightarrow CH_{3}COOH + H_{2}O + 2Cu$ 

What is this type of reaction?

- A precipitation
- **B** redox
- **C** thermal decomposition
- D neutralisation
- **17** When heated strongly, silicon(IV) oxide reacts with carbon.

 $SiO_2$  + 2C  $\rightarrow$  Si + 2CO

Which term describes what happens to silicon(IV) oxide?

- A thermal decomposition
- **B** neutralisation
- **C** oxidation
- **D** reduction
- **18** Information about four solutions, P, Q, R and S, is listed.

Solution P reacts with ammonium chloride to form ammonia.

Solution Q reacts with sodium carbonate to form carbon dioxide.

Solution R contains a high concentration of OH<sup>-</sup> ions.

Solution S turns litmus red.

Which solutions are alkaline?

**A** P and Q **B** P and R **C** Q and S **D** R and S

- **19** Which oxides are basic?
  - 1 calcium oxide
  - 2 sodium oxide
  - 3 iron(II) oxide
  - **A** 1, 2 and 3 **B** 1 and 2 only **C** 2 and 3 only **D** 3 only
- 20 Which row describes the changes across a period of the Periodic Table, from left to right?

	number of outer-shell electrons	metallic character
Α	decreases	decreases
В	decreases	increases
С	increases	increases
D	increases	decreases

**21** Which row shows properties of an element that is in the same group of the Periodic Table as lithium?

	electrical conductivity	density in g/cm <sup>3</sup>
Α	high	0.97
В	high	8.93
С	low	0.07
D	low	3.12

22 Which row describes how the properties of Group I elements change as the group is descended?

	melting point	density	reactivity
Α	increases	increases	increases
В	increases	decreases	decreases
С	decreases	increases	increases
D	decreases	decreases	decreases

**23** The elements in Group VII include chlorine, bromine and iodine.

Which statements are correct?

- 1 Iodine is more dense than chlorine.
- 2 Iodine displaces chlorine from a solution containing chloride ions.
- 3 Bromine is a diatomic non-metal.
- 4 Chlorine gas is darker in colour than bromine vapour.
- **A** 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4
- 24 Cobalt is a transition element.


What is a property of cobalt?

- **A** It can form coloured compounds.
- **B** It is a poor electrical conductor.
- **C** It has a low density.
- **D** It has a low melting point.
- 25 Which statements about brass are correct?
  - 1 It is an alloy of zinc and copper.
  - 2 It is a compound of zinc and copper.
  - 3 It is a mixture of zinc and copper.
  - **A** 1 and 3 **B** 1 only **C** 2 and 3 **D** 3 only
- **26** Aluminium is used to make containers for storing food.

Which property makes it suitable for this use?

- A conducts heat
- **B** low density
- **C** resists corrosion
- D shiny surface

27 Which pair of diagrams represents both a pure metal and an alloy?




**28** A metal M is between sodium and magnesium in the reactivity series.

Which reactions occur with M and its oxide?

	M reacts with steam	M can be extracted by heating its oxide with carbon
Α	no	no
в	no	yes
С	yes	no
D	yes	yes

**29** The diagrams show experiments to investigate rusting of iron nails.



**31** Two tests are done on an NPK fertiliser.

test 1 flame test

test 2 heat with aqueous sodium hydroxide and aluminium foil

Which observations are made?

	test 1	test 2
Α	green flame	gas evolved which turns red litmus blue
в	green flame	gas evolved which turns blue litmus red
С	lilac flame	gas evolved which turns red litmus blue
D	lilac flame	gas evolved which turns blue litmus red

**32** The gases from the engine of a car contain oxides of nitrogen.

How are these oxides formed?

- **A** Nitrogen reacts with carbon dioxide.
- **B** Nitrogen reacts with carbon monoxide.
- **C** Nitrogen reacts with oxygen.
- D Nitrogen reacts with petrol.
- **33** Which statements explain why plastics should be recycled?
  - 1 They do not decompose when added to land fill.
  - 2 They pollute rivers and oceans, harming wildlife.
  - 3 They can produce toxic gases when burned.
  - A 1, 2 and 3 B 1 and 2 only C 1 and 3 only D 2 and 3 only
- **34** Unwanted vegetation is sometimes placed in a bin where it decomposes. The compost formed is used to fertilise soils.

Which gas is likely to be present in a higher percentage inside the bin than in the air outside the bin?

- A carbon monoxide
- B methane
- **C** oxygen
- D sulfur dioxide
- 35 Ethene reacts with steam and with bromine in two separate reactions.

What are the products of these two reactions?

- **A** ethanoic acid and bromoethane
- B ethanoic acid and dibromoethane
- C ethanol and bromoethane
- **D** ethanol and dibromoethane

- 1 substitution
- 2 combustion
- 3 polymerisation
- 4 addition

Which reactions will ethane undergo?

**A** 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4

**37** The flow diagram shows how poly(ethene) may be made from petroleum.




What are stages 1, 2 and 3?


	1	2	3
Α	cracking	polymerisation	fractional distillation
в	cracking	fractional distillation	polymerisation
С	fractional distillation	cracking	polymerisation
D	fractional distillation	polymerisation	cracking

**38** Magnesium reacts with dilute hydrochloric acid to produce hydrogen gas.

Which pieces of apparatus are needed to determine the rate of this reaction?



**39** The chromatograms of four different dyes are shown.



How many different colours are present in the four dyes?

Α	4	в	5	С	6	D	13
	-	_	-	-	-	_	

- 40 The results of some tests on an aqueous solution of substance X are listed.
  - 1 A cream precipitate is produced when adding aqueous silver nitrate.
  - 2 Adding aqueous sodium hydroxide produces a green precipitate which dissolves in excess alkali.
  - 3 Adding aqueous ammonia produces a green precipitate which is insoluble in excess ammonia.

What is substance X?

- A chromium(III) bromide
- B chromium(III) chloride
- **C** iron(II) bromide
- **D** iron(II) chloride

# **BLANK PAGE**

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.).

uranium 238

91 Pa protactinium 231

90 Th <sup>thorium</sup> 232

I

© UCLES 2023

The Periodic Table of Elements

					_									_																	
		<pre>III&gt;</pre>	<sup>2</sup> He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	Кr	krypton 84	54	Xe	xenon 131	86	Rn	radon -	118	Og	oganesson -									
		</td <td></td> <td></td> <td>6</td> <td>LL</td> <td>fluorine 19</td> <td>17</td> <td>Cl</td> <td>chlorine 35.5</td> <td>35</td> <td>Br</td> <td>bromine 80</td> <td>53</td> <td>Ι</td> <td>iodine 127</td> <td>85</td> <td>At</td> <td>astatine -</td> <td>117</td> <td>Ts</td> <td>tennessine -</td> <td></td> <td>11</td> <td></td> <td></td> <td>Iutetium 175</td> <td>103</td> <td>Ţ</td> <td>lawrencium</td>			6	LL	fluorine 19	17	Cl	chlorine 35.5	35	Br	bromine 80	53	Ι	iodine 127	85	At	astatine -	117	Ts	tennessine -		11			Iutetium 175	103	Ţ	lawrencium	
		N			8	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Те	tellurium 128	84	Ро	polonium –	116	L<	livermorium –	•	02	s S		ytterbium 173	102	No	nobelium	
		>			7	z	nitrogen 14	15	۵.	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Bi	bismuth 209	115	Mc	moscovium -	•	80	3 E		thulium 169	101	Md	mendelevium	
		≥			9	U	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Fl	flerovium -	•	02	зц		erbium 167	100	Е Н	fermium	
		≡			5	Ш	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204	113	ЧN	nihonium –		67	Ē		holmium 165	66	ШS	einsteinium	
											30	Zn	zinc 65	48	Cd	cadmium 112	80	Hg	mercury 201	112	C	copernicium -		99	3	د	dysprosium 163	98	Ç	califomium	
											29	Cu	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium -		L L L	e F		terbium 159	97	鮝	berkelium	
	Group										28	ïŻ	nickel 59	46	Pd	palladium 106	78	Ţ	platinum 195	110	Ds	darmstadtium -		54	ל כי ל	י כ פ	gadolinium 157	96	Cm	curium	
	Gro										27	ပိ	cobalt 59	45	Rh	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium -	•	62	3 L	р. Ц	europium 152	95	Am	americium	
			- I	hydrogen 1							26	Ге	iron 56	44	Ru	ruthenium 101	76	SO	osmium 190	108	Hs	hassium -	•	57	5 U	0	samarium 150	94	Pu	plutonium	
					_						25	Mn	manganese 55	43	Гс	technetium -	75	Re	rhenium 186	107	Bh	bohrium –		54	5 6		promethium -	93	Np	neptunium	
							loc	ISS				24	ŗ	chromium 52	42	Mo	molybdenum 96	74	8	tungsten 184	106	Sg	seaborgium -		SO S	NA NA		neodymium 144	92		uranium 238
				Key	atomic number	atomic symbol	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Та	tantalum 181	105	Db	dubnium –		02	ם א		praseodymium 141	91	Ра	protactinium	
						ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	Ŧ	hafnium 178	104	Ŗ	rutherfordium -		01	، د	ט כ	cerium 140	06	Th	thorium 23.2	
											21	Sc	scandium 45	39	≻	yttrium 89	57-71	lanthanoids		89-103	actinoids			67	5 <u> </u>	ס : ב	lanthanum 139	89	Ac	actinium	
		=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ي ا	strontium 88	56	Ba	barium 137	88	Ra	radium -		_	4	sn					
		_			с	:	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ч	francium -				Idilliaiolus			actinoids		
			-					-									-						-								

0620/13/O/N/23