

Cambridge IGCSE[™]

CHEMISTRY 0620/22

Paper 2 Multiple Choice (Extended)

February/March 2024

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

INSTRUCTIONS

There are **forty** questions on this paper. Answer **all** questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.


INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



1 Solid X is heated for 600 seconds.

The graph shows the heating curve that is obtained.



What is the melting point of X?

- **A** 20 °C
- **B** 170 °C
- **C** 240 °C
- **D** 270 °C

2 Which statements about diffusion are correct?

- 1 Aqueous ions cannot diffuse in water.
- 2 Diffusion is caused by the random movement of particles.
- 3 Particles spread out in all directions in diffusion.
- 4 Diffusion can only take place in solids and liquids.
- **A** 1 and 2
- **B** 1 and 4
- **C** 2 and 3
- **D** 3 and 4

3 Which statement about an atom of fluorine, ¹⁹₉F, is correct?

- **A** It contains a total of 28 protons, neutrons and electrons.
- **B** It contains more protons than neutrons.
- **C** Its isotopes contain different numbers of protons.
- **D** Its nucleus contains 9 neutrons.

4 Two of the isotopes of calcium are represented as $^{40}_{20}$ Ca and $^{44}_{20}$ Ca.

Which statement explains why these isotopes of calcium have identical chemical properties?

- **A** Both isotopes have the same number of neutrons.
- **B** Both isotopes have an electronic configuration of 2,8,8,2.
- **C** Both isotopes have a mass number of 20.
- **D** Both isotopes have four fully occupied electron shells.
- 5 Which statement describes a property of potassium iodide?
 - A It is insoluble in water.
 - **B** It is a volatile substance.
 - **C** It has a low melting point.
 - **D** It conducts electricity when molten.
- 6 Methanal, CH₂O, has a boiling point of −19 °C.

At -20 °C, the liquid methanal is a non-conductor of electricity.

In a sample of methanal, each atom of carbon, hydrogen and oxygen has noble gas electronic configuration. Each atom has achieved this electronic configuration in one of three ways:


- gaining electrons
- losing electrons
- sharing electrons.

Which statement describes the bonding between the carbon atom and the oxygen atom in methanal?

- **A** The carbon atom and the oxygen atom share four electrons.
- **B** The carbon atom and the oxygen atom share two electrons.
- **C** Carbon is a negative ion and oxygen is a positive ion. These two ions attract each other.
- **D** Carbon is a positive ion and oxygen is a negative ion. These two ions attract each other.

7 The structures of diamond and graphite are shown.





Which statement about diamond and graphite is correct?

- Α Diamond and graphite contain strong covalent bonds between carbon atoms.
- В Diamond and graphite have delocalised electrons.
- C Diamond and graphite have layered structures.
- D Diamond and graphite have low melting points.
- 8 Which row contains a description of metallic bonding and a property that is explained by reference to metallic bonding?

	description of metallic bonding	property explained by reference to metallic bonding
A	a lattice of negative ions in a sea of delocalised electrons	a metal will react with an acid, producing hydrogen
В	a lattice of negative ions in a sea of delocalised electrons	a piece of a metal can be moulded into different shapes
С	a lattice of positive ions in a sea of delocalised electrons	a metal will react with an acid, producing hydrogen
D	a lattice of positive ions in a sea of delocalised electrons	a piece of a metal can be moulded into different shapes

- What is the relative molecular mass, M_r , of sulfur dioxide? 9
 - **A** 24
- 32 В
- **C** 48
- **D** 64
- **10** Magnetite is an ore of iron which contains the ions Fe²⁺, Fe³⁺ and O²⁻ only.

What is the formula of magnetite?

- A Fe₂O
- **B** Fe_2O_3 **C** Fe_3O_2

11 Concentrated aqueous sodium chloride and dilute sulfuric acid are both electrolysed using inert electrodes.

Which row identifies the product at the cathode in each electrolysis?

	aqueous sodium chloride	dilute sulfuric acid
A	hydrogen	oxygen
В	hydrogen	hydrogen
С	chlorine	oxygen
D	chlorine	hydrogen

12 Electrolytes can be broken down by electrolysis.

Which rows are correct for each electrolyte?

	electrolyte	reaction at cathode	product at anode
1	dilute aqueous potassium chloride	$2H^{+} + 2e^{-} \rightarrow H_{2}$	oxygen
2	concentrated hydrochloric acid	$2H^{+} + 2e^{-} \rightarrow H_{2}$	chlorine
3	molten aluminium oxide	$20^{2-} \rightarrow 0_2 + 4e^-$	aluminium
4	concentrated aqueous sodium bromide	$Na^+ + e^- \rightarrow Na$	bromine

- **A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4
- 13 Which statement about hydrogen—oxygen fuel cells is correct?
 - A Hydrogen is extracted from clean, dry air.
 - **B** The only product is carbon dioxide.
 - **C** The reaction is endothermic.
 - **D** No toxic gases are produced.
- **14** Which statement defines the activation energy, E_a , for a reaction?
 - **A** It is the minimum energy that colliding particles must have to react.
 - **B** It is the minimum energy that endothermic reactions take in from their surroundings.
 - **C** It is the maximum energy that exothermic reactions transfer to their surroundings.
 - **D** It is the maximum energy released when the bonds in the products of a reaction form.

15 The equation for the complete combustion of ethyne, H–C≡C–H, is shown.

$$2H-C\equiv C-H + 5O=O \rightarrow 4O=C=O + 2H-O-H$$

The bond energies are listed.

bond	bond energy in kJ/mol
C≡C	837
C–H	415
O=O	498
C=O	805
O–H	464


What is the enthalpy change of the reaction when 1 mol of ethyne is completely burned?

- **A** -2472 kJ/mol
- **B** -1236 kJ/mol
- C +1236 kJ/mol
- **D** +2472 kJ/mol

16 In experiment 1, small lumps of limestone are added to dilute ethanoic acid at 40 °C.

The volume of carbon dioxide released is measured at regular time intervals.

A graph of the results is shown.



Which changes give the results shown in experiment 2?

	limestone	temperature / ° C
A	large lumps	40
В	powder	40
С	powder	60
D	small lumps	60

17 In the Haber process, nitrogen and hydrogen are reacted to make ammonia.

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

The forward reaction is exothermic.

Which conditions produce the maximum yield of ammonia?

	pressure	temperature
Α	high	high
В	high	low
С	low	high
D	low	low

18 The Ostwald process is used to make nitric acid.

The conditions used in this process are:

- 1 a catalyst containing a transition element
- 2 a pressure of 10 atm
- 3 a temperature of 800 °C.

Which of these conditions are also used in the Contact process?

- **A** 1 and 2
- **B** 1 only
- **C** 2 and 3
- **D** 3 only
- **19** Hydrogen iodide is dissolved in water.

$$HI \rightarrow H^{+} + I^{-}$$

Which row describes the final colours seen when the solution is tested with damp red litmus paper and with acidified aqueous potassium manganate(VII)?

	damp red litmus paper	acidified aqueous potassium manganate(VII)
Α	blue	brown
В	blue	colourless
С	red	brown
D	red	colourless

- 20 Which statements about aqueous ethanoic acid are correct?
 - 1 It can be produced by oxidising ethanol with potassium iodide.
 - 2 It reacts with magnesium to produce hydrogen gas.
 - 3 It has an approximate pH value of 3.
 - 4 It produces esters called methanoates.
 - **A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

21	Wh	ich eleme	ent forms ar	n acidic oxide	e?				
	Α	calcium							
	В	lithium							
	С	magnes	ium						
	D	sulfur							
22	Wh	ich stater	ment descri	bes the prop	erties of	hydrochlorid	c acid?		
	Α	Carbon	dioxide is p	roduced whe	en limest	one reacts v	with hydr	ochloric acid.	
	В	Hydroge	en is produc	ced when so	dium hyd	roxide reac	ts with hy	drochloric ac	sid.
	С	Methyl o	orange turns	s yellow in st	rong hyd	Irochloric ac	cid.		
	D	Red litm	nus paper tu	ırns blue whe	en dippe	d into hydro	chloric a	cid.	
23	Ele	ments P	and Q have	the same no	umber of	electron sh	ells.		
	An	atom of C	Q has more	electrons in	its outer	electron sh	ell than a	n atom of P.	
	Which statements are correct?								
		1	P and Q a	re in the sam	ne group	of the Perio	odic Table	e .	
		2	P and Q a	re in the sam	ne period	of the Perio	odic Table	e.	
		3	P has a gr	eater tenden	cy to for	m positive id	ons than	Q.	
		4	The oxide	of Q is more	basic th	an the oxide	e of P.		
	Α	1 and 3	В	1 and 4	С	2 and 3	D	2 and 4	
24		hich substance reacts with dilute sulfuric acid to form a salt that can be removed from the resulting xture by filtration?							
	Α	aqueous	s barium ch	loride					
	В	aqueous	s sodium hy	/droxide					
	С	copper							
	D	copper(II) carbonat	e					

25 Astatine is below iodine in Group VII in the Periodic Table.

Which row describes the properties of astatine?

	state at room temperature	reactivity
A	gas	displaces chlorine, bromine and iodine
В	gas	displaces iodine but does not displace chlorine or bromine
С	solid	displaces iodine but does not displace chlorine or bromine
D	solid	does not displace chlorine, bromine or iodine

- 26 Which property of copper explains why it is classified as a transition element?
 - A Copper can be bent into different shapes.
 - **B** Copper forms Cu²⁺ and Cu⁺ ions.
 - **C** Copper is a good conductor of electricity.
 - **D** Copper has a low density.
- **27** Brass is an alloy that is formed from copper and zinc.

Which statements are correct?

- 1 Brass, copper and zinc all conduct electricity.
- 2 Brass is a compound of copper and zinc.
- 3 Brass is harder than zinc.
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- 28 The equation for the reaction of metal M with aqueous zinc sulfate is shown.

$$M(s) + ZnSO_4(aq) \rightarrow MSO_4(aq) + Zn(s)$$

Which statement explains why metal M reacts with aqueous zinc sulfate?

- A Zinc is less reactive than M because M is able to accept electrons from zinc ions.
- **B** Zinc is a more powerful reducing agent than M.
- **C** Zinc is more reactive than M because it can lose electrons more easily than M.
- **D** Zinc ions can remove electrons from M.

29 In the blast furnace, the impurity silicon(IV) oxide is removed by the formation of slag.

Which equation represents the formation of the substance which reacts with silicon(IV) oxide to form slag?

- **A** $C + O_2 \rightarrow CO_2$
- **B** C + $CO_2 \rightarrow 2CO$
- \mathbf{C} CaCO₃ \rightarrow CaO + CO₂
- $\mathbf{D} \quad \mathsf{Fe_2O_3} \, + \, \mathsf{3CO} \rightarrow \, \mathsf{2Fe} \, + \, \mathsf{3CO_2}$

30 Aluminium is extracted from bauxite by electrolysis.

Which statement is correct?


- A Aluminium ions are oxidised to form aluminium.
- **B** The cathode has to be replaced regularly because it reacts with the oxygen which is formed.
- **C** Carbon dioxide is produced at the anode.
- **D** Cryolite is added to remove impurities.
- 31 Iron rusts but aluminium does not easily corrode.

Which statement explains why aluminium does **not** easily corrode?

- A It is an alloy.
- **B** It is below iron in the reactivity series.
- **C** It is a transition element.
- **D** Its surface is protected by an oxide layer.
- **32** Which chemicals can be used as a fertiliser to provide the three elements needed for improved plant growth?
 - **A** $(NH_2)_2CO$ and KCl
 - **B** $(NH_4)_2HPO_4$ and K_2SO_4
 - \mathbf{C} (NH₄)₂HPO₄ and (NH₂)₂CO
 - **D** $(NH_2)_2CO$ and K_2SO_4

33	Wh	at is the	colour cha	nge when wate	er is add	ded to anhyo	lrous cob	alt(II) chlorid	e?
	A	blue to white							
	В	blue to pink							
	С	white to blue							
	D	white to	pink						
34	Hov	w do carb	oon dioxide	and methane	cause	global warm	ing?		
	Α	They er	nit the ther	mal energy the	ey have	absorbed b	ack to the	e Earth.	
	В	They ab	sorb the ra	adiation directl	y from t	he Sun.			
	С	They in	crease the	rmal energy lo	ss to sp	ace.			
	D	They re	duce reflec	ction of therma	ıl energy	y from the E	arth's sur	face.	
35	Fou	ur statements about photosynthesis are listed.							
		1 Chlorophyll is required for photosynthesis.							
		2 The equation for photosynthesis is $C_6H_{12}O_6 + 6O_2 \rightarrow 6CO_2 + 6H_2O$.							
		3 Photosynthesis requires energy from light.							
		4	Photosyn	thesis release	s carbo	n dioxide, w	hich can	lead to climat	e change.
	Wh	nich statements are correct?							
	A	1 and 3	В	1 and 4	С	2 and 3	D	2 and 4	

36 Which molecules are structural isomers?



- 37 Which statements about the reaction of ethene with steam are correct?
 - 1 The product has a higher molecular mass than ethane.
 - 2 The product reacts with aqueous bromine.
 - 3 The number of electrons shared between carbon atoms decreases.
 - 4 The reaction produces an alcohol and hydrogen.
 - **A** 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4
- **38** Methane and chlorine react to form chloromethane.

Which row describes the necessary reaction condition and the type of reaction?

	reaction condition	type of reaction
Α	ultraviolet light	substitution
В	nickel catalyst	substitution
С	nickel catalyst	addition
D	ultraviolet light	addition

39 Parts of the structure of two different polymers, X and Y, are shown.




Which row about the monomers and the linkages between the monomers in polymers X and Y is correct?

	monomers in X and Y	linkages
Α	different	the linkages in X are different from the linkages in Y
В	different	the linkages in X are the same as the linkages in Y
С	same	the linkages in X are different from the linkages in Y
D	same	the linkages in X are the same as the linkages in Y

40 Substance Q is tested using paper chromatography.

The resulting chromatogram is shown.



Which statement is correct?

- A Q is a pure substance.
- **B** The R_f value of the lower spot is 0.25.
- **C** Q is a mixture of at least two different substances.
- **D** Q is a compound of two elements.

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	=>	2 7	ב בווים	4	10	Ne	neon 20	18	Ar	argon 40	36	첫	krypton 84	54	Xe	xenon 131	98	牊	radon	118	Og	oganesson
	=>				6	ட	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	¥	astatine -	117	<u>S</u>	tennessine -
	 				8	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Те	tellurium 128	84	Ъ	polonium —	116	^	livermorium —
	>				7	z	nitrogen 14	15	Ф	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>B</u>	bismuth 209	115	Mc	moscovium
	≥				9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Ŀ	flerovium -
	Ξ				2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204	113	R	nihonium –
											30	Zn	zinc 65	48	ည	cadmium 112	80	Нg	mercury 201	112	ű	copernicium —
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group											28	Ż	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
G											27	ပိ	cobalt 59	45	格	rhodium 103	77	ľ	iridium 192	109	Μţ	meitnerium -
		-]	الم	1 1							26	Fe	iron 56	4	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium
											25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
					Ę.	loqi	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	Ор	dubnium -
						atc	rel				22	j	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	¥	rutherfordium -
											21	လွ	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium -
	_				က	=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	S S	rubidium 85	55	S	caesium 133	87	<u>г</u>	francium -

71	lutetium 175	103	۲	lawrencium	I
	ytterbium 173				I
69 TH	thulium 169	101	Md	mendelevium	ı
88 F	erbium 167	100	Fm	ferminm	I
79 H	holmium 165	66	Es	einsteinium	I
% 2	dysprosium 163	86	ర్	californium	ı
65 Th	terbium 159	97	益	berkelium	-
64 Gd	gadolinium 157	96	Cm	curium	I
63 FL	europium 152	92	Am	americium	_
Sm.	samarium 150	94	Pu	plutonium	_
Pm	promethium -	93	dΝ	neptunium	_
09 Z	neodymium 144	92	\supset	uranium	238
59 P	praseodymium 141	91	Ра	protactinium	231
88 G	cerium 140	06	드	thorium	232
57	lanthanum 139	68	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm3 at room temperature and pressure (r.t.p.).