

MARK SCHEME for the March 2015 series

0620 CHEMISTRY

0620/52

Paper 5 (Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the March 2015 series for most Cambridge IGCSE[®] components.

| | | | |
|--------|------------------------------|----------|--------|
| Page 2 | Mark Scheme | Syllabus | Number |
| | Cambridge IGCSE – March 2015 | 062 | |

1 (d) Table of results

total volume of water boxes completed correctly (1),

10, 12, 14, 18

temperature boxes completed (1)

values decreasing (1)

comparable to supervisor's results (2) $\pm 10^\circ\text{C}$

[5]

(e) appropriate scale for y axis (1)

note: must use at least 4 large squares vertically to plot points

all points correctly plotted (3),

all 4 correct (3)

3 correct (2)

2 correct (1)

1 or fewer correct (0)

note: origin should not be included

smooth line graph (1)

[5]

(f) value from graph for 20 cm^3 water (1) \pm half a small square

shown clearly by extrapolation(1)

[2]

(g) clear/colourless liquid forms/no solid/crystals/salt visible owtte (1)

[1]

(h) salt would not all dissolve (1)

use of figures (1)

e.g. only 5.7 g would dissolve in 10 cm^3 water at 100°C

[2]

(i) sketch graph above line (1)

label (1)

[2]

| | | |
|--------|------------------------------|----------|
| Page 3 | Mark Scheme | Syllabus |
| | Cambridge IGCSE – March 2015 | 062 |

(j) any **one** improvement from: (1)

- do not remove thermometer from solution
- use IT method/second person to note formation of crystals
- repeat
- do separate experiments
- use smaller volumes of water
- loss of water through boiling/evaporation

linked explanation (1)

- loss of solid on thermometer
- observing formation of first crystals may vary
- average
- more results to plot on graph
- method of avoiding evaporation

[2]

2 tests on solution E

(a) yellow/green/colourless,

[1]

(b) white (1) precipitate (1)

[2]

(c) green precipitate (1)
indicator paper turns blue (1)

[1]

pungent smell (1)

[2]

turns brown (1)

[1]

(d) appearance pink to colourless/pale yellow (1)

[1]

brown (1) precipitate (1)

[2]

tests on solution F

(e) (i) yellow solution (1)

[1]

(ii) pH 1–3 (1)

[1]

(f) any **three** from:
green (1) blue(1) lavender/purple/lilac (1)

effervescence (1)

[3]

| | | | |
|--------|------------------------------|----------|--------|
| Page 4 | Mark Scheme | Syllabus | Number |
| | Cambridge IGCSE – March 2015 | 062 | |

(g) iron (1) (II) (1)

ammonium (1) sulfate(1)

(h) any **two** from:
transition metal (1)

different valencies (1)

acidic solution(1)

[2]