

Cambridge IGCSE®

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
CHEMISTRY			0620/06
Paper 6 Altern	ative to Practical	For ex	camination from 2020
SPECIMEN PA	PER		
			1 hour

Candidates answer on the question paper.

No additional materials are required.

READ THESE INSTRUCTIONS FIRST

Write your centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.


You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



1 The diagram shows the apparatus used to prepare a dry sample of a gas. The gas is more dense than air.



(a)	Complete the boxes to name the apparatus.	[3]
(b)	Identify one mistake in the apparatus.	
		[1]
(c)	Suggest a reason why the gas is passed through concentrated sulfuric acid.	
		[1]


[Total: 5]

2 A student investigated the rate of reaction between excess magnesium and two different dilute acids, **X** and **Y**.

Two experiments were carried out.

Experiment 1

The apparatus was set up as shown in the diagram.



Using a measuring cylinder, $50 \, \text{cm}^3$ of dilute acid **X** was poured into the conical flask. 0.5 g of magnesium ribbon was added to the conical flask and the bung added.

The timer was started and the volume of gas collected in the measuring cylinder was measured every 30 seconds for three minutes.

(a) Use the measuring cylinder diagrams to record the volumes of gas collected.

time/s	measuring cylinder diagram	total volume of gas collected/cm ³
0	-5 -5 -10	
30	= 10 = 15 = 20	
60	= 20 = 25 = 30	
90	25 = 30 = 35	
120	=30 =35 =40	
150	= 40 = 45 = 50	
180		

[2]

Experiment 2


Experiment 1 was repeated using 50 cm³ of dilute acid Y.

(b) Use the measuring cylinder diagrams to record the volumes of gas collected.

time/s	measuring cylinder diagram	total volume of gas collected/cm ³
0	0 -5 -10	
30	0 5 -10	
60	10 - 15	
90	= 10 = 15 = 20	
120	= 10 = 15 = 20	
150	15 20 	
180	15 - 20 - 25	

[2]

(c) Plot the results for both experiments on the grid below. For each set of results, draw a smooth line graph. Indicate clearly which line represents Experiment 1 and which line represents Experiment 2.



	4	1
L		J

	State which experiment had the faster rate of reaction and suggest why the rate was faster i this experiment.		
		[1]	
(e)	From your graph, deduce the time required to collect 25 cm ³ of gas in Experiment 1. Show clearly on the graph how you worked out your answer.		
		[1]	


(f)	The rate of this	reaction ca	n be calculated	using:
-----	------------------	-------------	-----------------	--------

rate =
$$\frac{\text{volume of gas / cm}^3}{\text{time taken / s}}$$

For the experiment with the higher rate, calculate the rate of reaction for the first 30 seconds of the reaction. Deduce the units.

	rate	[2]
(g)	Give one advantage and one disadvantage of using a measuring cylinder to add the acids the flask.	s to
	advantage	
	disadvantage	[2]
(h)	Suggest and explain one improvement to this experiment.	
		[1]
	[Total:	15]

3 Concentrated aqueous sodium chloride was broken down by electricity using the apparatus shown.



(a)	Suggest a suitable material from which to make the electrodes.	
	***************************************	[1]
(b)	Gas A is chlorine. Give a test for chlorine.	
	test	
	result	[2]
(c)	Gas B pops when tested with a lighted splint. What is gas B ?	
		[1]

[Total: 4]

BLANK PAGE

4 Solid **E** was analysed. **E** was an aluminium salt. Some of the observations are shown below.

tests on solid E	observations		
Appearance of solid E .	white crystalline solid		
test 1	colourless drops of liquid formed at the top of the tube		
A little of solid E was heated in a test-tube.			

(a)	A little	of solid	E was	dissolved	in	distilled	water
1 U I	/ \ IIIII	OI SOIIG	– was	alooul v c a		aistiica	Water

The solution was divided into four test-tubes and the following tests were carried out.

Complete the observations for tests 2 and 3.

(i)	test	2
-----	------	---

	Drops of aqueous sodium hydroxide were added to the first test-tube.	
	observations[[1]
(ii)	Excess sodium hydroxide was then added.	
	observations[[1]
(iii)	test 3	
	Drops of aqueous ammonia solution were added to the second test-tube. Excerammonia solution was then added.	SS
	observations	
		[2]

Two further tests are carried out and the following observations made.

tests on solution of E	observations
test 4	
To the third test-tube of solution, dilute hydrochloric acid was added, followed by barium nitrate solution.	no reaction
test 5	effervescence
To the fourth test-tube of solution, aqueous	G.,G., 1.655555
sodium hydroxide and aluminium foil were added.	pungent gas given off
	gas turned damp litmus paper blue
The mixture was warmed carefully.	

(b)	What does test 1 tell you about solid E ?		
	[1]		
(c)	Identify the gas given off in test 5 .		
	[1]		
(d)	What conclusions can you draw about solid E ?		
(e)	Test 5 states that the mixture should be warmed carefully.		
	In terms of safety, explain why it is necessary to warm carefully.		
	[2		
	الــــــــــــــــــــــــــــــــــــ		

5

E-numbers identify chemicals which are added to foods.
(a) E210 is benzoic acid. How could you show that a solution of benzoic acid is a weak acid?
test
result[2
(b) E110 is Sunset Yellow. Outline a method you could use to show the presence of E110 in a food colouring. You may draw a diagram to help answer the question.
[4
[Total: 6

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.