How many of the molecules shown belong to the homologous series of alkanes?

C₃H₈ C₄H₁₀ C₅H₁₀

C₆H₁₄

The diagram shows the structural formula of an organic compound.

2 Which statement about this compound is correct?

- It is a saturated hydrocarbon.
- It is an alkene.
- It is an isomer of butane.
- It will undergo addition with hydrogen.

3 Which statement about vegetable oil and the margarine made from it is correct?

- A Both are liquids at room temperature.
- B Both occur naturally.
- C Margarine has the higher melting point
- D Vegetable oil has fewer carbon-c arbon double bonds than margarine.

Which group is found in alcoh

- C CONH
- D OH

An ester is formed from a carboxylic acid and an alcohol.

How does the number of carbon, hydrogen and oxygen atoms in an ester differ from the total number of these atoms in the carboxylic acid and alcohol from which the ester is formed?


	carbon atoms	hydrogen atoms	oxygen atoms
Α	fewer	fewer	fewer
В	fewer	same	fewer
C	same	fewer	fewer
D	same	same	same

6. Which statement about the composition of polymers is correct?


- A Nylon contains oxygen atoms but not nitrogen atoms.
- B Proteins contain both nitrogen atoms and oxygen atoms.
- C Terylene contains nitrogen atoms.
- D The polymer used to make clingfilm contains oxygen atoms.

Poly(styrene) is an addition polymer.


The partial structure of poly(styrene) is shown.




What is the formula of the monomer from which poly(styrene) is made?









8

- I Which statement about the homologous series of alkanes is correct?
 - A Alkanes are unsaturated hydrocarbons.
 - B Alkanes all have the general formula C_nH_{2n}.
 - C The boiling points decrease as the number of carbon atoms per molecule increases.
 - D The liquid alkanes become more viscous as the mass of the molecules increases.

9

- Which compound has the empirical formula with the greatest relative formula mass?
 - A C₂H₆
- B C4H10
- C C₅H₁₀
- D C-H-

10

- Which statement about vegetable oil and the margarine made from it is correct?
 - A Both are liquids at room temperature.
 - B Both occur naturally.
 - C Margarine has the higher melting point.
 - D Vegetable oil has fewer carbon-carbon double bonds than margarine.

11

- When ethene reacts with steam to form ethanol, which type of reaction takes place?
 - A addition
 - B fermentation
 - C polymerisation
 - D reduction

12

An ester is formed from a carboxylic acid and an alcohol.


How does the number of carbon, hydrogen and oxygen atoms in an ester differ from the total number of these atoms in the carboxylic acid and alcohol from which the ester is formed?

	carbon atoms	hydrogen atoms	oxygen atoms
Α	fewer	fewer	fewer
В	fewer	same	fewer
С	same	fewer	fewer
D	same	same	same

Poly(lactic) acid is a polymer used to make biodegradable cups,

13

The partial structure of poly(lactic) acid is shown.



Which statements apply to poly(lactic) acid?

- 1 It is made by addition polymerisation.
- 2 It is made by condensation polymerisation.
- 3 It is a polyester.
- 4 The monomer used to make it is ethene.

A 1 and 3

B 1 and 4

C 2 and 3

D 2 and 4

Two large molecules, P and Q, both contain the same linkage.


P occurs naturally but Q does not.

14

Which row could be P and Q?

	P	Q
Α	fat	nylon
В	fat	Terylene
С	nylon	protein
D	protein	Terylene

15 The diagram shows the fractionation of petroleum (crude oil).



16 Which row shows the correct use for the fraction?

	fraction	use
A	bitumen	as a lubricant
В	diesel	for aircraft engines
C	naphtha	making road surfaces
D	paraffin (kerosene)	fuel for heating and cooking


Which compound is a constituent of petroleum (crude oil)?

- A C₂H₅OH
- B CH₃CO₂H
- C C₈H₁₈
- D C₆H₁₂O₆

- 17. Which formula represents an alkane?
 - A C₃₁H₃₃
- B C₃₁H₆₀
- C C₃₁H₆₂
- D C₃₁H₆₄

Z is a compound that:

- can be formed, as the only other product, when the alkane C₈H₁₈ is cracked to produce butane
- decolourises bromine water
- has a branched chain structure.
- 18. What is the formula of Z?



- A carboxylic acid of molecular formula C₄H₈O₂ reacts with an alcohol of molecular formula C₃H₈O to form an ester.
 - What could be the formula of the ester formed?
- 19.

- 20. Some properties of compound J are listed.
 - It reacts with potassium carbonate to produce carbon dioxide.
 - · It reacts with ethanol to produce a sweet-smelling liquid.
 - It reacts with sodium hydroxide to produce a salt.
 - What is a possible identity of J?
 - A ethanoic acid
 - B ethanol
 - C ethyl ethanoate
 - D ethyl methanoate

Which partial structure represents nylon?

21.

22 Which diagram shows a branched-chain isomer of butane?


23 A straight-chain alkene, C₄H₈, undergoes an addition reaction with bromine.

What is the possible structure of the product?

- A CH₃CHBrCH₂CH₂Br
- B CH₃CHBrCHBrCH₃
- C CH2BrCH2CH2CH2Br
- D CH3CH2CH2CH2Br

24 The diagram shows the structure of oxalic acid.

Which alcohol is oxidised to form oxalic acid?



- 25 Some properties of compound J are listed.
 - It reacts with potassium carbonate to produce carbon dioxide.
 - It reacts with ethanol to produce a sweet-smelling liquid.
 - It reacts with sodium hydroxide to produce a salt.

What is a possible identity of J?

- A ethanoic acid
- B ethanol
- C ethyl ethanoate
- D ethyl methanoate
- 26 The diagram shows the formula of nylon.

From which compounds could nylon be made?

- A HO₂C-(CH₂)₆-CO₂H and H₂N-(CH₂)₆-NH₂
- B HO₂C-(CH₂)₄-CO₂H and H₂N-(CH₂)₄-NH₂
- C HO₂C-(CH₂)₄-CO₂H and H₂N-(CH₂)₆-NH₂
- D HO₂C-(CH₂)₆-CO₂H and H₂N-(CH₂)₄-NH₂

27 Octane, C₈H₁₈, is a hydrocarbon that undergoes combustion in a petrol engine.

...
$$W$$
... $C_8H_{18} + ...X$... $O_2 \rightarrow ...Y$... $CO_2 + ...Z$... H_2O

Which row shows the figures needed to balance the equation?

	W	X	Y	Z
Α	1	8	8	9
В	1	17	8	9
С	2	16	8	9
D	2	25	16	18

- 28 Compounds S and T both contain two elements only. The compounds have the following properties.
 - They both burn in air to form carbon dioxide and water only.
 - They both react with chlorine by substitution.
 - S has a higher boiling point than T.

prope		Dotti Contain	two clotherits city. The compounds			
	They both burn in air to form carbon dioxide and water only.					
	 They both 	They both react with chlorine by substitution.				
	• S has a h	nigher boiling poi	nt than T .			
What	could compound	ls S and T be?	10			
	s	Т				
Α	ethane	propane				
В	ethene	propene				
С	propane ethane					
D	propene	ethene				
D propone curent						

29 Which row correctly describes alkenes?

	general formula	result when shaken with aqueous bromine
Α	C _n H _{2n+2}	no change
В	C _n H _{2n+2}	the aqueous bromine is decolourised
С	C _n H _{2n}	no change
D	C _n H _{2n}	the aqueous bromine is decolourised


30 The table contains statements about processes by which ethanol is produced on a large scale from ethene and from glucose.

	from ethene	from glucose
1	reaction is faster at	reaction is faster at
	300°C than at 200°C	100 °C than at 30 °C
2	produces pure ethanol	produces a dilute aqueous
		solution of ethanol
3	uses a catalyst	uses a catalyst
4	uses steam	produces carbon dioxide

Which rows are correct?

- A 1, 2 and 3
- B 1 and 4
- C 2, 3 and 4
- D 2 and 3 only


31 The structure of an ester is shown.





What is the name of this ester?


- A ethyl propanoate
- B methyl propanoate
- C propyl ethanoate
- D propyl methanoate

32 Which compound has a pH of less than 7 in aqueous solution?












- 33 When the alcohol of molecular formula C₄H₁₀O is oxidised, what is the molecular formula of the acid formed?
 - A C₄H₁₂O₂
- B C₄H₁₀O₂
- C C₄H₈O₂
- D C₄H₆O
- 34 The diagrams show the structures of five hydrocarbons.












Which three hydrocarbons are isomers of each other?

- A 1 2 and 4
- B 2, 3 and 5
- C 2, 3 and 4
- D 3.4 and 5
- 35 Which alcohol and acid will react together to make the ester CH₃COOC₂H₅?
 - A CH₃OH and CH₃COOH
 - B CH₃OH and C₂H₅COOH
 - C C₂H₅OH and CH₃COOH
 - D C₂H₅OH and C₂H₅COOH

36 Which compound has a pH of less than 7 in aqueous solution?



- 37 Which statement about polymers is correct?
 - A Nylon and Terylene are produced by addition polymerisation
 - B Nylon and Terylene both contain the amide linkage.
 - C Simple sugars can be produced by hydrolysing proteins.
 - D Starch contains the elements carbon, hydrogen and oxygen.
- 38 An ester is produced by reacting together the carboxylic acid HCO_2H and the alcohol $CH_3CH_2CH_2OH$.

What is the name and structure of this ester?

	name	structure
Α	methyl propanoate	CH ₃ CH ₂ CO ₂ CH ₃
В	methyl propanoate	HCO ₂ CH ₂ CH ₂ CH ₃
С	propyl methanoate	CH ₃ CH ₂ CO ₂ CH ₃
D	propyl methanoate	HCO₂CH₂CH₂CH₃

39 The repeat unit of a polymer is shown.

Which monomer would produce this polymer?









40 Each of compounds W, X, Y and Z is either an unbranched alkane or an unbranched alkene.

- W C₉H₁₈
- X C₉H₂₀
- Y C₁₀H₂₀
- Z C₁₀H₂₂

Which two compounds undergo an addition reaction with bromine?

- A W and Y
- B Wand Z
- C X and Y
- D X and 2

41 One mole of each alkane undergoes complete combustion.

Which alkane will produce seven moles of products?


- A CH₄
- B C₂H₆
- C C₃H₈
- D C₄H₁₀


42 Which statement about macromolecules is correct?


- A Nylon and Terylene are both polyesters.
- B Proteins and nylon have the same monomer units.
- C Proteins have the same amide linkages as nylon.
- D Terylene and fats are esters but with different linkages.


43 An organic compound, X has a molecular formula C₄H₈O₂ and turns damp, blue litmus paper red.

What is the structure of X?









44 Which polymer contains only three different elements?

- A protein
- B poly(ethene)
- C poly(propene)
- D starch

45 One mole of each alkane undergoes complete combustion. Which alkane will produce seven moles of products? C C₃H₈ A CH4 B C₂H₆ D C4H10 46 Ethanoic acid is formed when ethanol is reacted with acidified potassium manganate(VII). What is the name of this process? A combustion B condensation C oxidation D polymerisation CH₃-CH₂-CH₂-OH₂-OH₃-tains an 47 The structure of compound X is shown. Which statement is not correct? A X is an alcohol because it contains an -OH group. B X is an isomer of propanol. C X would burn in air to form carbon dioxide and water. D X would have a higher boiling point than ethanol. 48 After which conversion does the product contain more carbon atoms than the reactant? A ethanol to ethanoic acid B ethanol to ethyl ethanoate C ethene to ethane D ethene to ethanol

- 49 Molecules 1–4 are unbranched hydrocarbons.
 - 1 C₁₀H₂₂
 - 2 C₁₀H₂₀
 - 3 C₉H₂₀
 - 4 C₈H₁₆


Which row correctly identifies these hydrocarbons as alkanes or alkenes?

		alkane	alkene			
	Α	1 and 2	3 and 4			
	В	1 and 3	2 and 4	.00		
	С	1 and 4	2 and 3	. 69		
	D	2 and 3	1 and 4			
50	50 Which polymer contains only three different elements? A protein B poly(ethene) C poly(propene) D starch					
51	Which	n statement abou	t macromolecule:	s is correct?		
	A N	lylon and <i>Terylen</i>	e are both polyes	sters.		

- - A Nylon and Terylene are both polyesters.
 - B Proteins and nylon have the same monomer units.
 - C Proteins have the same amide linkages as nylon.
 - D Terylene and fats are esters but with different linkages.

·

52 The diagram shows the structures of two hydrocarbons, X and Y.




Two students make the following statements.

Student 1 Hydrocarbon X is an isomer of Y.

Student 2 Hydrocarbon X is unsaturated but Y is saturated.

Which students are correct?

- A both 1 and 2
- B 1 only
- C 2 only
- D neither 1 nor 2
- 53 The diagram shows the structure of an ester.



What is the name of this ester?

- A butyl butanoate
- B. butyl propancate
- C propyl butanoate
- D propyl propanoate
- 54 An unsaturated hydrocarbon with six carbon atoms contains only three C=C double bonds. This hydrocarbon is reacted with excess hydrogen at a high temperature.

What is the formula of the resulting hydrocarbon?

- A C₆H₈
- B C₆H₁₀
- C C₆H₁₄
- D C₆H₁₆

55 Compound Q has the formula C₄H₁₀.

Which statement about compound Q is correct?

- A It undergoes addition reactions with chlorine.
- B It has a lower boiling point than methane.
- C It has the same general formula as methane.
- D There are four C-C bonds in the molecule.
- 56 Hydrolysis of R, a macromolecule, gives a mixture of amino acids.

What is R?

- A a fat
- B a nylon
- C a polyester
- D a protein
- 57 The diagram shows a section of a polymer.

Which alkene is used to make this polymer?

- A CH₃CH=CH₂
- B CH₃CH₂CH=CH₂
- C CH₃CH₂CH=CHCH₃
- D CH3CH=CHCH3

58 The table shows some atmospheric pollutants and their possible effects.

Which row is not correct?


	pollutant	effect
А	CFCs	cause depletion of the ozone layer
В	CO ₂	forms photochemical smog
С	co	is poisonous to humans
D	NO ₂	forms acid rain


- 59 Which compound is the most viscous and the least flammable?
 - A CeH14

- B C₈H₁₈ C C₁₀H₂₂ D C₁₂H₂₈
- 60 How many moles of ethanoic acid, CH₂CO₂H, react with one mole of magnesium?
- B 2
- C 3
- 61 With which substance will ethene react to form more than one produc
 - A argon
 - B hydrogen
 - C oxygen
 - D steam
- 62 Which statement about isomers of a compound is always correct?
 - A They have different empirical formulae.
 - B They have different relative molecular masses.
 - C They have only carbon and hydrogen in their molecules.
 - D They have the same molecular formula.
- 63 How many of the structures show an unsaturated hydrocarbon molecule?



CH3-CH2-CH2-CH3 CH3-CH-CH2






- B 2

- 64 Which type of polymer is made by reacting amino acids together?
 - A an addition polymer
 - B a carbohydrate
 - C a polyamide
 - D a polyester

- 65 Which statements about alcohols are correct?
 - All alcohols contain the hydroxide ion, OHT.
 - 2 Ethanol can be formed from ethene using a reaction catalysed by yeast.
 - 3 Methanol can be oxidised to methanoic acid.
 - 4 The alcohols X and Y shown are isomers.



- A 1 and 2
- B 1 and 3
- C 2 and 4
- D 3 and 4
- 66 Amino acids are essential building blocks in the human body. Macromolecules in food are hydrolysed to form amino acids.


Which macromolecules provide the body with amino acids?

- A carbohydrates
- B fats
- C proteins
- D sugars
- 67 Ethanol, C₂H_eO, was reacted with propanoic acid, C₃H_eO₂, in the presence of concentrated sulfuric acid.

Which statement about the organic product of this reaction is correct?

- A It has the formula C.H.O.
- B It has the formula C₃H₂O₃.
- C It is formed by an addition reaction.
- D It is propyl ethanoate.
- 68 How can alkenes be manufactured?
 - A by polymerisation reactions
 - B by the addition of hydrogen to unsaturated vegetable oils
 - C by the combustion of alkanes
 - D by the cracking of hydrocarbons

- 69 Which statement about alkanes is correct?
 - A Ethane reacts with chlorine in an addition reaction.
 - B Propane has a higher boiling point than butane.
 - C The molecule of the alkane that contains 99 carbon atoms has 200 hydrogen atoms.
 - D There are three isomers with the formula C₄H₁₀.
- 70 Which statement about ethanoic acid is correct?
 - A Ethanoic acid can be made by the catalysed addition of steam to ethene.
 - B Propanoic acid can react with ethanoic acid to produce an ester.
 - C Solutions of 1.0mol/dm³ ethanoic acid and 1.0 mol/dm³ hydrochloric acid will react with magnesium at equal rates.
 - D The formula of ethanoic acid is CH₂CO₂H.
- 71 Polymer Z has the structure shown.




These four terms can be used to describe polymers.

- addition polymer
- 2 condensation polymer
- 3 polyamide
- 4 polyester

Which two terms can be applied to polymer Z?

- A 1 arid 3
- B 1 and 4
- C 2 and 3
- D 2 and 4

72 How many of the structures show an unsaturated hydrocarbon molecule?




- 73 Which statements are correct for alkenes but not for alkanes?
 - 1 They turn aqueous bromine from brown to colourless.
 - 2 Their general formula is C_nH_{2n}.
 - 3 They burn in air to form carbon dioxide and water.
 - A 1, 2 and 3 B 1 and 2 only C 1 and 3 only D 2 and 3 only
- 74 Wine is an alcoholic drink that contains ethanol. If wine is left exposed to the air for too long, it can become acidic.

This is because the ethanol is1..... to the acid2......

Which word and formula correctly complete gaps 1 and 2?

87	1	2
Α	oxidised	СН₃СООН
В	oxidised	CH₃CH₂COOH
С	reduced	сн₃соон
D	reduced	CH₃CH₂COOH

75 Polymer Z has the structure shown.



These four terms can be used to describe polymers.

- 1 addition polymer
- 2 condensation polymer
- 3 polyamide
- 4 polyester

Which two terms can be applied to polymer Z?

- A 1 and 3
- B 1 and 4
- C 2 and 3
- D 2 and 4

76 The diagram shows the structure of poly(dichloroethene).


Which statement about this polymer is correct?

- A The monomer is C=C.
- $\begin{array}{c|c} & H & Cl \\ \hline & & \\ & & \\ \end{array}$ $\begin{array}{c|c} \mathbf{B} & \text{The monomer is } \mathbf{C} = \mathbf{C} \\ \hline & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ \end{array}$
- C The polymer is formed by a condensation reaction.
- D The polymer has a lower melting point than the monomer.
- 77 How can the following reaction be described?

$$C_8H_{18} \rightarrow C_4H_{10} + 2C_2H_4$$


- A combustion
- B cracking
- C oxidation
- **D** reduction

78 The structures of four hydrocarbons, W, X, Y and Z, are shown.



Which row is correct?

	isomers of each other	decolourise bromine	branched structures W and Y
A	W and X	Y and Z	
В	W and X	Y and Z	X and Z
С	Y and Z	W and Y	X and Z
D	Y and Z	W and Z	W and Y



Marking Key

1.C	24.C	47.B	70.D
2.A	25.A	48.B	71.C
3.C	26.C	49.B	72.A
4.D	27.D	50.D	73.B
5.C	28.C	51.C	74.A
6.B	29.D	52.D	75.C
7.B	30.C	53.C	76.A
8.D	31.D	54.C	77.B
9.B	32A	55.C	78.A
10.C	33.C	56.D	
11.A	34.A	57.B	
12.C	35.C	58. B	Call
13.C	36.C	59.D	
14.A	37.D	60.B	000
15.D	38.D	61.C	201
16.C	39.A	62.D	
17.D	40.A	63.A	
18.D	41.C	64.C	
19.B	42.C	65.D	
20.A	43.D	66.C	
21.C	44.D	67.A	
22.A	45.C	68.D	
23.B	46.C	69.C	