## MARK SCHEME for the May/June 2014 series

## 0439 CHEMISTRY (US)

0439/23

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



	Page 2		2		Syllabus	Paper
			_	IGCSE – May/June 2014	0439	23
1	(a)	(i)	copp	per sulfate / CuSO <sub>4</sub>		[1]
		(ii)	calci	ium oxide / CaO		[1]
		(iii)	hydr	ogen chloride / HCl		[1]
		(iv)	pota	ssium bromide / KBr		[1]
		(v)	alum	ninium oxide / Al <sub>2</sub> O <sub>3</sub>		[1]
		(vi)	copp	per sulfate / CuSO₄		[1]
	<ul><li>(b) chemically; different; fixed;</li><li>(1 mark each)</li></ul>					[3]
						[Total: 9]
2	(a) hydrochloric (acid) / HC <i>l</i> calcium hydroxide / calcium oxide					[1] [1]
	(b)	≓				[1]
		6H <sub>2</sub>	₂O on	right		[1]
	(c)	in tu	ube A	the calcium chloride absorbs the water vapour;		[1]
	In tube B there is both water and air / there is water (vapour) in the air;				[1]	
	(d)	(d) 2 <sup>nd</sup> box down ticked (oxidation state of iron)				[1]
	(e)	(i)	-	nesium < zinc < iron < lead ark if one pair reversed / lead > iron > zinc > magnes	sium	[2]
		(ii)	oxyg oxyg	gen removed from the copper oxide / it loses oxygen;	gen / hydrogen gains	[1]
						[Total: 10]
3	(a)	(i)	carro	ots; potatoes;		[1]
		(ii)	(pH)	7;		[1]
	(b)	(i)	•	<b>two</b> from: plants won't grow if (conditions too) acid to raise the pH / to make the soil less acidic / lime high pH; to neutralise (the soil) / neutralisation;	is alkaline / lime has	[2]

Page 3		6	Mark Scheme	Mark Scheme Syllabus	Paper	
				IGCSE – May/June 2014	0439	23
(ii) lime is alkaline / lime is a bas			lime	is alkaline / lime is a base / lime reacts with ammon	um salts;	[1]
		ammonia produced;				[1]
			(amı	monia) escapes (into air) / (ammonia) is a gas;		[1]
	(c)	(i)	•	<b>two</b> from: increases; up to pH 7.5 / up to quoted values between pH 7 and then levels off / evens out / then stays at the same p		[2]
		(ii)	pH 9	9.5 / between 9 and 10		[1]
						[Total: 10]
4	(a)	(i)	capi	llary tube / very narrow tube;		[1]
		(ii)		vould undergo chromatography / ink would run up tl results / ink would smear / ink mixes with spot ORA f		; [1]
		(iii)	В			[1]
		(iv)	А			[1]
		(v)	С			[1]
	(b)	(i)	4			[1]
		(ii)	H =	1 mark one row correct e.g. $12 \times 1 = 12$ $4 \times 14 = 56$		[2]
	(c)	(i)		of substance formed by (addition of) monomers or y monomers or simple units (joined);	simple units / idea o	f [1]
		(ii)	poly	(ethene) / polyethene;		[1]
						[Total: 10]
5	(a)	(i)		eases as number of (carbon) atoms increase / both i / proportional / more carbon the higher the boiling p		, [1]
		(ii)		ng point <b>allow:</b> between 130 and 150 °C; ual = 141)		[1]
				sity <b>allow:</b> between 0.80 and 1.00; ual = 0.96)		[1]

	Page 4	4	Mark Scheme Syllabus	Paper	
			IGCSE – May/June 2014 0439	23	
	(iii) <u>liquid</u> because melting point below room temperature and boiling point above room temperature / room temperature is between melting and boiling point;				
	(b) ○ Ⅲ				
	(C)	)—0	—H	[1]	
	(c) (i)	bure	ette;	[1]	
	(ii)	sodi	um hydroxide;	[1]	
	(iii)	indio	cator in flask / reference to indicator;	[1]	
		run	liquid from burette (until indicator changes colour);	[1]	
				[Total: 9]	
6	<b>(a)</b> Pb	Br <sub>2</sub> / F	Pb²⁺2Br⁻	[1]	
	(b) (i)	to m	elt the lead bromide / to allow ions to move;	[1]	
	(ii)	grap	phite;	[1]	
	(iii)		de: bromine and cathode: lead; h required)	[1]	
	(c) (i)	A;		[1]	
	(ii)	(and	ode): decreases in size / becomes eroded;	[1]	
		cath	ode: increases in size;	[1]	
	(iii)	134		[2]	
				[Total: 9]	
7	(a) (i)	Any	four suitable differences e.g.:	[4]	
		• • •	no noble gases / only 7 (standard) Groups ORA; hydrogen / H in same column as Li ORA; some elements missing / named element missing / empty spaces OR groups are horizontal rather than vertical / reference to groups or peri being different ORA not ordered according to atomic number / no proton numbers Zn put in same group as Be and Mg ORA		
	(ii)	-	<b>two</b> from: ine, chlorine, bromine, oxygen , nitrogen , hydrogen	[1]	

Page 5		Mark Scheme	Syllabus	Paper	
		IGCSE – May/June 2014	0439	23	
(b)	<ul> <li>dens</li> <li>cata</li> <li>stren</li> <li>hard</li> <li>elect</li> </ul>	ing points / boiling points; sity; lytic activity;		[3]	
(c)	2 (C <i>l</i> <sub>2</sub> ); CO <sub>2</sub> (on	right);		[1] [1]	
(d)		nt sodium reacting with air / to stop the Ti reac air / to stop the hydrolysis of the titanium oxide ;			
	because	argon is inert / unreactive / inactive / does not reac	t;	[1]	
				[Total: 12]	
8 (a)	3 <sup>rd</sup> box d	own ticked (giant ionic);		[1]	
(b)	add bari	um chloride / barium nitrate;		[1]	
	white pre (both rec <b>note:</b> se	•		[1]	
(c)	<ul> <li>conr</li> <li>mixt</li> <li>idea</li> <li>wate</li> <li>wate</li> <li>on h</li> <li>easi</li> <li>stea</li> <li>wate</li> <li>sodi</li> <li>sodi</li> <li>wate</li> </ul>	from: denser hected to flask ure in flask of heating the solution / boil the solution er has lower boiling point than sodium sulfate / sodiu er is liquid (at rtp) eating water boils more easily / forms vapour more ly / water boils first / water will evaporate (not sodium m / water vapour goes to top of the flask and into co er vapour gets into condenser um sulfate does not turn to gas um sulfate remains in flask / sodium sulfate is left er vapour / steam goes to liquid in condenser er collected in receiver	m sulfate)	[5] and	

Page 6	Mark Scheme	Syllabus	Paper	
	IGCSE – May/June 2014	0439	23	
(e) filtered; chlorine added / chlorination; allow: other stages e.g. sedimentation / flocculation (use of iron chloride / aluminium sulfate etc.) / treatment with sulfur dioxide				

[Total: 11]