

CHEMISTRY (US)

Paper 2 Multiple Choice (Extended)

0439/23

May/June 2018

45 minutes

Additional Materials: Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid. Write your name, Center number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.


Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. Electronic calculators may be used.

This document consists of 14 printed pages and 2 blank pages.



1 Ammonia gas is reacted with hydrogen chloride gas using the apparatus shown.

Solid ammonium chloride is produced.



Which statement explains why the solid ammonium chloride is formed nearer to the hydrogen chloride?

- **A** Ammonia solution is a base and hydrogen chloride solution is an acid.
- **B** Ammonia molecules diffuse more slowly than hydrogen chloride molecules.
- **C** Hydrogen chloride has a greater molecular mass than ammonia.
- **D** Hydrogen chloride moves by Brownian motion.
- 2 Paper chromatography is done in the same way with three different mixtures of dyes. Each mixture contains at least one of the dyes W, X, Y and Z.

The $R_{\rm f}$ values of the dyes in the three mixtures are shown.


dye	<i>R</i> _f values from mixture 1	<i>R</i> _f values from mixture 2	<i>R</i> _f values from mixture 3
W	0.15	0.15	0.15
X	0.00	0.00	0.00
Y	0.50	0.50	0.50
Z	0.00	0.91	0.91

Which conclusion is correct?


- **A** Dye W is nearest the solvent front and is present only in mixture 1 and mixture 3.
- **B** Dye X has traveled furthest up the chromatography paper.
- **C** Dye Y is the only dye present in all three mixtures.
- **D** Dye Z is nearest the solvent front and is found in only two of the mixtures.

3 Solid R reacted with dilute sulfuric acid.

The initial temperature of the dilute sulfuric acid and the final temperature of the solution are shown.



4 The 'lead' in a pencil is made of a mixture of graphite and clay.



When the percentage of graphite is increased, the pencil slides across the paper more easily.

Which statement explains this observation?

- **A** Graphite has a high melting point.
- **B** Graphite is a form of carbon.
- **C** Graphite is a lubricant.
- **D** Graphite is a nonmetal.
- 5 Iron has an atomic number of 26. It occurs as the isotopes ⁵⁴Fe, ⁵⁶Fe, ⁵⁷Fe and ⁵⁸Fe.

Which statement explains why these isotopes have the same chemical properties?

- **A** They have similar mass numbers.
- **B** They have the same number of electrons in their outer shells.
- **C** They have the same number of neutrons in their nuclei.
- **D** They have the same number of protons in their nuclei.

6 How many silicon atoms are bonded to each oxygen atom in a crystal of silicon(IV) oxide?

A 1 **B** 2 **C** 3 **D** 4

- 7 Which substance is **not** a macromolecule?
 - A diamond
 - B graphite
 - **C** silicon(IV) oxide
 - D sulfur
- 8 An experiment was done to determine the formula of a hydrocarbon, C_xH_y .

 10 cm^3 of the gaseous hydrocarbon, C_xH_y , was burned in an excess of oxygen to form 20 cm^3 of carbon dioxide and 30 cm^3 of water vapor.

What is C_xH_y ?

A CH_4 **B** C_2H_4 **C** C_2H_6 **D** C_3H_8

9 4.00 g of solid sodium hydroxide is added to water to make a solution with a concentration of 0.200 mol/dm^3 .

What is the volume of water used?

Α	0.5 cm ³	В	20 cm ³	С	500 cm ³	D	2000 cm ³
---	---------------------	---	--------------------	---	---------------------	---	----------------------

10 Aqueous copper(II) sulfate is electrolyzed using copper electrodes.

Which statement is correct?

- **A** Oxygen gas is produced at the positive electrode.
- **B** The blue color of the solution gradually fades.
- **C** The concentration of copper ions in the solution stays the same.
- **D** The mass of the negative electrode decreases.

11 Dilute sulfuric acid is electrolyzed using inert electrodes.

What are the ionic half-equations for the reactions that take place at each electrode?

	positive electrode	negative electrode		
Α	$2H^{+} + 2e^{-} \rightarrow H_2$	$4\text{OH}^{\scriptscriptstyle -} \rightarrow 2\text{H}_2\text{O} \ + \ \text{O}_2 \ + \ 4\text{e}^{\scriptscriptstyle -}$		
в	$2H^+$ + $2e^- \rightarrow H_2$	$4 O H^{\scriptscriptstyle -} \ + \ 4 H^{\scriptscriptstyle +} \ \rightarrow \ 4 H_2 O$		
С	$4\text{OH}^{-} \rightarrow 2\text{H}_2\text{O} \ + \ \text{O}_2 \ + \ 4\text{e}^{-}$	$2\text{H}^{\scriptscriptstyle +}~+~2\text{e}^{\scriptscriptstyle -}~\rightarrow~\text{H}_2$		
D	$4\text{OH}^{-} + 4\text{H}^{+} \rightarrow 4\text{H}_2\text{O}$	$2H^{+}$ + $2e^{-} \rightarrow H_2$		

- **12** Information about two reactions is given.
 - The neutralization reaction between citric acid and sodium hydrogencarbonate is endothermic.
 - The displacement reaction between magnesium and carbon dioxide is exothermic.

Which statements about the two reactions are correct?

- 1 The energy of the products formed in the neutralization reaction is greater than the energy of the reactants.
- 2 The energy of magnesium and carbon dioxide is greater than the energy of magnesium oxide and carbon.
- 3 In an exothermic reaction, the energy required to break the bonds is greater than the energy released when the new bonds are formed.
- A 1, 2 and 3 B 1 and 2 only C 1 and 3 only D 2 and 3 only
- **13** Ethene reacts with hydrogen. The equation is shown.

$$CH_2=CH_2 + H_2 \rightarrow C_2H_6$$

The bond energies are shown in the table. The reaction is exothermic.

bond	bond energy in kJ/mol
C–C	+350
C=C	+610
C–H	+410
H–H	+436

What is the energy change for the reaction?

A -560 kJ/mol B -124 kJ/mol C +486 kJ/mol D +5496 kJ/mol

	increasing concentration	increasing temperature
Α	more collisions per second only	more collisions per second only
В	more collisions per second and more collisions with sufficient energy to react	more collisions per second only
С	more collisions per second only	more collisions per second and more collisions with sufficient energy to react
D	more collisions per second and more collisions with sufficient energy to react	more collisions per second and more collisions with sufficient energy to react

15 In the Contact process, sulfur dioxide is converted into sulfur trioxide in a reversible reaction.

$$2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g)$$

The forward reaction is exothermic.

Which conditions give the highest yield of sulfur trioxide at equilibrium?

	pressure /atmospheres	temperature
Α	0.5	high
В	0.5	low
С	1.5	high
D	1.5	low

16 The equation for a redox reaction is shown.

$$2Fe^{3+}$$
 + Zn \rightarrow $2Fe^{2+}$ + Zn²⁺

Which statements are correct?

- 1 Fe^{3+} is reduced to form Fe^{2+} .
- 2 Zn oxidizes the Fe^{3+} ions.
- 3 Fe^{3+} is an oxidizing agent.

A 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

- 17 Which statement about oxides is correct?
 - **A** A solution of magnesium oxide has a pH less than pH 7.
 - **B** A solution of sulfur dioxide has a pH greater than pH 7.
 - **C** Magnesium oxide reacts with nitric acid to make a salt.
 - **D** Sulfur dioxide reacts with hydrochloric acid to make a salt.
- **18** The equation represents an equilibrium in aqueous ammonia.

 $NH_3(aq) + H_2O(I) \rightleftharpoons NH_4^+(aq) + OH^-(aq)$

How does aqueous ammonia behave in this reaction?

- **A** as a strong acid
- **B** as a strong base
- C as a weak acid
- D as a weak base
- **19** An excess of aqueous sodium sulfate was added to aqueous barium chloride and the mixture was filtered.

Which row shows the identity of the residue and the substances present in the filtrate?

	residue	substances in filtrate
Α	barium sulfate	barium chloride and sodium chloride
в	barium sulfate	sodium chloride and sodium sulfate
С	sodium chloride	barium chloride and sodium sulfate
D	sodium chloride	barium sulfate and sodium sulfate


- 20 Which methods are suitable for preparing both zinc sulfate and copper(II) sulfate?
 - 1 reacting the metal oxide with warm dilute aqueous sulfuric acid
 - 2 reacting the metal with dilute aqueous sulfuric acid
 - 3 reacting the metal carbonate with dilute aqueous sulfuric acid

Α	1, 2 and 3	В	1 and 2 only	С	1 and 3 only	D	2 and 3 only
---	------------	---	--------------	---	--------------	---	--------------

- **21** Which element is classified as a nonmetal in the Periodic Table?
 - A calcium
 - **B** chlorine
 - **C** chromium
 - D copper
- 22 Part of the Periodic Table is shown.

Element Q has a low boiling point, low density and does not conduct electricity.


Which element is Q?



23 Which row describes a typical transition element?

	density in g/cm ³	melting point in °C	boiling point in °C	color of oxide
Α	0.97	98	883	white
в	2.64	769	1382	white
С	3.10	-7	59	yellow
D	8.96	1085	2562	red

24 Which diagram represents a solid alloy?




- **25** The ionic equations for four reactions are shown.
 - $\begin{array}{rcl} Z \ + \ X^{2+} \ \rightarrow \ Z^{2+} \ + \ X \\ \\ Z \ + \ 2W^{+} \ \rightarrow \ Z^{2+} \ + \ 2W \\ \\ X \ + \ 2W^{+} \ \rightarrow \ X^{2+} \ + \ 2W \\ \\ Y \ + \ Z^{2+} \ \rightarrow \ Y^{2+} \ + \ Z \end{array}$

What is the order of reactivity of the four metals, W, X, Y and Z?

	most reactiv	→ r	least reactive		
Α	W	Х	Z	Y	
В	Х	W	Y	Z	
С	Y	Z	Х	W	
D	Z	W	Х	Y	

- 26 Which equation represents the first stage in the extraction of zinc from zinc blende?
 - $\textbf{A} \quad 2ZnS \ \textbf{+} \ 3O_2 \ \rightarrow \ 2ZnO \ \textbf{+} \ 2SO_2$
 - $\textbf{B} \quad ZnS \ + \ H_2O \ \rightarrow \ ZnO \ + \ H_2S$
 - $\textbf{C} \quad \text{ZnO} \ \textbf{+} \ \text{CO} \ \rightarrow \ \textbf{Zn} \ \textbf{+} \ \text{CO}_2$
 - $\textbf{D} \quad ZnO \ + \ H_2SO_4 \ \rightarrow \ ZnSO_4 \ + \ H_2O$
- 27 Which statement explains why aluminum is used to manufacture aircraft?
 - A It has a low density.
 - **B** It is a good conductor of electricity.
 - **C** It is a good conductor of heat.
 - **D** It is ductile.

28 Dry air is passed over hot copper until all the oxygen has reacted.



The volume of gas at the end of the reaction is 120 cm³.

What is the starting volume of dry air?

A 132 cm³ **B** 152 cm³ **C** 180 cm³ **D** 570 cm³

29 A steel bicycle which had been left outdoors for several months was starting to rust.

What would not reduce the rate of corrosion?

- **A** Remove the rust and paint the bicycle.
- **B** Remove the rust and store the bicycle in a dry shed.
- **C** Remove the rust and wipe the bicycle with a clean, damp cloth.
- **D** Remove the rust and wipe the bicycle with an oily cloth.
- 30 Which statements about water are correct?
 - 1 Household water contains dissolved salts.
 - 2 Water for household use is filtered to remove soluble impurities.
 - 3 Water is treated with chlorine to kill bacteria.
 - 4 Water is used in industry for cooling.
 - **A** 1, 2, 3 and 4
 - B 1, 2 and 3 only
 - **C** 1, 3 and 4 only
 - **D** 2, 3 and 4 only

31 Ammonia is manufactured by reacting hydrogen with nitrogen in the Haber process.

Which row describes the sources of hydrogen and nitrogen and the conditions used in the manufacture of ammonia in the Haber process?

	source of hydrogen	source of nitrogen	temperature of reaction/°C	pressure of reaction / atm
Α	air	natural gas	250	2
в	air	natural gas	250	200
С	natural gas	air	450	2
D	natural gas	air	450	200

- **32** Which statements about the carbon cycle are correct?
 - 1 Carbon dioxide is added to the atmosphere by respiration.
 - 2 Carbon dioxide is added to the atmosphere by combustion of coal.
 - 3 Carbon dioxide is removed from the atmosphere by photosynthesis.

A 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

33 Element Z forms an oxide, ZO₂. Three uses of ZO₂ are listed.

- bleaching agent
- killing bacteria
- manufacturing an important acid

What is Z?

- A carbon
- B lead
- **C** nitrogen
- D sulfur

34 Limestone is an important material with many uses.

Limestone is heated to produce1..... and carbon dioxide.

This reaction is called2.....

Which words correctly complete gaps 1 and 2?

	1	2
Α	lime	neutralization
в	lime	thermal decomposition
С	slaked lime	neutralization
D	slaked lime	thermal decomposition

35 What is not the correct use of the fraction named?

	name of fraction	use
Α	fuel oil	making waxes
в	gas oil	fuel in diesel engines
С	kerosene	jet fuel
D	naphtha	making chemicals

36 Methane, ethane and propane belong to a family of hydrocarbons called alkanes.

What is the general formula of an alkane?

 $\label{eq:constraint} \textbf{A} \quad C_n H_{2n} \qquad \qquad \textbf{B} \quad C_n H_{2n+1} \qquad \qquad \textbf{C} \quad C_n H_{2n-1} \qquad \qquad \textbf{D} \quad C_n H_{2n+2}$

- **37** Which substances can be obtained by cracking hydrocarbons?
 - A ethanol and ethene
 - B ethanol and hydrogen
 - **C** ethene and hydrogen
 - **D** ethene and poly(ethene)

38 Which row describes an advantage and a disadvantage of making ethanol by fermentation?

	advantage	disadvantage
Α	uses a renewable resource	occurs at a slow rate
В	needs a high temperature	produces impure ethanol as a product
С	produces pure ethanol as a product	needs a high temperature
D	occurs at a slow rate	uses a nonrenewable resource

- **39** Which esters have the molecular formula $C_5H_{10}O_2$?
 - 1 ethyl propanoate
 - 2 propyl ethanoate
 - 3 butyl methanoate
 - 4 methyl butanoate
 - **A** 1, 2, 3 and 4
 - **B** 1, 2 and 3 only
 - C 1 and 2 only
 - D 3 and 4 only
- **40** A polymer linkage contains carbon, hydrogen, nitrogen and oxygen atoms.

Which row about the polymer is correct?

	type of polymer	formed by
Α	polyamide	addition polymerization
в	polyamide	condensation polymerization
С	polyester	addition polymerization
D	polyester	condensation polymerization

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

												0,									
				5	Ш	boron 11	13	Al	aluminum 27	31	Ga	gallium 70	49	In	indium 115	81	Tl	thallium 204			
							1			30	Zn	zinc 65	48	Cd	cadmium 112	80	Hg	mercury 201	112	C	copemicium -
ements										29	Cu	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium -
The Periodic Table of Elements	dno									28	ïZ	nickel 59	46	Pd	palladium 106	78	ŗ	platinum 195	110	Ds	darmstadtium -
	Group									27	ပိ	cobalt 59	45	Rh	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium -
The Pe			hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	76	SO	osmium 190	108	Hs	hassium -
										25	Mn	manganese 55	43	Ц	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
					bol	SSE				24	ŗ	chromium 52	42	Mo	molybdenum 96	74	8	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbol	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	ца	tantalum 181	105	Db	dubnium –
					ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	Ŗ	rutherfordium —
							-			21	Sc	scandium 45	39	≻	yttrium 89	57-71	lanthanoids		89-103	actinoids	
		=		4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	S	strontium 88	56	Ba	barium 137	88	Ra	radium –
		_		с		lithium 7	11	Na	sodium 23	19	×	potassium 39	37	Rb	rubidium 85	55	Cs	cesium 133	87	Ļ	francium -
JCLE	S 20 [.]	18											043	89/2	3/M/.	J/18	3				

S
Ę
5
e
3
5
<u> </u>
ш
-
Ö
-
<u> </u>
0
a
HE .
~
.≃
σ
Ō
÷
5
້

 \parallel

₹

 \geq

>

 \geq

2	He	helium 4	10	Ne	neon	20	18	Ar	argon 40	36	Кr	krypton 84	54	Xe	xenon 131	86	Rn	radon -				
			6	LL	fluorine	19	17	Cl	chlorine 35.5	35	Ъ	bromine 80	53	Ι	iodine 127	85	At	astatine -				
			80	0	oxygen	16	16	ი	sulfur 32	34	Se	selenium 79	52	Те	tellurium 128	84	Po	polonium –	116	2	livermorium	I
			7	z	nitrogen	14	15	٩	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Bi	bismuth 209				
			9	ပ	carbon	12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Fl	flerovium	I
			5	В	boron	1	13	Al	aluminum 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204				
										30	Zn	zinc 65	48	S	cadmium 112	80	Hg	mercury 201	112	C	copernicium	I
										29	Cu	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium	I

71	Lu	lutetium	175	103	Ļ	lawrencium	I
	٩۲						
69	Tm	thulium	169	101	Мd	mendelevium	I
68	ц	erbium	167	100	Еm	fermium	I
67	Ч	holmium	165	66	Es	einsteinium	I
99	D	dysprosium	163	98	ç	californium	I
65	Tb	terbium	159	97	剐	berkelium	I
64	Вd	gadolinium	157	96	CB	curium	I
63	Eu	europium	152	95	Am	americium	1
62	Sm	samarium	150	94	Pu	plutonium	1
61	Pm	promethium	I	93	Np	neptunium	I
60	Νd	neodymium	144	92		uranium	238
59	Pr	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	Th	thorium	232
57	La	lanthanum	139	89	Ac	actinium	I
	lanthanoids				actinoids		

16